

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
CLASS 0205 SB

2013 Ford Super Duty F-350 SRW 4WD SuperCab 142"



2013 Ford Super Duty F-350 SRW 4WD SuperCab 142" XL (X3B)

CLASS 0205 SB

TRUCK 1 TON EXTENDED CAB 4X4 SB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Vehicle Report: Table of Contents

VEHICLE INFORMATION

Selected Model	1
Selected Vehicle Colors	1
Selected Options	1
Aftermarket Options	1

STANDARD EQUIPMENT

Mechanical	2
Exterior	2
Entertainment	2
Interior	2
Safety	3

TECHNICAL SPECIFICATIONS

Chassis	4
Vehicle	6
Powertrain	6
Dimensions	7

WARRANTY INFORMATION

Warranty Information	9
----------------------	---

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Vehicle Information

SELECTED MODEL

Code	Description	Front Weight	Rear Weight
X3B	2013 Ford Super Duty F-350 SRW 4WD SuperCab 142" XL	3817 lbs	2838 lbs

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description	Front Weight	Rear Weight
---	STANDARD EMISSIONS, (N/A w/99T Engine)		
996	6.2L SOHC 16-VALVE EFI NA V8 FLEX-FUEL ENGINE, (STD)		
44P	TORQSHIFT 6-SPEED SELECTSHIFT AUTOMATIC TRANSMISSION W/TOW/HAUL MODE, (STD), (REQ: 996 Engine)		
X37	3.73 AXLE RATIO, (REQ: 996 Engine)		
610A	XL SERIES ORDER CODE		
TBM	(5) LT245/75R17E ALL-TERRAIN BSW TIRES		
---	SOLID PAINT, (STD)		
1S	STEEL, CLOTH 40/20/40 SPLIT BENCH FRONT SEAT		
---	AIR CONDITIONING, (STD)		
		Front Weight	Rear Weight
90L	PWR EQUIPMENT GROUP, -inc: accessory delay, pwr front side windows w/one-touch-up/down feature, pwr door locks, remote keyless entry, perimeter anti-theft alarm, manual telescoping trailer tow mirrors w/pwr heated glass, heated convex spotter mirror, integrated clearance lamps & turn signals, upgraded door trim panel, (REQ: Air Conditioning), *Deletes passenger side lock cylinder*	12.0	3.0
41P	SKID PLATE PKG, -inc: transfer case & fuel tank	19.0	17.0
213	ELECTRIC SHIFT-ON-THE-FLY TRANSFER CASE, -inc: manual-locking front hubs, instrument panel auto rotary control, secondary glove box	3.0	0.0
52B	TRAILER BRAKE CONTROLLER, *Compatible w/select electric over hydraulic brakes*		
585	AM/FM STEREO W/CD/MP3 PLAYER, -inc: clock, (4) speakers, aux audio input jack, *Requires valid FIN* (LPO)	4.0	2.0
525	CRUISE CONTROL, *Requires valid FIN* (LPO)	3.0	1.0
942	DAYTIME RUNNING LIGHTS, *Requires valid FIN* (LPO)	2.0	0.0

AFTERMARKET OPTIONS

Ford-MatExtSDuty	Front Weight	Rear Weight
Floormat, Truck, Extended Cab, SuperDuty. Option code: AMO.	0	0

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Standard Equipment

MECHANICAL

6.2L SOHC 16-valve EFI NA V8 flex-fuel engine
TorqShift 6-speed SelectShift automatic transmission w/tow/haul mode (REQ: 996 Engine)
3.73 axle ratio (REQ: 996 Engine)
Stationary elevated engine idle control (SEIC)
Intelligent oil life minder
Manual transfer case & hubs
4-wheel drive
72 amp/hr (650 CCA) battery
157-amp HD alternator
Trailer tow pkg -inc: 7-wire harness w/relays, 7/4 pin combination connector
12.5K trailer hitch receiver -inc: 2" hitch
6-3/4' pickup box -inc: (4) tie-down hooks, partitionable & stackable storage
(2) front tow hooks
Mono-beam front axle w/coil spring suspension
Rear auxiliary springs
HD gas shock absorbers
Front stabilizer bar
Pwr steering w/steering damper
2-ton mechanical jack

EXTERIOR

(5) LT245/75R17E all-season BSW tires
(4) 17" argent painted steel wheels -inc: painted hub covers & center ornaments
Full-size spare tire w/lock & carrier
Black painted steel front bumper w/grained molded-in-color top cover & black lower air dam
Black painted rear bumper
Front fender vents
Box-rail & tailgate top-edge moldings
Black molded-in-color grille
Dual beam jewel-effect headlamps
Pickup box/cargo lights
Underhood service light
Manual telescoping trailer tow mirrors w/manual glass
Solar tinted glass
Flip-out rear quarter windows
Variable intermittent windshield wipers
Dual rear access doors
Front/rear license plate brackets
Black door handles
Removable locking tailgate w/black handle & TailGate Assist

ENTERTAINMENT

AM/FM stereo -inc: clock, (2) speakers

INTERIOR

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Air conditioning
HD vinyl 40/20/40 split bench front seat -inc: center armrest, cupholder, storage
Driver manual lumbar support
Vinyl 60/40 fold-up rear split bench seat
Black vinyl full-floor covering
Color-keyed scuff plates
Tilt/telescoping steering column
Multifunction switch message center -inc: ice blue lighting, 3-button message control on steering wheel, outside temp display
SecuriLock anti-theft ignition
3-blink lane change signal
(4) air registers w/positive shut-off
(2) aux pwr outlets in instrument panel
Dash-top tray
Glove box
Instrument panel mounted storage
Color-keyed molded door trim panel-inc: hard armrest, grab handle, reflector
Overhead console -inc: storage bins for universal garage door opener & sunglasses
Color-keyed cloth headliner
Front passenger-side roof ride handle
Driver & front passenger grab handles
Dual color-keyed vinyl sunvisors-inc: driver-side pocket, passenger-side mirror insert
Front door operated dome lamp w/time delay off & IP switch
Front map lamps
Dual color-keyed coat hooks

SAFETY

Pwr 4-wheel disc anti-lock braking system (ABS)
AdvanceTrac w/roll stability control (RSC)
Hill start assist control
Trailer sway control
Safety Canopy system
Driver & front passenger front airbags w/passenger-side deactivation switch
Driver & front passenger side airbag/curtain
SOS post crash alert system
Color-keyed safety belts w/front seat outboard height adjustable D-rings
Front center seat integrated restraints (SIR)
BeltMinder seatbelt-not-buckled chime & flashing warning light
Child seat tethers on all rear passenger seats
Tire pressure monitoring system
MyKey system -inc: top speed limiter, audio volume limiter, early low fuel warning, programmable sound chimes, BeltMinder w/audio mute

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Technical Specifications

CHASSIS

Weight Information

Trim Curb Weight	6655.00 lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	3817.00 lbs
Base Trim Weight - Rear	2838.00 lbs
Gross Axle Wt Rating - Front	4800 lbs
Gross Axle Wt Rating - Rear	6290 lbs
Curb Weight - Front	3817 lbs
Curb Weight - Rear	2838 lbs
Option Weight - Front	43.00 lbs
Option Weight - Rear	23.00 lbs
Reserve Axle Capacity - Front	940.00 lbs
Reserve Axle Capacity - Rear	3429.00 lbs
As Spec'd Curb Weight	6721.00 lbs
As Spec'd Payload	3779.00 lbs
Maximum Payload Capacity	3845.00 lbs
Gross Combined Wt Rating	19000 lbs
Gross Axle Weight Rating	11090.00 lbs
Curb Weight	6655.00 lbs
Reserve Axle Capacity	4369.00 lbs
Total Option Weight	66.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	10500.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	5000 lbs
Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	12100 lbs
Wt Distributing Hitch - Max Tongue Wt.	1815 lbs
Maximum Trailering Capacity	N/A lbs

Frame

Frame Type	Ladder
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Suspension

Suspension Type - Front	Coil Spring
Suspension Type - Rear	2-Stage Leaf Spring
Spring Capacity - Front	4800 lbs
Spring Capacity - Rear	6290 lbs
Axle Type - Front	Dana Super 60 Monobeam
Axle Type - Rear	Full-Floating
Axle Capacity - Front	6000 lbs
Axle Capacity - Rear	7280 lbs
Axle Ratio (:1) - Front	3.73
Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	35 mm
Shock Absorber Diameter - Rear	35 mm
Stabilizer Bar Diameter - Front	1.10 in
Stabilizer Bar Diameter - Rear	

Tires

Front Tire Order Code	TBM
Rear Tire Order Code	TBM
Spare Tire Order Code	N/A
Front Tire Size	LT245/75R17E
Rear Tire Size	LT245/75R17E
Spare Tire Size	LT245/75R17E
Front Tire Capacity	3195 lbs
Rear Tire Capacity	3195 lbs
Spare Tire Capacity	3195 lbs
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	17 x 7.5 in
Rear Wheel Size	17 x 7.5 in
Spare Wheel Size	17 x 7.5 in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Pwr
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	20.4
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	47.5 ft
Turning Diameter - Wall to Wall	49.4 ft

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Brakes

Brake Type	Pwr
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	13.7 x 0.5 in
Rear Brake Rotor Diam x Thickness	13.4 x 0.3 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	35.0 gal
Aux Fuel Tank Capacity, Approx	
Fuel Tank Location	Midship
Aux Fuel Tank Location	

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	
EPA Greenhouse Gas Score	N/A

POWERTRAIN

Transmission

Drivetrain	Four Wheel Drive
Trans Order Code	44P
Trans Type	6
Trans Description Cont.	Automatic w/manual shift
Trans Description Cont. Again	
First Gear Ratio (:1)	3.97
Second Gear Ratio (:1)	2.31
Third Gear Ratio (:1)	1.51
Fourth Gear Ratio (:1)	1.14
Fifth Gear Ratio (:1)	0.85
Sixth Gear Ratio (:1)	0.67
Reverse Ratio (:1)	3.12
Clutch Size	
Trans Power Take Off	
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	New Venture 273
Transfer Case Gear Ratio (:1), High	1.00
Transfer Case Gear Ratio (:1), Low	2.72
Transfer Case Power Take Off	

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Mileage

EPA Fuel Economy Est - Hwy	
Cruising Range - City	0.00 mi
EPA Fuel Economy Est - City	
Fuel Economy Est-Combined	
Cruising Range - Hwy	0.00 mi

Engine

Engine Order Code	996
Engine Type	Gas/Ethanol V8
Displacement	6.2L/379
Fuel System	Electronic Fuel Injection
SAE Net Horsepower @ RPM	316 @ 4179
SAE Net Torque @ RPM	397 @ 4179
Engine Oil Cooler	Yes

Electrical

Cold Cranking Amps @ 0° F (Primary)	650
Cold Cranking Amps @ 0° F (2nd)	
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	157

Cooling System

Total Cooling System Capacity	21.0 qts
-------------------------------	----------

DIMENSIONS

Interior Dimensions

Passenger Capacity	5
Front Head Room	40.7 in
Front Leg Room	41.1 in
Front Shoulder Room	68.0 in
Front Hip Room	67.6 in
Second Head Room	38.1 in
Second Leg Room	31.6 in
Second Shoulder Room	68.0 in
Second Hip Room	67.3 in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Exterior Dimensions

Wheelbase	141.8 in
Length, Overall w/o rear bumper	232.4 in
Width, Max w/o mirrors	79.9 in
Height, Overall	80.4 in
Overhang, Front	38.1 in
Overhang, Rear w/o bumper	52.4 in
Front Bumper to Back of Cab	139.8 in
Cab to Axle	40.0 in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	37.9 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	8.2 in
Ground Clearance, Rear	8.2 in
Body Length	0.00 ft
Cab to Body	N/A in

Cargo Area Dimensions

Cargo Box Length @ Floor	81.8 in
Cargo Box Width @ Top, Rear	N/A in
Cargo Box Width @ Floor	69.3 in
Cargo Box Width @ Wheelhousings	50.9 in
Cargo Box (Area) Height	20.0 in
Tailgate Width	60.6 in
Cargo Volume	64.1 ft ³
Ext'd Cab Cargo Volume	39.5 ft ³

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Warranty Information

Basic:

3 Years/36,000 Miles

Drivetrain:

5 Years/60,000 Miles

Diesel Engine

5 Years/100,000 Miles

Corrosion:

5 Years/Unlimited Miles

Roadside Assistance:

5 Years/60,000 Miles

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.