

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
CLASS 0225 LB

2013 Ram 2500 4WD Crew Cab 169"



2013 Ram 2500 4WD Crew Cab 169" ST (DJ7L92)

CLASS 0225 LB

TRUCK 3/4 TON CREW CAB 4X4 LB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Vehicle Report: Table of Contents

VEHICLE INFORMATION

Selected Model	1
Selected Vehicle Colors	1
Selected Options	1
Aftermarket Options	1

STANDARD EQUIPMENT

Mechanical	2
Exterior	2
Entertainment	3
Interior	3
Safety	3

TECHNICAL SPECIFICATIONS

Chassis	4
Vehicle	6
Powertrain	6
Dimensions	7

WARRANTY INFORMATION

Warranty Information	9
----------------------	---

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2535, current as of 12/18/2012 at 00:20 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Vehicle Information

SELECTED MODEL

Code	Description
DJ7L92	2013 Ram 2500 4WD Crew Cab 169" ST

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
—	NATIONAL DELIVERY
NAS	50-STATE EMISSIONS
EZC	5.7L SMPI V8 HEMI ENGINE W/VARIABLE VALVE TIMING, (STD)
DFP	6-SPEED AUTOMATIC TRANSMISSION W/OD, (STD), (REQ: EZC or EZF Engine)
26A	26A ST CUSTOMER PREFERRED ORDER SELECTION PKG, -inc: 5.7L V8 engine, 6-speed auto trans
DME	3.73 AXLE RATIO
WD2	17" X 7.5" STEEL STYLED WHEELS, (STD)
TT5	LT265/70R17E ON/OFF-ROAD OWL TIRES
APA	MONOTONE PAINT
V9V3	DARK SLATE/MEDIUM GRAYSTONE INTERIOR, CLOTH 40/20/40 BENCH SEAT, (REQ: AJY ST Popular Equipment Group)
AJY	POPULAR EQUIPMENT GROUP, -inc: cloth 40/20/40 bench seat, carpeted floor covering, front & rear floor mats, remote keyless entry, SIRIUSXM satellite radio w/1-year service
DK3	ELECTRONIC SHIFT-ON-THE-FLY TRANSFER CASE, -inc: storage tray
ADB	PROTECTION GROUP, -inc: tow hooks, transfer case skid plate shield
XHC	TRAILER BRAKE CONTROL
XEF	TRANSFER CASE SKID PLATE SHIELD
RSC	SIRIUSXM SATELLITE RADIO W/1-YEAR SERVICE
CK9	CARPET DELETE, (REQ: AJY ST Popular Equipment Group) (N/A w/CLF Front & Rear Rubber Floor Mats), *Deletes floor mats.*
GXM	REMOTE KEYLESS ENTRY
LM1	LOW BEAM DAYTIME RUNNING LAMPS

AFTERMARKET OPTIONS

Dodg-MatCrw

Floor mats, Truck, Mega Cab. Option code: AMO.

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2535, current as of 12/18/2012 at 00:20 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Standard Equipment

MECHANICAL

5.7L SMPI V8 Hemi engine w/variable valve timing
6-speed automatic transmission w/OD (REQ: EZC or EZF Engine)
3.73 axle ratio
Electronically controlled throttle
HD engine cooling
Tip start
Next generation engine controller
Transmission oil cooler
Manual shift-on-the-fly transfer case
Conventional front axle
Conventional rear axle
10.5" rear axle ring gear diameter
5500# front axle
Four-wheel drive
730-amp maintenance-free battery
160-amp alternator
8' pickup box
Trailer tow wiring w/4-pin connector
7-pin wiring harness
Class IV receiver hitch
8800# GVWR
HD front shock absorbers
HD rear shock absorbers
Front stabilizer bar
Pwr steering
Pwr 4-wheel anti-lock disc brakes

EXTERIOR

17" x 7.5" steel styled wheels
LT245/70R17E all-season BSW tires
Center hub
17" steel spare wheel
Full size spare tire
Winch-type tire carrier
Black front bumper
Black rear bumper
Front bumper sight shields
Front air dam
Black grille
Quad halogen headlamps
Automatic headlamps
Body color headlamp filler panel
Cargo lamp
Fold-away pwr heated mirrors -inc: black mirror caps
Tinted glass
Body color fuel filler door
Black door handles

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2535, current as of 12/18/2012 at 00:20 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Variable speed intermittent windshield wipers
Front license plate bracket
Fixed rear window
Locking tailgate
Vendor painted cargo box tracking

ENTERTAINMENT

Uconnect 130 -inc: AM/FM stereo, CD/MP3 player
(6) speakers
Audio input jack
Fixed long mast antenna

INTERIOR

HD vinyl 40/20/40 split bench seat
Rear folding bench seat
Mini floor console
Black vinyl floor covering
4-spoke steering wheel
Tilt steering column
Sentry Key theft deterrent system
Instrument cluster w/display screen
Vehicle info center
120-MPH primary speedometer
Pwr accessory delay
Pwr windows w/front one-touch up & down
Pwr locks
Speed control
Air conditioning
12V pwr outlet
Rearview day/night mirror
Black instrument panel bezel
Driver/passenger assist handles
Dual visors
Rear dome lamp
2nd row in-floor storage bins
Rear underseat compartment storage

SAFETY

Electronic stability control
Advanced multistage front air bags
Supplemental side air bags
Supplemental front seat side air bags
Supplemental side curtain front & rear air bags
Child safety door locks
Front height-adjustable shoulder belts
Tire pressure monitoring display
Dual-note horn

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2535, current as of 12/18/2012 at 00:20 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Technical Specifications

CHASSIS

Weight Information

Trim Curb Weight	6440.00 lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	3686.00 lbs
Base Trim Weight - Rear	2754.00 lbs
Gross Axle Wt Rating - Front	5200 lbs
Gross Axle Wt Rating - Rear	6000 lbs
Curb Weight - Front	3686 lbs
Curb Weight - Rear	2754 lbs
Option Weight - Front	21.00 lbs
Option Weight - Rear	-1.00 lbs
Reserve Axle Capacity - Front	1493.00 lbs
Reserve Axle Capacity - Rear	3247.00 lbs
As Spec'd Curb Weight	6460.00 lbs
As Spec'd Payload	2340.00 lbs
Maximum Payload Capacity	2360.00 lbs
Gross Combined Wt Rating	17000 lbs
Gross Axle Weight Rating	11200.00 lbs
Curb Weight	6440.00 lbs
Reserve Axle Capacity	4740.00 lbs
Total Option Weight	20.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	8800.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	5000 lbs
Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	10400 lbs
Wt Distributing Hitch - Max Tongue Wt.	1560 lbs
Maximum Trailering Capacity	N/A lbs

Frame

Frame Type	Ladder
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2535, current as of 12/18/2012 at 00:20 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Suspension

Suspension Type - Front	Five-Link
Suspension Type - Rear	Hotchkiss
Spring Capacity - Front	w/Coil Springs lbs
Spring Capacity - Rear	w/Leaf Springs lbs
Axle Type - Front	Hypoid
Axle Type - Rear	Full-floating
Axle Capacity - Front	N/A lbs
Axle Capacity - Rear	N/A lbs
Axle Ratio (:1) - Front	3.73
Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	

Tires

Front Tire Order Code	TT5
Rear Tire Order Code	TWD
Spare Tire Order Code	TBB
Front Tire Size	LT265/70R17E
Rear Tire Size	LT265/70R17E
Spare Tire Size	Full-Size
Front Tire Capacity	N/A lbs
Rear Tire Capacity	N/A lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	17 x 7.5 in
Rear Wheel Size	17 x 7.5 in
Spare Wheel Size	17 x -TBD- in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Pwr Recirculating Ball
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	49.2 ft
Turning Diameter - Wall to Wall	N/A ft

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2535, current as of 12/18/2012 at 00:20 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Brakes

Brake Type	Pwr
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	14.2 x 1.5 in
Rear Brake Rotor Diam x Thickness	14.1 x 1.3 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	35.0 gal
Aux Fuel Tank Capacity, Approx	
Fuel Tank Location	Inboard Frame Rail
Aux Fuel Tank Location	

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	
EPA Greenhouse Gas Score	N/A

POWERTRAIN

Transmission

Drivetrain	4-Wheel Drive
Trans Order Code	DFP
Trans Type	6
Trans Description Cont.	Automatic
Trans Description Cont. Again	
First Gear Ratio (:1)	3.23
Second Gear Ratio (:1)	1.83
Third Gear Ratio (:1)	1.41
Fourth Gear Ratio (:1)	1.00
Fifth Gear Ratio (:1)	0.81
Sixth Gear Ratio (:1)	0.62
Reverse Ratio (:1)	3.00
Clutch Size	
Trans Power Take Off	
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	NV271
Transfer Case Gear Ratio (:1), High	1.00
Transfer Case Gear Ratio (:1), Low	2.72
Transfer Case Power Take Off	

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2535, current as of 12/18/2012 at 00:20 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Mileage

EPA Fuel Economy Est - Hwy	
Cruising Range - City	0.00 mi
EPA Fuel Economy Est - City	
Fuel Economy Est-Combined	
Cruising Range - Hwy	0.00 mi

Engine

Engine Order Code	EZC
Engine Type	Gas V8
Displacement	5.7L/343
Fuel System	Electronic Fuel Injection
SAE Net Horsepower @ RPM	383 @ 5600
SAE Net Torque @ RPM	400 @ 4000
Engine Oil Cooler	

Electrical

Cold Cranking Amps @ 0° F (Primary)	730
Cold Cranking Amps @ 0° F (2nd)	
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	160

Cooling System

Total Cooling System Capacity	18.7 qts
-------------------------------	----------

DIMENSIONS

Interior Dimensions

Passenger Capacity	6
Front Head Room	41.0 in
Front Leg Room	41.0 in
Front Shoulder Room	66.0 in
Front Hip Room	63.2 in
Second Head Room	39.9 in
Second Leg Room	40.3 in
Second Shoulder Room	65.7 in
Second Hip Room	63.2 in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2535, current as of 12/18/2012 at 00:20 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Exterior Dimensions

Wheelbase	168.9 in
Length, Overall w/o rear bumper	259.4 in
Width, Max w/o mirrors	79.1 in
Height, Overall	77.6 in
Overhang, Front	39.9 in
Overhang, Rear w/o bumper	50.6 in
Front Bumper to Back of Cab	152.0 in
Cab to Axle	56.7 in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	35.6 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	7.3 in
Ground Clearance, Rear	7.2 in
Body Length	0.00 ft
Cab to Body	N/A in

Cargo Area Dimensions

Cargo Box Length @ Floor	98.3 in
Cargo Box Width @ Top, Rear	66.4 in
Cargo Box Width @ Floor	66.4 in
Cargo Box Width @ Wheelhousings	51.0 in
Cargo Box (Area) Height	20.2 in
Tailgate Width	60.4 in
Cargo Volume	74.7 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2535, current as of 12/18/2012 at 00:20 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Warranty Information

Basic:

3 Years/36,000 Miles

Drivetrain:

5 Years/100,000 Miles

Corrosion:

5 Years/100,000 Miles

Roadside Assistance:

3 Years/36,000 Miles

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2535, current as of 12/18/2012 at 00:20 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.