

**Prepared By:**  
Anne Stehno  
Utah Fleet Operations  
801-619-7242  
annestehno@utah.gov

**Prepared For:**  
CLASS 0229 ACC

## **2013 Toyota Tacoma 4WD Access Cab V6 AT (Natl)**



### **2013 Toyota Tacoma 4WD Access Cab V6 AT (Natl) (7554)**

---

CLASS 0229 ACC

TRUCK MIDSIZE ACCESS CAB 4X4

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

# Vehicle Report: Table of Contents

VEHICLE INFORMATION	
Selected Model	1
Selected Vehicle Colors	1
Selected Options	1

  

STANDARD EQUIPMENT	
Mechanical	2
Exterior	2
Entertainment	2
Interior	2
Safety	3

  

TECHNICAL SPECIFICATIONS	
Chassis	4
Vehicle	6
Powertrain	6
Dimensions	7

  

WARRANTY INFORMATION	
Warranty Information	9

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

# Vehicle Information

## SELECTED MODEL

Code	Description	Front Weight	Rear Weight
7554	2013 Toyota Tacoma 4WD Access Cab V6 AT (Natl)	2241 lbs	1834 lbs

## SELECTED VEHICLE COLORS

## SELECTED OPTIONS

Code	Description
FE	50 STATE EMISSIONS
___	OPTIONS PKG NOT DESIRED
FE13	GRAPHITE, FABRIC SEAT TRIM
CP	CONVENIENCE PKG, -inc: pwr mirrors, remote keyless entry, cruise control, sliding rear window w/privacy glass, steering wheel mounted audio controls, (N/A w/ SL SR5 Pkg, PY TRD Sport Pkg, OC or OF TRD Off-Road Pkg)
TO	TOWING PKG, -inc: class IV hitch, trans oil cooler, supplemental oil cooler, HD battery, 130-amp alternator, 7-pin connector w/converter, trailer sway control, (REQ: SL SR5 Pkg, PY TRD Sport Pkg or CP Convenience Pkg)
FL	HD ALL WEATHER FLOORING

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

# Standard Equipment

## MECHANICAL

4.0L DOHC EFI 24-valve V6 VVT-i engine  
5-speed electronically controlled automatic transmission w/(ECT-i)  
2-speed electronically controlled transfer case  
Automatic limited slip differential  
4WDemand part-time 4-wheel drive  
Engine skid plate  
1-piece frame rails w/(8) cross members & fully boxed front sub-frame  
Coil-spring double-wishbone front suspension  
Rear leaf-spring suspension w/staggered outboard-mounted gas shock absorbers  
Front & rear stabilizer bars  
Variable-assist pwr rack & pinion steering  
Pwr ventilated front disc & rear drum w/rear tandem booster brakes

## EXTERIOR

16" styled steel wheels  
P245/75R16 mud & snow tires  
Full-size spare tire  
Front & rear mudguards  
Black grille insert & argent surround  
Black bumpers, mirrors, door handles & overfenders  
Multi-reflector halogen headlamps  
2-speed windshield wipers  
Fiber-reinforced sheet-molded composite bed -inc: steel outer panels, storage compartments, rail caps, removable tailgate  
Deck rail system w/(4) adjustable tie-down cleats  
(4) fixed cargo bed tie-down points  
Dual rear-hinged access doors

## ENTERTAINMENT

AM/FM stereo w/CD/MP3/WMA player -inc: 6.1" touch screen, (6) speakers, aux audio jack, USB port w/iPod connectivity & control  
Bluetooth wireless technology

## INTERIOR

Fabric-trimmed front bucket seats -inc: 4-way adjustable driver & front passenger seats, passenger fold-flat seat, active headrests  
Fold-up rear seats w/underseat storage  
Center console -inc: covered armrest, storage compartment  
(5) cup holders & bottle holders  
Full carpeting  
Tilt & telescopic steering wheel  
Gauges -inc: tachometer, coolant temp, fuel level, LCD display, tripmeter, digital clock  
Pwr windows  
Pwr door locks  
Engine immobilizer  
Air conditioning  
Dual 12V aux pwr outlets  
Overhead console -inc: maplights, sunglasses storage  
Sun visors w/front passenger vanity mirror

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

## SAFETY

- 4-wheel anti-lock brakes
- Brake assist
- Electronic brake-force distribution
- Smart stop technology
- Vehicle stability control
- Traction control
- Side-door impact door beams
- Daytime running lights
- Driver & front passenger advanced airbags w/passenger airbag cut-off switch
- Driver & front passenger seat-mounted side airbags
- Front & rear side curtain airbags
- 3-point seat belts w/emergency locking retractor at all seating positions -inc: front seat belt pretensioners, force limiters & adjustable shoulder anchors, automatic/emergency locking retractor for front passenger & rear seat belts
- LATCH lower & top tether anchors for front & rear passenger seats
- Tire pressure monitor system

All specifications are subject to change without notice.

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

*Chrome Carbook Fleet Edition™*. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

# Technical Specifications

## CHASSIS

### Weight Information

Trim Curb Weight	4075.00 lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	2241.00 lbs
Base Trim Weight - Rear	1834.00 lbs
Gross Axle Wt Rating - Front	2755 lbs
Gross Axle Wt Rating - Rear	3110 lbs
Curb Weight - Front	2241 lbs
Curb Weight - Rear	1834 lbs
Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs
Reserve Axle Capacity - Front	514.00 lbs
Reserve Axle Capacity - Rear	1276.00 lbs
As Spec'd Curb Weight	4075.00 lbs
As Spec'd Payload	1275.00 lbs
Maximum Payload Capacity	1275.00 lbs
Gross Combined Wt Rating	11100 lbs
Gross Axle Weight Rating	5865.00 lbs
Curb Weight	4075.00 lbs
Reserve Axle Capacity	1790.00 lbs
Total Option Weight	0.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	5350.00 lbs

### Trailer

Dead Weight Hitch - Max Trailer Wt.	5000 lbs
Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	6500 lbs
Wt Distributing Hitch - Max Tongue Wt.	650 lbs
Maximum Trailering Capacity	N/A lbs

### Frame

Frame Type	Ladder
Sect Modulus Rails Only	N/A in <sup>3</sup>
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

## Suspension

Suspension Type - Front	Double-Wishbone
Suspension Type - Rear	Leaf-Spring
Spring Capacity - Front	N/A lbs
Spring Capacity - Rear	N/A lbs
Axle Type - Front	N/A
Axle Type - Rear	N/A
Axle Capacity - Front	N/A lbs
Axle Capacity - Rear	N/A lbs
Axle Ratio (:1) - Front	N/A
Axle Ratio (:1) - Rear	N/A
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	1.18 in
Stabilizer Bar Diameter - Rear	

## Tires

Front Tire Order Code	
Rear Tire Order Code	
Spare Tire Order Code	
Front Tire Size	P245/75R16
Rear Tire Size	P245/75R16
Spare Tire Size	Full-size
Front Tire Capacity	N/A lbs
Rear Tire Capacity	N/A lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

## Wheels

Front Wheel Size	16 x -TBD- in
Rear Wheel Size	16 x -TBD- in
Spare Wheel Size	16 x -TBD- in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

## Steering

Steering Type	Pwr Rack & Pinion
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	17.3
Steering Ratio (:1), At Lock	3.64
Turning Diameter - Curb to Curb	40.6 ft
Turning Diameter - Wall to Wall	N/A ft

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

## Brakes

Brake Type	Pwr-Assisted
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	
Disc - Front (Yes or )	Yes
Disc - Rear (Yes or )	
Front Brake Rotor Diam x Thickness	12.56 x -TBD- in
Rear Brake Rotor Diam x Thickness	
Drum - Rear (Yes or )	Yes
Rear Drum Diam x Width	10.0 x -TBD- in

## Fuel Tank

Fuel Tank Capacity, Approx	21.1 gal
Aux Fuel Tank Capacity, Approx	
Fuel Tank Location	Midship
Aux Fuel Tank Location	

## VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	10.4
EPA Greenhouse Gas Score	3 (2011)

## POWERTRAIN

### Transmission

Drivetrain	4-Wheel Drive
Trans Order Code	
Trans Type	5
Trans Description Cont.	Automatic
Trans Description Cont. Again	
First Gear Ratio (:1)	3.52
Second Gear Ratio (:1)	2.04
Third Gear Ratio (:1)	1.40
Fourth Gear Ratio (:1)	1.00
Fifth Gear Ratio (:1)	0.72
Reverse Ratio (:1)	3.22
Clutch Size	
Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	1.00
Transfer Case Gear Ratio (:1), Low	2.57
Transfer Case Power Take Off	N/A

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

## Mileage

EPA Fuel Economy Est - Hwy	21 MPG
Cruising Range - City	337.60 mi
EPA Fuel Economy Est - City	16 MPG
Fuel Economy Est-Combined	18 MPG
Cruising Range - Hwy	443.10 mi

## Engine

Engine Order Code	
Engine Type	Gas V6
Displacement	4.0L/241
Fuel System	Electronic Fuel Injection
SAE Net Horsepower @ RPM	236 @ 5200
SAE Net Torque @ RPM	266 @ 4000
Engine Oil Cooler	

## Electrical

Cold Cranking Amps @ 0° F (Primary)	N/A
Cold Cranking Amps @ 0° F (2nd)	
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	130

## Cooling System

Total Cooling System Capacity	10.1 qts
-------------------------------	----------

## DIMENSIONS

### Interior Dimensions

Passenger Capacity	4
Front Head Room	40.0 in
Front Leg Room	41.7 in
Front Shoulder Room	57.7 in
Front Hip Room	53.5 in
Second Head Room	34.9 in
Second Leg Room	24.7 in
Second Shoulder Room	55.7 in
Second Hip Room	53.7 in

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

## Exterior Dimensions

Wheelbase	127.4 in
Length, Overall w/o rear bumper	208.1 in
Width, Max w/o mirrors	74.6 in
Height, Overall	70.3 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	N/A in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	N/A in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	N/A in
Ground Clearance, Rear	N/A in
Body Length	0.00 ft
Cab to Body	N/A in

## Cargo Area Dimensions

Cargo Box Length @ Floor	73.5 in
Cargo Box Width @ Top, Rear	N/A in
Cargo Box Width @ Floor	56.7 in
Cargo Box Width @ Wheelhousings	41.5 in
Cargo Box (Area) Height	18.0 in
Tailgate Width	N/A in
Cargo Volume	N/A ft <sup>3</sup>
Ext'd Cab Cargo Volume	N/A ft <sup>3</sup>

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

# Warranty Information

Basic:

3 Years/36,000 Miles

Drivetrain:

5 Years/60,000 Miles

Corrosion:

5 Years/Unlimited Miles

Roadside Assistance:

2 Years/25,000 Miles

24/7 Roadside Assistance

Maintenance:

2 Years/25,000 Miles

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

*Chrome Carbook Fleet Edition™.* Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.