Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
CLASS 0261 SB HYBRID

2013 Chevrolet Silverado 1500 Hybrid 2WD Crew Cab 143.5"

2013 Chevrolet Silverado 1500 Hybrid 2WD Crew Cab 143.5" w/1HY (CC10543)

CLASS 0261 SB

TRUCK 1/2 TON CREW CAB 4X2 SB HYBRID

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Vehicle Report: Table of Contents

VEHICLE INFORMATION	
Selected Model	1
Selected Vehicle Colors	1
Selected Options	1
STANDARD EQUIPMENT	
Mechanical	2
Exterior	2
Entertainment	2
Interior	3
Safety	3
TECHNICAL SPECIFICATIONS	
Chassis	5
Vehicle	7
Powertrain	7
Dimensions	8
WARRANTY INFORMATION	
Warranty Information	10

carbookfleetedition

Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Vehicle Information

SELECTED MODEL

Code	Description	Front Weight	Rear Weight
CC10543	2013 Chevrolet Silverado 1500 Hybrid 2WD Crew Cab 143.5" w/1HY	3210 lbs	2363 lbs

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description	Front Weight	Rear Weight
FE9	EMISSIONS, FEDERAL REQUIREMENTS		
LZ1	ENGINE, VORTEC 6.0L VARIABLE VALVE TIMING V8 SFI HYBRID, LIVC, with Active Fuel Management and late intake valve closing, aluminum (332 hp [247.5 kW] @ 5100 rpm, 367 lb-ft of torque [495.4 N-m] @ 4100 rpm) (STD)		
M99	TRANSMISSION, 2-MODE STRONG HYBRID, AUTOMATIC, ELECTRONIC., (STD)	154.0	28.0
GU4	REAR AXLE, 3.08 RATIO		
1HY	HYBRID PREFERRED EQUIPMENT GROUP, includes standard equipment		
ZY1	PAINT, SOLID, (STD)		
AZ3	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, driver and front passenger manual reclining, center fold-down armrest with storage, lockable storage compartment in seat cushion (includes auxiliary power outlet), adjustable outboard head restraints and storage pockets (STD)	7.0	6.0
19C	EBONY, PREMIUM CLOTH SEAT TRIM		
US8	AUDIO SYSTEM, AM/FM STEREO WITH MP3 COMPATIBLE CD PLAYER, seek-and -scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock (STD)	2.0	1.0
VK3	LICENSE PLATE BRACKET, FRONT, (will be forced on orders with ship-to states that require a front license plate)	1.0	0.0
1TR	BASE APPEARANCE FOR HYBRID, Includes grille with Black surround, bumper bar and end caps and (N87) 4 - 18" x 8" (45.7 cm x 20.3 cm) aluminum wheels, (Requires a Fleet or Government sales order.), *CREDIT*		
N87	WHEELS, 4 - 18" X 8" (45.7 CM X 20.3 CM) ALUMINUM, (spare wheel will not cosmetically match the other 4 wheels), (Included and only available with SEO (1TR) Base Appearance for Hybrid.)		

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition

Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Standard Equipment

MECHANICAL

Engine, Vortec 6.0L Variable Valve Timing V8 SFI Hybrid, LIVC with Active Fuel Management and late intake valve closing, aluminum (332 hp [247.5 kW] @ 5100 rpm, 367 lb-ft of torque [495.4 N-m] @ 4100 rpm)

Transmission, 2-mode strong hybrid, automatic, electronic.

Rear axle, 3.08 ratio

Differential, heavy-duty automatic locking rear

Rear wheel drive

Hybrid Propulsion Electric, 2-mode

Battery, heavy-duty 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power

Alternator delete

Trailering equipment, heavy-duty includes trailering hitch platform and 2-inch receiver, 7-wire harness (harness includes wires for: park lamps, backup lamps, right turn, left turn, electric brake lead, battery and ground) with independent fused trailering circuits mated to a 7-way sealed connector and wiring harness for aftermarket trailer brake controller (located in the instrument panel harness)

GVWR, 7100 lbs. (3221 kg) (Requires CC10543 models.)

Suspension Package, Handling/Trailering, heavy-duty includes 46 mm piston monotube shocks and 36mm front stabilizer bar

Suspension, front independent, coil over shock

Suspension, rear 2-stage multi-leaf springs, semi-elliptic

Steering, power, rack-and-pinion

Brakes, 4-wheel antilock, 4-wheel disc electro-hydraulic power with StabiliTrak, regenerative system

EXTERIOR

Wheels, 4 - 18" x 8" (45.7 cm x 20.3 cm) chrome-clad aluminum (spare wheel will not cosmetically match the other 4 wheels) ((R07) 4 - 18" x 8" (45.7 cm x 20.3 cm) chrome-clad aluminum wheels replaced by (N87) 4 - 18" x 8" (45.7 cm x 20.3 cm) aluminum wheels when SEO (1TR) Base Appearance for Hybrid is ordered.)

Wheel, 17" (43.2 cm) steel spare (spare wheel will not cosmetically match the other 4 wheels) (Requires CC10543 models.)

Tires, P265/65R18 all-season, blackwall

Spare tire lock keyed cylinder lock that utilizes same key as ignition and door

Bumper, front chrome (Includes chrome front bumper with chrome end caps. Chrome bumper replaced with Black bumper bar when SEO (1TR) Base Appearance for Hybrid is ordered.)

Bumper, rear chrome, step-style with pad

Moldings, bodyside, body-colored

Grille, chrome surround (Chrome grille replaced with Black surround grille when SEO (1TR) Base appearance for Hybrid is ordered.)

Mirrors, outside heated power-adjustable Black, manual-folding

Glass, Solar-Ray deep-tinted (all windows except light-tinted glass on windshield and driver- and front passenger-side glass) (Includes rear and rear quarter windows.)

Wipers, front intermittent wet-arm with pulse washers

Pickup box, Fleetside

Tailgate, locking

Tailgate, EZ-Lift

LPO, Tonneau cover, soft (dealer installed) with integrated support bows that roll up with the cover and can be stowed in behind the cab

ENTERTAINMENT

Audio system, AM/FM stereo with MP3 compatible CD player seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume and TheftLock

Audio system feature, speaker system includes 6 speakers

Steering wheel controls, mounted audio controls

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

SiriusXM Satellite Radio is standard on nearly all 2013 GM models. Enjoy a 3-month trial to the XM Premier package, with over 140 channels including commercial-free music, all your favorite sports, exclusive talk and entertainment. And now add premium channels to your trial at no cost. Welcome to the world of satellite radio. (If you subscribe after your trial period, subscriptions are continuous until you call SiriusXM to cancel. See SiriusXM Customer Agreement for complete terms at www.siriusxm.com. Other fees and taxes will apply. All fees and programming subject to change.)

Bluetooth for phone personal cell phone connectivity to vehicle audio system (Requires OnStar hardware (UE1), but subscription to OnStar services not required for operation.)

INTERIOR

Seats, front 40/20/40 split-bench, 3-passenger driver and front passenger manual reclining, center fold-down armrest with storage, lockable storage compartment in seat cushion (includes auxiliary power outlet), adjustable outboard head restraints and storage pockets

Premium cloth seat trim

Seat adjuster, manual lumbar control on the driver-side

Seat, rear full-width folding bench, 3-passenger (includes child seat top tether anchor)

Floor covering, color-keyed carpeting with rubberized vinyl floor mats (includes rear floor mats) (Rear floor mats are deleted if SEO (8Q3) rear seat delete is ordered.)

Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock

Steering wheel, leather-wrapped with theft-deterrent locking feature

Driver Information Center with odometer, trip odometer and message center (monitors numerous systems depending on vehicle equipment level including low fuel, turn signal "on", transmission temperature and oil change notification) (Includes 8-point compass and outside temperature.)

Windows, power with driver Express-Down

Door locks, power

Remote vehicle starter prep package includes Remote Keyless Entry with 2 transmitters, panic button and content theft alarm (To enable remote start capability, new key fobs and vehicle reprogramming are required. Please see dealer for details.)

Cruise control, electronic with set and resume speed, located on steering wheel

Air conditioning, dual-zone automatic climate control with individual climate settings for driver and right-front passenger

Power outlets, 2 auxiliary instrument panel-mounted with covers, 12-volt

Mirror, inside rearview manual day/night

Visors, driver and front passenger, sliding with clip and illuminated vanity mirror on driver and passenger-side, Opal Gray-colored

SAFETY

StabiliTrak, stability control system with Proactive Roll Avoidance and traction control

Daytime Running Lamps with automatic exterior lamp control.

Air bags, frontal driver and right-front passenger with Passenger Sensing System (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)

Air bags, head curtain side-impact, front and rear outboard seating positions with rollover sensor (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)

Air bags, seat-mounted side-impact, driver and right-front passenger for thorax and pelvic protection (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)

Automatic Crash Response (Deleted when (UE0) OnStar delete is ordered.)

Stolen Vehicle Assistance (Deleted when (UE0) OnStar delete is ordered.)

OnStar, 6 months of Directions and Connections plan includes, Automatic Crash Response, Emergency Services, Crisis Assist, First Assist, Injury Severity Predictor, Stolen Vehicle Assistance, Stolen Vehicle Slowdown, Remote Ignition Block, Remote Door Unlock, Roadside Assistance, Remote Horn and Lights, Turn-by-Turn Navigation with OnStar eNav, Destination Download (requires navigation radio), OnStar Vehicle Diagnostics, Hands Free Calling and available OnStar RemoteLink mobile app. (Visit onstar.com for details and system limitations.)

OnStar Turn-by-Turn Navigation (Deleted when (UE0) OnStar delete is ordered.)

Door locks, rear child security

Tire Pressure Monitoring System (does not apply to spare tire)

carbookfleetedition

Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

All specifications are subject to change without notice.

Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Technical Specifications

CHASSIS

Weight Information	
Trim Curb Weight	5573.00 lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	3210.00 lbs
Base Trim Weight - Rear	2363.00 lbs
Gross Axle Wt Rating - Front	3800 lbs
Gross Axle Wt Rating - Rear	3950 lbs
Curb Weight - Front	3210 lbs
Curb Weight - Rear	2363 lbs
Option Weight - Front	56.00 lbs
Option Weight - Rear	27.00 lbs
Reserve Axle Capacity - Front	534.00 lbs
Reserve Axle Capacity - Rear	1560.00 lbs
As Spec'd Curb Weight	5656.00 lbs
As Spec'd Payload	1444.00 lbs
Maximum Payload Capacity	1527.00 lbs
Gross Combined Wt Rating	12000 lbs
Gross Axle Weight Rating	7750.00 lbs
Curb Weight	5573.00 lbs
Reserve Axle Capacity	2094.00 lbs
Total Option Weight	83.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	7100.00 lbs
Trailering	
Dead Weight Hitch - Max Trailer Wt.	5000 lbs
Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	6100 lbs
Wt Distributing Hitch - Max Tongue Wt.	915 lbs
Maximum Trailering Capacity	6100 lbs
Frame	
Frame Type	Hydroformed
Sect Modulus Rails Only	N/A in^3
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

carbookfleetedition

Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Suspension		
	Suspension Type - Front	Coil-Over-Shock
	Suspension Type - Rear	2-Stage Multi-Leaf
	Spring Capacity - Front	3800 lbs
	Spring Capacity - Rear	3950 lbs
	Axle Type - Front	N/A
	Axle Type - Rear	N/A
	Axle Capacity - Front	3800 lbs
	Axle Capacity - Rear	3950 lbs
	Axle Ratio (:1) - Front	
	Axle Ratio (:1) - Rear	3.08
	Shock Absorber Diameter - Front	1.81 mm
	Shock Absorber Diameter - Rear	1.81 mm
	Stabilizer Bar Diameter - Front	1.42 in
	Stabilizer Bar Diameter - Rear	
Tires		
	Front Tire Order Code	QXK
	Rear Tire Order Code	QXK
	Spare Tire Order Code	
	Front Tire Size	P265/65R18
	Rear Tire Size	P265/65R18
	Spare Tire Size	N/A
	Front Tire Capacity	N/A lbs
	Rear Tire Capacity	N/A lbs
	Spare Tire Capacity	N/A lbs
	Revolutions/Mile @ 45 mph - Front	N/A
	Revolutions/Mile @ 45 mph - Rear	N/A
	Revolutions/Mile @ 45 mph - Spare	N/A
Wheels		
	Front Wheel Size	18 x 8.0 in
	Rear Wheel Size	18 x 8.0 in
	Spare Wheel Size	N/A in
	Front Wheel Material	Aluminum
	Rear Wheel Material	Aluminum
	Spare Wheel Material	Steel
Steering		
	Steering Type	Pwr Rack & Pinion
	Steering Ratio (:1), Overall	N/A
	Steering Ratio (:1), On Center	17.75
	Steering Ratio (:1), At Lock	3
	Turning Diameter - Curb to Curb	47.2 ft
	Turning Diameter - Wall to Wall	N/A ft

carbookfleetedition

Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Brakes

Brake Type	Pwr
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	13 x 1.18 in
Rear Brake Rotor Diam x Thickness	13.6 x 0.80 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	26 gal
Aux Fuel Tank Capacity, Approx	
Fuel Tank Location	Driver Side
Aux Fuel Tank Location	

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	4
EPA Greenhouse Gas Score	8.7

POWERTRAIN

Transmission

Drivetrain	Rear Wheel Drive
Trans Order Code	M99
Trans Type	4
Trans Description Cont.	Automatic
Trans Description Cont. Again	
First Gear Ratio (:1)	3.69
Second Gear Ratio (:1)	1.70
Third Gear Ratio (:1)	1.00
Fourth Gear Ratio (:1)	0.73
Reverse Ratio (:1)	1.70
Clutch Size	
Trans Power Take Off	
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	
Transfer Case Gear Ratio (:1), High	
Transfer Case Gear Ratio (:1), Low	
Transfer Case Power Take Off	

Mileage

EPA Fuel Economy Est - Hwy	23 MPG
Cruising Range - City	520.00 mi
EPA Fuel Economy Est - City	20 MPG
Fuel Economy Est-Combined	21 MPG
Cruising Range - Hwy	598.00 mi

carbookfleetedition

Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Engine		
	Engine Order Code	LZ1
	Engine Type	Gas/Electric V8
	Displacement	6.0L/366
	Fuel System	Electronic Fuel Injection
	SAE Net Horsepower @ RPM	332 @ 5100
	SAE Net Torque @ RPM	367 @ 4100
	Engine Oil Cooler	
Electrical		
	Cold Cranking Amps @ 0° F (Primary)	600
	Cold Cranking Amps @ 0° F (2nd)	
	Cold Cranking Amps @ 0° F (3rd)	N/A
	Maximum Alternator Capacity (amps)	
Cooling System		
	Total Cooling System Capacity	14.4 qts

DIMENSIONS

Interior Dimensions		
	Passenger Capacity	6
	Front Head Room	41.50 in
	Front Leg Room	41.30 in
	Front Shoulder Room	65.20 in
	Front Hip Room	62.50 in
	Second Head Room	40.60 in
	Second Leg Room	38.70 in
	Second Shoulder Room	65.20 in
	Second Hip Room	65.50 in
Exterior Dimensions		
	Wheelbase	143.50 in
	Length, Overall w/o rear bumper	229.90 in
	Width, Max w/o mirrors	79.96 in
	Height, Overall	73.80 in
	Overhang, Front	39.40 in
	Overhang, Rear w/o bumper	47.20 in
	Front Bumper to Back of Cab	148.90 in
	Cab to Axle	32.00 in
	Cab to End of Frame	N/A in
	Ground to Top of Load Floor	32.90 in
	Ground to Top of Frame	N/A in
	Frame Width, Rear	N/A in
	Ground Clearance, Front	9.00 in
	Ground Clearance, Rear	12.30 in
	Body Length	0.00 ft
	Cab to Body	N/A in

carbookfleetedition

Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Cargo Area Dimensions

Cargo Box Length @ Floor	69.30 in
Cargo Box Width @ Top, Rear	61.60 in
Cargo Box Width @ Floor	62.50 in
Cargo Box Width @ Wheelhousings	50.60 in
Cargo Box (Area) Height	21.00 in
Tailgate Width	61.60 in
Cargo Volume	53.2 ft^3
Ext'd Cab Cargo Volume	

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Warranty Information

Basic:

3 Years/36,000 Miles

Drivetrain:

5 Years/100,000 Miles

Corrosion:

3 Years/36,000 Miles

Rust-Through

6 Years/100,000 Miles

Hybrid/Electric Components:

8 Years/100,000 Miles

Roadside Assistance:

5 Years/100,000 Miles

carbookfleetedition

Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.