

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
CLASS 0276 LB

2013 Ford F-150 4WD SuperCrew 157"



2013 Ford F-150 4WD SuperCrew 157" XL (W1E)

CLASS 0276 LB

TRUCK 1/2 TON CREW CAB 4X4 LB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Vehicle Report: Table of Contents

VEHICLE INFORMATION

Selected Model	1
Selected Vehicle Colors	1
Selected Options	1
Aftermarket Options	1

STANDARD EQUIPMENT

Mechanical	2
Exterior	2
Entertainment	2
Interior	2
Safety	3

TECHNICAL SPECIFICATIONS

Chassis	4
Vehicle	6
Powertrain	6
Dimensions	7

WARRANTY INFORMATION

Warranty Information	9
----------------------	---

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Vehicle Information

SELECTED MODEL

Code	Description	Front Weight	Rear Weight
W1E	2013 Ford F-150 4WD SuperCrew 157" XL	3307 lbs	2409 lbs

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description	Front Weight	Rear Weight
___	FEDERAL EMISSIONS		
99F	5.0L V8 FFV ENGINE, (STD)		
446	6-SPEED ELECTRONIC AUTOMATIC TRANSMISSION W/OD & TOW/HAUL MODE, (STD)		
		Front Weight	Rear Weight
X19	3.55 AXLE RATIO, (REQ: 99F Engine)		0.0 1.0
101A	MID EQUIPMENT GROUP, -inc: AM/FM stereo w/CD player, clock, speed compensated volume control, cruise control, MyKey w/top speed limiter, audio volume limiter, early low fuel warning, programmable sound chimes, Beltminder w/audio mute, chrome front/rear bumpers, cloth 40/20/40 front seats, trailer tow pkg w/class IV trailer hitch receiver, 7-pin wiring harness, upgraded radiator, aux trans oil cooler, SelectShift trans, SYNC voice activated communications & entertainment system w/Bluetooth capability, steering wheel audio controls, USB port, audio input jack, 911 assist, vehicle health report, Applink, *Additional SYNC services available w/annual subscription fee*, *GROSS*		
___	EQUIPMENT GROUP DISCOUNT, (REQ: 100A Equipment Group, 86D XL Decor Group & 61X XL Plus Pkg or 101A Equipment Group), *DISCOUNT*		
T7H	P265/70R17 ALL-TERRAIN OWL TIRES, (STD)		
___	STANDARD PAINT		
CS	STEEL GRAY, CLOTH 40/20/40 SPLIT BENCH FRONT SEAT, -inc: manual driver lumbar		
86D	XL DECOR GROUP, -inc: chrome front/rear bumpers, cloth 40/20/40 front seat w/manual driver lumbar, *Requires valid FIN code*		
61X	XL PLUS PKG, -inc: AM/FM stereo w/CD player, clock, aux audio input jack, speed compensated volume control, customer information display, cruise control, MyKey system w/top speed limiter, audio volume limiter, early low fuel warning, programmable sound chimes, Beltminder w/audio mute		
66C	COMMUNICATIONS PKG, -inc: SYNC voice activated communications & entertainment system w/Bluetooth capability, steering wheel audio controls, USB port, audio input jack, 911 assist, vehicle health report, Applink, (REQ: 61X XL Plus Pkg), *Additional SYNC services available w/annual subscription fee* *Requires valid FIN code*		
535	TRAILER TOW PKG, -inc: class IV trailer hitch receiver, 7-pin wiring harness, upgraded radiator, aux trans oil cooler, SelectShift trans, *Required for towing over 5000 lbs*	-8.0	52.0
67T	TRAILER BRAKE CONTROLLER, (REQ: 535 Trailer Tow Pkg) (w/86D XL Decor Group REQ: 595 Fog Lamps)		
413	SKID PLATES, *Requires valid FIN code w/100A Equipment Group*		
595	FOG LAMPS, (REQ: 86D XL Decor Group), *Requires valid FIN code w/100A Equipment Group*	2.0	0.0
153	FRONT LICENSE PLATE BRACKET, *Std in states where required by law*		
58B	AM/FM STEREO W/CD PLAYER, -inc: clock, speed compensated volume control, aux audio input jack, *Requires valid FIN code*	1.0	0.0
50S	CRUISE CONTROL, *Requires valid FIN code*		
942	DAYTIME RUNNING LIGHTS, *Requires valid FIN code*		

AFTERMARKET OPTIONS

Ford-MatCrwF150	Front Weight	Rear Weight
Floormats, Truck, Crew Cab, F150. Option code: AMO.	0	0

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Standard Equipment

MECHANICAL

- 5.0L V8 FFV engine
- 6-speed electronic automatic transmission w/OD & tow/haul mode
- 3.55 axle ratio (REQ: 99F Engine)
- 4-wheel drive
- 78-amp/hr (750CCA) maintenance-free battery
- Trailer sway control
- 6.5' pickup box
- Neutral towing capability
- (4) pickup box tie-down hooks
- 7350# GVWR, 1570# maximum payload
- Long-spindle double wishbone front suspension w/coil-over-shock IFS
- Leaf spring rear suspension w/2-stage variable rear springs
- Gas shock absorbers
- Pwr rack & pinion steering
- Pwr front/rear disc brakes
- Easy Fuel capless fuel filler system
- 2-ton jack

EXTERIOR

- P265/70R17 all-terrain OWL tires
- 17" gray styled steel wheels
- Full size spare tire
- Under frame winch-type spare tire carrier w/safety catch & lock
- Black front bumper fascia
- Argent front/rear step bumper
- Black front/rear stone cuffs
- Black grille surround w/black "bar style" insert
- Cargo lamp integrated w/high mount stop light
- Black pwr side mirrors
- Fixed rear window
- Rear solar tint glass
- Interval wipers
- (4) full-size doors
- Removable tailgate w/key lock & lift assist

ENTERTAINMENT

- AM/FM stereo w/clock

INTERIOR

- Vinyl 40/20/40 split bench front seat
- Black vinyl floor covering
- Driver & front passenger door scuff plates
- Black urethane steering wheel
- Tilt steering column
- Gauges -inc: fuel gauge, voltmeter, oil pressure, engine coolant temp, speedometer, tachometer, odometer
- Display center
- Pwr 1st & 2nd row windows

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Pwr door locks w/autolock feature
Perimeter alarm
Remote keyless entry key
SecuriLock anti-theft ignition (PATS)
Manual air conditioning
Black ring w/black vanes air conditioning registers
Front pwr point
Overhead console
Sunvisors w/driver side strap, passenger mirror
Front passenger side A-pillar grab handle
2nd row B-pillar grab handles
Dome light
Illuminated entry

SAFETY

Anti-lock braking system (ABS)
AdvanceTrac w/Roll Stability Control (RSC)
Hill start assist
Dual stage driver & passenger front airbags
Dual stage driver & front passenger seat-mounted side airbags
Safety Canopy front/rear outboard side curtain airbags
SOS post crash alert system
Outboard front lap & shoulder safety belts -inc: height adjusters, pretensioners, energy management retractors
Auto lock safety belt feature for child seats
Tire pressure monitoring system
Dual note horn

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Technical Specifications

CHASSIS

Weight Information

Trim Curb Weight	5716.00 lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	3307.00 lbs
Base Trim Weight - Rear	2409.00 lbs
Gross Axle Wt Rating - Front	4050 lbs
Gross Axle Wt Rating - Rear	3850 lbs
Curb Weight - Front	3307 lbs
Curb Weight - Rear	2409 lbs
Option Weight - Front	-5.00 lbs
Option Weight - Rear	53.00 lbs
Reserve Axle Capacity - Front	748.00 lbs
Reserve Axle Capacity - Rear	1388.00 lbs
As Spec'd Curb Weight	5764.00 lbs
As Spec'd Payload	1586.00 lbs
Maximum Payload Capacity	1634.00 lbs
Gross Combined Wt Rating	N/A lbs
Gross Axle Weight Rating	7900.00 lbs
Curb Weight	5716.00 lbs
Reserve Axle Capacity	2136.00 lbs
Total Option Weight	48.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	7350.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	5000 lbs
Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	7500 lbs
Wt Distributing Hitch - Max Tongue Wt.	1125 lbs
Maximum Trailering Capacity	N/A lbs

Frame

Frame Type	Fully Boxed
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Suspension

Suspension Type - Front	Double-Wishbone
Suspension Type - Rear	Live Axle
Spring Capacity - Front	4050 lbs
Spring Capacity - Rear	3850 lbs
Axle Type - Front	Long-Spindle
Axle Type - Rear	Semi-Float Beam
Axle Capacity - Front	4050 lbs
Axle Capacity - Rear	3800 lbs
Axle Ratio (:1) - Front	3.55
Axle Ratio (:1) - Rear	3.55
Shock Absorber Diameter - Front	36.068 mm
Shock Absorber Diameter - Rear	32.004 mm
Stabilizer Bar Diameter - Front	1.34 in
Stabilizer Bar Diameter - Rear	

Tires

Front Tire Order Code	T7H
Rear Tire Order Code	T7H
Spare Tire Order Code	
Front Tire Size	P265/70R17
Rear Tire Size	P265/70R17
Spare Tire Size	P265/70R17
Front Tire Capacity	N/A lbs
Rear Tire Capacity	N/A lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	17 x 7.5 in
Rear Wheel Size	17 x 7.5 in
Spare Wheel Size	17 x 7.5 in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Pwr Rack & Pinion
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	17.0
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	50.4 ft
Turning Diameter - Wall to Wall	N/A ft

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Brakes

Brake Type	Pwr
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	13.78 x 0.55 in
Rear Brake Rotor Diam x Thickness	13.7 x 0.413 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	36.0 gal
Aux Fuel Tank Capacity, Approx	
Fuel Tank Location	Midship
Aux Fuel Tank Location	

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	11.5
EPA Greenhouse Gas Score	1 (2012)

POWERTRAIN

Transmission

Drivetrain	Four-Wheel Drive
Trans Order Code	446
Trans Type	6
Trans Description Cont.	Automatic
Trans Description Cont. Again	
First Gear Ratio (:1)	4.17
Second Gear Ratio (:1)	2.34
Third Gear Ratio (:1)	1.52
Fourth Gear Ratio (:1)	1.14
Fifth Gear Ratio (:1)	0.86
Sixth Gear Ratio (:1)	0.69
Reverse Ratio (:1)	3.40
Clutch Size	
Trans Power Take Off	
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	1.00
Transfer Case Gear Ratio (:1), Low	2.64
Transfer Case Power Take Off	

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Mileage

EPA Fuel Economy Est - Hwy	19 MPG
Cruising Range - City	504.00 mi
EPA Fuel Economy Est - City	14 MPG
Fuel Economy Est-Combined	16 MPG
Cruising Range - Hwy	684.00 mi

Engine

Engine Order Code	99F
Engine Type	Gas/Ethanol V8
Displacement	5.0L/302
Fuel System	Electronic Fuel Injection
SAE Net Horsepower @ RPM	360 @ 5500
SAE Net Torque @ RPM	380 @ 4250
Engine Oil Cooler	

Electrical

Cold Cranking Amps @ 0° F (Primary)	750
Cold Cranking Amps @ 0° F (2nd)	
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	155

Cooling System

Total Cooling System Capacity	15.0 qts
-------------------------------	----------

DIMENSIONS

Interior Dimensions

Passenger Capacity	6
Front Head Room	41.0 in
Front Leg Room	41.4 in
Front Shoulder Room	65.9 in
Front Hip Room	60.5 in
Second Head Room	40.3 in
Second Leg Room	43.5 in
Second Shoulder Room	65.5 in
Second Hip Room	64.6 in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Exterior Dimensions

Wheelbase	156.5 in
Length, Overall w/o rear bumper	243.9 in
Width, Max w/o mirrors	79.2 in
Height, Overall	76.5 in
Overhang, Front	38.3 in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	166.3 in
Cab to Axle	N/A in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	34.5 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	N/A in
Ground Clearance, Rear	N/A in
Body Length	0.00 ft
Cab to Body	N/A in

Cargo Area Dimensions

Cargo Box Length @ Floor	78.8 in
Cargo Box Width @ Top, Rear	60.3 in
Cargo Box Width @ Floor	60.3 in
Cargo Box Width @ Wheelhousings	50.0 in
Cargo Box (Area) Height	22.4 in
Tailgate Width	60.3 in
Cargo Volume	65.5 ft ³
Ext'd Cab Cargo Volume	55.4 ft ³

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Warranty Information

Basic:

3 Years/36,000 Miles

Drivetrain:

5 Years/60,000 Miles

Corrosion:

5 Years/Unlimited Miles

Roadside Assistance:

5 Years/60,000 Miles

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.