

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
CLASS 0601

2013 Chevrolet Malibu 4dr Sdn



2013 Chevrolet Malibu 4dr Sdn LS w/1LS (1GB69)

CLASS 0601

SEDAN MIDSIZE 4 DOOR

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Vehicle Report: Table of Contents

VEHICLE INFORMATION

| | |
|-------------------------|---|
| Selected Model | 1 |
| Selected Vehicle Colors | 1 |
| Selected Options | 1 |

STANDARD EQUIPMENT

| | |
|---------------|---|
| Mechanical | 2 |
| Exterior | 2 |
| Entertainment | 2 |
| Interior | 2 |
| Safety | 3 |

TECHNICAL SPECIFICATIONS

| | |
|------------|---|
| Vehicle | 4 |
| Powertrain | 4 |
| Dimensions | 5 |
| Chassis | 5 |

WARRANTY INFORMATION

| | |
|----------------------|---|
| Warranty Information | 8 |
|----------------------|---|

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Vehicle Information

SELECTED MODEL

| Code | Description |
|-------|--|
| 1GB69 | 2013 Chevrolet Malibu 4dr Sdn LS w/1LS |

SELECTED VEHICLE COLORS

SELECTED OPTIONS

| Code | Description |
|------|--|
| FE9 | EMISSIONS, FEDERAL REQUIREMENTS |
| LCV | ENGINE, 2.5L DOHC 4-CYLINDER SIDI WITH VARIABLE VALVE TIMING (VVT), (197 hp [146.9 kW] @ 6300 rpm, 191 lb-ft of torque [257.9 N-m] @ 4400 rpm) |
| MH8 | TRANSMISSION, 6-SPEED AUTOMATIC, ELECTRONICALLY-CONTROLLED, with overdrive |
| 1LS | PREFERRED EQUIPMENT GROUP, includes Standard Equipment |
| — | STANDARD PAINT |
| A51 | SEATS, FRONT BUCKET |
| AFC | JET BLACK/TITANIUM, PREMIUM CLOTH SEAT TRIM |
| UYE | AUDIO SYSTEM, AM/FM STEREO WITH CD PLAYER AND MP3 PLAYBACK CAPABILITY, (STD) |
| VK3 | LICENSE PLATE BRACKET, FRONT, (Included on orders with ship-to states that require a front license plate.) |

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Standard Equipment

MECHANICAL

Engine, 2.5L DOHC 4-cylinder SIDI with Variable Valve Timing (VVT) (197 hp [146.9 kW] @ 6300 rpm, 191 lb-ft of torque [257.9 N-m] @ 4400 rpm)
Transmission, 6-speed automatic, electronically-controlled with overdrive
Gear select, manual mode
Front wheel drive
Battery, 60AH
Suspension, front, MacPherson strut
Suspension, rear 4-link
Steering, power, non-variable ratio, electric, rack-mounted
Brakes, 4-wheel antilock, 4-wheel disc
Brake, park, electronic push button powered located on center console
Brake lining, high-performance, noise and dust performance with FNC rotors
Braking control, ECM grade

EXTERIOR

Wheels, 16" (40.6 cm) aluminum
Tires, P215/60R16, all-season blackwall
Tire and wheel, spare, not desired
Tire repair kit
Headlamps, halogen composite with automatic exterior lamp control
Headlamps, reflector/reflector type
Mirrors, outside power-adjustable, black
Glass, acoustic, laminated
Glass, solar absorbing
Wipers, front intermittent with structureless wiper blades

ENTERTAINMENT

Audio system, AM/FM stereo with CD player and MP3 playback capability
SiriusXM Satellite Radio is standard on nearly all 2013 GM models. Enjoy a 3-month trial to the XM Premier package, with over 140 channels including commercial-free music, all your favorite sports, exclusive talk and entertainment. And now add premium channels to your trial at no cost. Welcome to the world of satellite radio. (If you subscribe after your trial period, subscriptions are continuous until you call SiriusXM to cancel. See SiriusXM Customer Agreement for complete terms at www.siriusxm.com. Other fees and taxes will apply. All fees and programming subject to change.)
Audio system feature, 6-speaker system
Bluetooth for phone personal cell phone connectivity to vehicle audio system
Antenna, OnStar and SiriusXM Satellite Radio, fin type, body-color

INTERIOR

Seats, front bucket
Seat adjuster, driver, 4-way manual, 2-way power vertical
Seat adjuster, front passenger, 4-way manual
Head restraints, 2-way adjustable (up/down), front
Seat, rear, 60/40 split-folding
Armrest, center, rear with storage
Steering wheel, 3-spoke
Steering column, tilt and telescopic
Steering wheel controls, mounted audio and cruise controls
Instrumentation, analog with speedometer, tachometer, engine temperature and fuel gauge with monochromatic Driver Information Center

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Driver Information Center, monochromatic display
Windows, power with Express-Down on all
Door and window locks, rear child security, power
Remote Keyless Entry includes panic alarm button
Cruise control, electronic with set and resume speed
Trunk release, power located in CHMSL decklid, push button open on key fob
Compass display
Theft-deterrent system, content theft alarm
Air conditioning, single-zone electronic
Defogger, rear-window
Power outlets, 2 auxiliary 1 in integrated center stack, 1 in center console
Mirror, inside rearview manual day/night
Console, overhead
Visors, driver and front passenger illuminated vanity mirrors
Assist handles, driver, front passenger and rear outboard
Lighting, interior with theater dimming, delayed entry/exit, glovebox and trunk
Map pockets, driver and front passenger seatbacks
Coat hooks, driver- and passenger-side rear
Dead pedal, driver

SAFETY

Brake Assist, panic
Brake control, cornering
StabiliTrak, stability control system
Daytime Running Lamps
Air bags, 10 total, frontal and knee for driver and front passenger, side-impact seat-mounted and roof rail for front and rear outboard seating positions includes Passenger Sensing System (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)
OnStar, 6 months of Directions and Connections plan includes, Automatic Crash Response, Emergency Services, Crisis Assist, First Assist, Injury Severity Predictor, Stolen Vehicle Assistance, Stolen Vehicle Slowdown, Remote Ignition Block, Remote Door Unlock, Roadside Assistance, Remote Horn and Lights, Turn-by-Turn Navigation with OnStar eNav, Destination Download (requires navigation radio), OnStar Vehicle Diagnostics, Hands Free Calling and available OnStar RemoteLink mobile app. (Visit onstar.com for details and system limitations.)
Automatic Crash Response
Stolen Vehicle Assistance
OnStar Turn-by-Turn Navigation
Safety belts, 3-point, all positions
Safety belt pretensioners, driver and front passenger
LATCH system (Lower Anchors and Top tethers for CHildren), for child safety seats
Tire Pressure Monitor System

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Technical Specifications

VEHICLE

Emissions

| | |
|--|-----|
| Tons/yr of CO2 Emissions @ 15K mi/year | 7.1 |
| EPA Greenhouse Gas Score | N/A |

Vehicle

| | |
|--------------------|--------------|
| EPA Classification | Midsize Cars |
|--------------------|--------------|

POWERTRAIN

Transmission

| | |
|-------------------------------|-------------------|
| Drivetrain | Front Wheel Drive |
| Trans Order Code | |
| Trans Type | 6 |
| Trans Description Cont. | Automatic |
| Trans Description Cont. Again | |
| First Gear Ratio (:1) | 4.58 |
| Second Gear Ratio (:1) | 2.96 |
| Third Gear Ratio (:1) | 1.91 |
| Fourth Gear Ratio (:1) | 1.45 |
| Fifth Gear Ratio (:1) | 1.00 |
| Sixth Gear Ratio (:1) | 0.75 |
| Reverse Ratio (:1) | 2.94 |
| Clutch Size | |
| Final Drive Axle Ratio (:1) | N/A |

Mileage

| | |
|-------------------------------|-----------|
| EPA Fuel Economy Est - Hwy | 34 MPG |
| Cruising Range - City | 347.60 mi |
| EPA Fuel Economy Est - City | 22 MPG |
| Fuel Economy Est-Combined | 26 MPG |
| Cruising Range - Hwy | 537.20 mi |
| EPA MPG Equivalent - City | N/A |
| EPA MPG Equivalent - Hwy | N/A |
| EPA MPG Equivalent - Combined | N/A |
| Battery Range | N/A mi |

Engine

| | |
|--------------------------|------------------|
| Engine Order Code | LCV |
| Engine Type | Gas I4 |
| Displacement | 2.5L/150 |
| Fuel System | Direct Injection |
| SAE Net Horsepower @ RPM | 197 @ 6300 |
| SAE Net Torque @ RPM | 191 @ 4400 |

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Electrical

| | |
|-------------------------------------|-----|
| Cold Cranking Amps @ 0° F (Primary) | N/A |
| Maximum Alternator Capacity (amps) | N/A |

Cooling System

| | |
|-------------------------------|---------|
| Total Cooling System Capacity | N/A qts |
|-------------------------------|---------|

DIMENSIONS

Interior Dimensions

| | |
|----------------------|-----------------------|
| Passenger Capacity | 5 |
| Passenger Volume | 100.3 ft ³ |
| Front Head Room | 39.00 in |
| Front Leg Room | 42.10 in |
| Front Shoulder Room | 57.50 in |
| Front Hip Room | 55.00 in |
| Second Head Room | 37.50 in |
| Second Leg Room | 36.90 in |
| Second Shoulder Room | 57.10 in |
| Second Hip Room | 54.30 in |

Exterior Dimensions

| | |
|------------------------|-----------|
| Wheelbase | 107.80 in |
| Length, Overall | 191.50 in |
| Width, Max w/o mirrors | 73.00 in |
| Height, Overall | 57.60 in |
| Track Width, Front | 62.20 in |
| Track Width, Rear | 62.00 in |
| Min Ground Clearance | |
| Liftover Height | |

Cargo Area Dimensions

| | |
|--------------|----------------------|
| Trunk Volume | 16.3 ft ³ |
|--------------|----------------------|

CHASSIS

Weight Information

| | |
|------------------|---------|
| Base Curb Weight | N/A lbs |
|------------------|---------|

Trailer

| |
|---|
| Dead Weight Hitch - Max Trailer Wt. |
| Dead Weight Hitch - Max Tongue Wt. |
| Wt Distributing Hitch - Max Trailer Wt. |
| Wt Distributing Hitch - Max Tongue Wt. |

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Suspension

| | |
|---------------------------------|------------------|
| Suspension Type - Front | MacPherson Strut |
| Suspension Type - Rear | Four-Link |
| Suspension Type - Front (Cont.) | |
| Suspension Type - Rear (Cont.) | |
| Shock Absorber Diameter - Front | |
| Shock Absorber Diameter - Rear | |
| Stabilizer Bar Diameter - Front | N/A in |
| Stabilizer Bar Diameter - Rear | N/A in |

Tires

| | |
|-----------------------|------------|
| Front Tire Order Code | -STDRA8 |
| Rear Tire Order Code | -STDRA8 |
| Spare Tire Order Code | |
| Front Tire Size | P215/60R16 |
| Rear Tire Size | P215/60R16 |
| Spare Tire Size | |

Wheels

| | |
|----------------------|---------------|
| Front Wheel Size | 16 x -TBD- in |
| Rear Wheel Size | 16 x -TBD- in |
| Spare Wheel Size | |
| Front Wheel Material | Aluminum |
| Rear Wheel Material | Aluminum |
| Spare Wheel Material | |

Steering

| | |
|---------------------------------|------------------------|
| Steering Type | Electric Rack & Pinion |
| Steering Ratio (:1), Overall | 15.2 |
| Lock to Lock Turns (Steering) | 2.7 |
| Turning Diameter - Curb to Curb | 37.4 ft |
| Turning Diameter - Wall to Wall | |

Brakes

| | |
|------------------------------------|---------|
| Brake Type | Pwr |
| Brake ABS System | 4-Wheel |
| Brake ABS System (Second Line) | N/A |
| Disc - Front (Yes or) | Yes |
| Disc - Rear (Yes or) | Yes |
| Front Brake Rotor Diam x Thickness | N/A in |
| Rear Brake Rotor Diam x Thickness | N/A in |
| Drum - Rear (Yes or) | |
| Rear Drum Diam x Width | |

Fuel Tank

| | |
|--------------------------------|----------|
| Fuel Tank Capacity, Approx | 15.8 gal |
| Aux Fuel Tank Capacity, Approx | N/A gal |

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Warranty Information

Basic:

3 Years/36,000 Miles

Drivetrain:

5 Years/100,000 Miles

Corrosion:

3 Years/36,000 Miles

Rust-Through

6 Years/100,000 Miles

Hybrid/Electric Components:

8 Years/100,000 Miles

Roadside Assistance:

5 Years/100,000 Miles

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.