

**Prepared By:**  
Anne Stehno  
Utah Fleet Operations  
801-619-7242  
annestehno@utah.gov

**Prepared For:**  
CLASS 0605

## 2013 Chevrolet Impala Police 4dr Sdn



### 2013 Chevrolet Impala Police 4dr Sdn Police (1WS19)

---

CLASS 0605

SEDAN MID-FULLSIZE POLICE PACKAGE 4 DOOR UNMARKED

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

# Vehicle Report: Table of Contents

## VEHICLE INFORMATION

Selected Model	1
Selected Vehicle Colors	1
Selected Options	1

## STANDARD EQUIPMENT

Mechanical	2
Exterior	2
Entertainment	2
Interior	2
Safety	3
Processing-other	3

## TECHNICAL SPECIFICATIONS

Vehicle	4
Powertrain	4
Dimensions	5
Chassis	5

## WARRANTY INFORMATION

Warranty Information	8
----------------------	---

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

# Vehicle Information

## SELECTED MODEL

Code	Description
1WS19	2013 Chevrolet Impala Police 4dr Sdn Police

## SELECTED VEHICLE COLORS

## SELECTED OPTIONS

Code	Description
FE9	EMISSIONS, FEDERAL REQUIREMENTS
LFX	ENGINE, 3.6L SIDI DOHC V6 VVT, (302 hp [225.2 kW] @ 6800 rpm, 262 lb-ft of torque [353.7 N-m] @ 5300 rpm) (STD)
MX0	TRANSMISSION, 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED WITH OVERDRIVE, (STD)
3FL	PREFERRED EQUIPMENT GROUP
9C3	UNMARKED POLICE PACKAGE
—	STANDARD PAINT
AN3	SEAT, FRONT 40/20/40 SPLIT-BENCH WITH CLOTH, (Requires 9C3 Unmarked Police package)
19C	EBONY, CLOTH SEAT TRIM WITH CLOTH REAR BENCH SEAT, (Requires 9C3 Unmarked Police package)
U1C	AUDIO SYSTEM, AM/FM STEREO WITH CD PLAYER, seek-and-scan, digital clock, auto-tone control, automatic volume, TheftLock and auxiliary input jack (STD)
FHS	E85 FLEXFUEL CAPABLE, (includes rear decklid badge)
9G8	HEADLAMPS, DAYTIME RUNNING LAMPS AND AUTOMATIC HEADLAMP CONTROL DELETE, deletes standard Daytime Running Lamps and automatic headlamp control features from the vehicle for police stealth surveillance
DK2	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE, BODY-COLOR
VK3	LICENSE PLATE BRACKET, FRONT, (Included on orders with ship-to states that require a front license plate.)
B34	FLOOR MATS, CARPETED FRONT AND REAR, (Not available with (6A3) heavy-duty vinyl floor covering.)

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

# Standard Equipment

## MECHANICAL

Engine, 3.6L SIDI DOHC V6 VVT (302 hp [225.2 kW] @ 6800 rpm, 262 lb-ft of torque [353.7 N-m] @ 5300 rpm)  
Transmission, 6-speed automatic, electronically controlled with overdrive  
Axle, 2.44 ratio  
Front wheel drive  
Cooling, auxiliary heavy-duty engine and power steering system  
Cooling, auxiliary heavy-duty transmission system  
Battery rundown protection  
Alternator, 170 amps  
Suspension, Heavy-Duty Police  
Steering, power, rack-and-pinion  
Brakes, heavy-duty 4-wheel antilock, 4-wheel disc  
Exhaust, dual-outlet stainless-steel

## EXTERIOR

Wheels, 17" (43.2 cm) steel  
Tires, P235/55R17, blackwall, W-rated  
Wheel, compact spare, 17" (43.2 cm) steel  
Moldings, body-color rocker  
Headlamps, halogen composite with automatic exterior lamp control  
Mirrors, outside power-adjustable, body-color  
Glass, Solar-Ray light-tinted  
Wipers, front intermittent  
Deck lock key cylinder (If (UA6) content theft-deterrent alarm system is ordered, an audible alarm will sound if key is used to open decklid)  
Door handles, body-color

## ENTERTAINMENT

Audio system, AM/FM stereo with CD player seek-and-scan, digital clock, auto-tone control, automatic volume, TheftLock and auxiliary input jack  
Audio system feature, 6-speaker system  
Antenna, integral rear, AM/FM

## INTERIOR

Seats, front bucket (Requires 9C1 Police package)  
Cloth seat trim  
Seat adjuster, driver manual lumbar control  
Seat adjuster, driver 6-way power  
Seat adjuster, front passenger 6-way power  
Seat, rear fixed bench (Rear bench seat is vinyl when ordered with (19G) trim and cloth when ordered with (19E) trim)  
Steering wheel, urethane  
Steering column, Tilt-Wheel  
Shifter, column  
Instrumentation, "certified" analog 4-gauge cluster with speedometer, tachometer, coolant temperature, fuel, trip odometer and message center  
Oil life monitoring system  
Wiring provisions, headlamp flasher, forward lamp in-line connector with power for flasher, DRL control and flasher on/off control lead to interior compartment  
Windows, power with driver Express-Down and passenger lockout  
Door locks, power

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Door locks, single key locking system random key code for each vehicle. 1-key operates ignition and all locks.  
Remote Keyless Entry  
Cruise control, electronic with set and resume speed  
Trunk release, remote  
Theft-deterrent system, vehicle, PASS-Key III+  
Radio Suppression Package  
Air conditioning, single-zone manual with air filtration system  
Defogger, rear-window electric  
Applique, techno metallic on instrument panel and door  
Ignition, 100-amp main power supply wiring at instrument panel and trunk  
Mirror, inside rearview manual day/night with map lights  
Visors, driver and front passenger vanity mirrors, covered  
Assist handles, front passenger and rear outboard  
Lighting, interior with center-mounted dome and rear reading lights  
Cargo mat, trunk  
Ground stud, auxiliary, located in trunk

## SAFETY

StabiliTrak, stability control system includes Traction Control  
Air bags, dual-stage frontal, and thorax side-impact, driver and front passenger, and head curtain side-impact, front and rear outboard seating positions includes Passenger Sensing System (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)  
Safety belt pretensioners, front row seats  
Door locks, rear child security  
Tire Pressure Monitor

## PROCESSING-OTHER

Ship Thru to Kerr Industries Ship thru costs included in MSRP to transport vehicle from plant to second stage activity and return to plant.

All specifications are subject to change without notice.

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

# Technical Specifications

## VEHICLE

### Emissions

Tons/yr of CO2 Emissions @ 15K mi/year	6.7
EPA Greenhouse Gas Score	5

### Vehicle

EPA Classification	Large Cars
--------------------	------------

## POWERTRAIN

### Transmission

Drivetrain	Front Wheel Drive
Trans Order Code	MX0
Trans Type	6
Trans Description Cont.	Automatic
Trans Description Cont. Again	
First Gear Ratio (:1)	4.48
Second Gear Ratio (:1)	2.87
Third Gear Ratio (:1)	1.84
Fourth Gear Ratio (:1)	1.41
Fifth Gear Ratio (:1)	1.00
Sixth Gear Ratio (:1)	0.74
Reverse Ratio (:1)	2.88
Clutch Size	
Final Drive Axle Ratio (:1)	2.44

### Mileage

EPA Fuel Economy Est - Hwy	30 (2012) MPG
Cruising Range - City	306.00 mi
EPA Fuel Economy Est - City	18 (2012) MPG
Fuel Economy Est-Combined	22 MPG
Cruising Range - Hwy	510.00 mi
EPA MPG Equivalent - City	N/A
EPA MPG Equivalent - Hwy	N/A
EPA MPG Equivalent - Combined	N/A
Battery Range	N/A mi

### Engine

Engine Order Code	LFX
Engine Type	Gas/Ethanol V6
Displacement	3.6L/217
Fuel System	Direct Injection
SAE Net Horsepower @ RPM	300 @ 6500
SAE Net Torque @ RPM	262 @ 5300

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

## Electrical

Cold Cranking Amps @ 0° F (Primary)	N/A
Maximum Alternator Capacity (amps)	170

## Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

## DIMENSIONS

### Interior Dimensions

Passenger Capacity	6
Passenger Volume	104.5 ft <sup>3</sup>
Front Head Room	39.40 in
Front Leg Room	42.30 in
Front Shoulder Room	58.70 in
Front Hip Room	56.40 in
Second Head Room	37.80 in
Second Leg Room	37.60 in
Second Shoulder Room	58.60 in
Second Hip Room	57.20 in

### Exterior Dimensions

Wheelbase	110.50 in
Length, Overall	200.40 in
Width, Max w/o mirrors	72.90 in
Height, Overall	58.70 in
Track Width, Front	62.40 in
Track Width, Rear	61.50 in
Min Ground Clearance	N/A in
Liftover Height	N/A in

### Cargo Area Dimensions

Trunk Volume	18.6 ft <sup>3</sup>
--------------	----------------------

## CHASSIS

### Weight Information

Base Curb Weight	N/A lbs
------------------	---------

### Trailer

Dead Weight Hitch - Max Trailer Wt.
Dead Weight Hitch - Max Tongue Wt.
Wt Distributing Hitch - Max Trailer Wt.
Wt Distributing Hitch - Max Tongue Wt.

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

## Suspension

Suspension Type - Front	N/A
Suspension Type - Rear	N/A
Suspension Type - Front (Cont.)	Heavy-Duty Police
Suspension Type - Rear (Cont.)	Heavy-Duty Police
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

## Tires

Front Tire Order Code	QWM
Rear Tire Order Code	QWM
Spare Tire Order Code	RV9
Front Tire Size	P235/55R17
Rear Tire Size	P235/55R17
Spare Tire Size	Compact

## Wheels

Front Wheel Size	17 x -TBD- in
Rear Wheel Size	17 x -TBD- in
Spare Wheel Size	N/A in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

## Steering

Steering Type	Pwr Rack & Pinion
Steering Ratio (:1), Overall	13.3
Lock to Lock Turns (Steering)	2.4
Turning Diameter - Curb to Curb	38.0 ft
Turning Diameter - Wall to Wall	N/A ft

## Brakes

Brake Type	Pwr
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A
Disc - Front (Yes or )	Yes
Disc - Rear (Yes or )	Yes
Front Brake Rotor Diam x Thickness	N/A in
Rear Brake Rotor Diam x Thickness	N/A in
Drum - Rear (Yes or )	
Rear Drum Diam x Width	

## Fuel Tank

Fuel Tank Capacity, Approx	17.0 gal
Aux Fuel Tank Capacity, Approx	N/A gal

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

---

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

*Chrome Carbook Fleet Edition™.* Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

# Warranty Information

Basic:

3 Years/36,000 Miles

Drivetrain:

5 Years/100,000 Miles

Corrosion:

3 Years/36,000 Miles

Rust-Through

6 Years/100,000 Miles

Roadside Assistance:

5 Years/100,000 Miles

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

*Chrome Carbook Fleet Edition™.* Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.