

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
CLASS 4804EXT

2013 Chevrolet Suburban 4WD 4dr 1500



2013 Chevrolet Suburban 4WD 4dr 1500 Commercial (CK10906)

CLASS 4804EXT

UTILITY SPORT FULLSIZE 4X4 4 DOOR EXTENDED

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Vehicle Report: Table of Contents

VEHICLE INFORMATION	
Selected Model	1
Selected Vehicle Colors	1
Selected Options	1
Aftermarket Options	2
STANDARD EQUIPMENT	
Mechanical	3
Exterior	11
Entertainment	3
Interior	4
Safety	4
TECHNICAL SPECIFICATIONS	
Chassis	6
Vehicle	8
Powertrain	8
Dimensions	9
Exterior	11
WARRANTY INFORMATION	
Warranty Information	12

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Vehicle Information

SELECTED MODEL

Code	Description	Front Weight	Rear Weight
CK10906	2013 Chevrolet Suburban 4WD 4dr 1500 Commercial	3028 lbs	2796 lbs

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description	Front Weight	Rear Weight
Z71	SUSPENSION PACKAGE, OFF-ROAD, (1/2 ton 4WD model only. Included and only available with (9G3) Off-road Suspension Package.	2.0	0.0
LC9	ENGINE, VORTEC 5.3L V8 SFI FLEXFUEL, with Active Fuel Management, capable of running on unleaded or up to 85% ethanol (with gas - 320 hp [239 kW] @ 5400 rpm, 335 lb-ft of torque [454 N-m] @ 4000 rpm, with E85 ethanol - 326 hp [243 kW] @ 5300 rpm, 348 lb-ft of torque [472 N-m] @ 4400 rpm), aluminum block (STD), (Requires 4WD 1/2 ton models.)		
MYC	TRANSMISSION, 6-SPEED AUTOMATIC, HEAVY-DUTY, ELECTRONICALLY CONTROLLED WITH OVERDRIVE AND TOW/Haul MODE, (STD), (Requires 1/2 ton models.)		
GU6	REAR AXLE, 3.42 RATIO, (Requires 1/2 ton models. Included and only available with (K5L) Heavy-Duty Trailering Package.)		
1FL	COMMERCIAL PREFERRED EQUIPMENT GROUP, Includes Standard Equipment		
NX7	WHEELS, 4 - 17" X 7" (43.2 CM X 17.8 CM) STEEL, (STD), (1/2 ton models only.)	16.0	16.0
QJP	TIRES, P265/70R17 ON-/OFF-ROAD, BLACKWALL, (Requires 4WD 1/2 ton models.)	6.0	6.0
ZY1	SOLID PAINT		
AZ3	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, includes driver manual lumbar control, driver and front passenger manual reclining, center fold-down armrest with storage, lockable storage compartments in seat cushion (includes auxiliary power outlet), adjustable outboard head restraints and storage pockets. With Premium Cloth seats includes (AG1) 6-way power driver seat adjuster. (STD), (With vinyl seats requires (19V) Ebony vinyl and (BG9) Black rubberized-vinyl floor covering.)		
19C	EBONY, PREMIUM CLOTH SEAT TRIM		
US8	AUDIO SYSTEM, AM/FM STEREO WITH MP3 COMPATIBLE CD PLAYER, seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume, TheftLock and auxiliary audio input jack (STD)	2.0	1.0
K47	AIR CLEANER, HIGH-CAPACITY	1.0	0.0
NQH	TRANSFER CASE, ACTIVE, 2-SPEED ELECTRONIC AUTOTRAC, with rotary controls, includes neutral position for dinghy towing., (Requires 4WD models. Included with (K5L) heavy-duty trailering package or 3/4 ton models.)		
K5L	TRAILERING PACKAGE, HEAVY-DUTY, includes (KNP) auxiliary external transmission oil cooler and (KC4) engine oil cooler, provides increased trailering capabilities., (Requires 1/2 ton models only. Includes (GU6) 3.42 ratio rear axle and (NQH) 2-speed active transfer case with model CK10906. Required with (JL1) trailer brake controller.)	3.0	1.0
KC4	COOLING, EXTERNAL ENGINE OIL COOLER, HEAVY-DUTY AIR-TO-OIL, integral to driver side of radiator, (Included and only available with (K5L) Heavy-Duty Trailering Package on 1/2 ton models. Included on all 3/4 ton models.)	2.0	1.0
KNP	COOLING, AUXILIARY TRANSMISSION OIL COOLER, HEAVY-DUTY AIR-TO-OIL, (Included and only available with (K5L) Heavy-Duty Trailering Package on 1/2 ton models. Included on all 3/4 ton models.)	1.0	1.0
NZZ	SKID PLATE PACKAGE, includes front underbody shield starting behind front bumper and running to first cross-member, protecting front underbody, oil pan, differential case and transfer case, frame-mounted shields, (Requires 4WD models.)	7.0	2.0
VK3	LICENSE PLATE FRONT MOUNTING PACKAGE, (Will be forced on orders with ship-to states that require a front license plate.)	1.0	0.0

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Code	Description
B58	FLOOR MATS, COLOR-KEYED CARPETED FIRST AND SECOND ROW, REMOVABLE, (Included and only available with (B30) color-keyed floor covering.)
B30	FLOOR COVERING, COLOR-KEYED CARPETING, (Includes (B58) color-keyed floor mats. Not available with (19V) Ebony vinyl trim.)
9G3	SUSPENSION PACKAGE, OFF-ROAD, for base decor vehicles Includes Z71 Off Road Suspension components, skid plate package and high capacity air cleaner. Does not include body side "Z71" decals. Available on 4WD only, (1/2 ton 4WD model only. Requires RPO (QJP) P265/70R17 on / off-road tires and (NQH) 2-speed electronic transfer case.)

AFTERMARKET OPTIONS

Tahoe CK10706 Commercial Debit	Front Weight	Rear Weight
Debit for commercial equipment group credit that is already included in the contract price . Manufacturer's part number: CK10706 Debit. Option code: AMO.	0	0

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Standard Equipment

MECHANICAL

Engine, Vortec 5.3L V8 SFI FlexFuel with Active Fuel Management, capable of running on unleaded or up to 85% ethanol (with gas - 320 hp [239 kW] @ 5400 rpm, 335 lb-ft of torque [454 N-m] @ 4000 rpm, with E85 ethanol - 326 hp [243 kW] @ 5300 rpm, 348 lb-ft of torque [472 N-m] @ 4400 rpm), aluminum block (Requires 4WD 1/2 ton models.)

Transmission, 6-speed automatic, heavy-duty, electronically controlled with overdrive and tow/haul mode (Requires 1/2 ton models.)

Rear axle, 3.08 ratio (Requires 1/2 ton models. Not available with (K5L) Heavy-Duty Trailering Package.)

Suspension Package, Premium Smooth Ride (1/2 ton models only.)

4-wheel drive

Transfer case, active, single-speed, electronic Autotrac with rotary controls, does not include neutral. Cannot be dinghy towed. (Requires (GU4) 3.08 rear axle ratio. Not available on 2WD models, 3/4 ton models or with (K5L) heavy-duty trailering package.)

Battery, 660 cold cranking amps with 80 amp hour rating

Alternator, 160 amps (Standard on 1/2 ton models. Included and only available with (VYU) Snow Plow Prep Package on 4WD 3/4 ton models. Not available on 2WD 3/4 ton models.)

Trailering equipment includes trailering hitch platform, 7-wire harness with independent fused trailering circuits mated to a 7-way sealed connector and 2" trailering receiver

Recovery hooks, front, frame-mounted (Standard with 4WD 1/2 ton models and all 3/4 ton models. Available on 2WD 1/2 ton models.)

GVWR, 7400 lbs. (3357 kg) (Requires 4WD 1/2 ton models.)

Suspension, front coil-over-shock with stabilizer bar (1/2 ton models only.)

Suspension, rear multi-link with coil springs (1/2 ton models only.)

Steering, power

Brakes, 4-wheel antilock, 4-wheel disc, VAC power (1/2 ton models only.)

Powertrain grade braking

EXTERIOR

Wheels, 4 - 17" x 7" (43.2 cm x 17.8 cm) steel (1/2 ton models only.)

Tires, P265/70R17 all-season, blackwall (Requires 1/2 ton models.)

Wheel, 17" (43.2 cm) full-size, steel spare (1/2 ton models only.)

Tire, spare P265/70R17 all-season, blackwall (1/2 ton models only. Upgradeable to SEO (4JP) P265/70R17 on-/off-road, blackwall spare tire.)

Tire carrier, lockable outside spare, winch-type mounted under frame at rear

Luggage rack side rails, roof-mounted, Black

Fascia, front color-keyed

Fascia, rear color-keyed

Assist steps, Black

Headlamps, dual halogen composite with automatic exterior lamp control and flash-to-pass feature

Mirrors, outside heated power-adjustable, manual-folding (Mirror caps are Black.)

Glass, Solar-Ray deep-tinted (all windows except light-tinted glass on windshield and driver- and front passenger-side glass)

Wiper, rear intermittent with washer

Door handles, Black

Liftgate with liftglass, rear door system with rear-window wiper/washer

ENTERTAINMENT

Audio system, AM/FM stereo with MP3 compatible CD player seek-and-scan, digital clock, auto-tone control, Radio Data System (RDS), speed-compensated volume, TheftLock and auxiliary audio input jack

Audio system feature, 6-speaker system

SiriusXM Satellite Radio, delete

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

INTERIOR

Seats, front 40/20/40 split-bench, 3-passenger includes driver manual lumbar control, driver and front passenger manual reclining, center fold-down armrest with storage, lockable storage compartments in seat cushion (includes auxiliary power outlet), adjustable outboard head restraints and storage pockets. With Premium Cloth seats includes (AG1) 6-way power driver seat adjuster. (With vinyl seats requires (19V) Ebony vinyl and (BG9) Black rubberized-vinyl floor covering.)

Seats, second row 60/40 split-folding bench, 3-passenger with center armrest with 2 cup holders (With vinyl seats included and only available with (AZ3) front 40/20/40 vinyl split-bench seats, SEO (5T5) second and third row vinyl with front cloth seats or (9S1) seats, driver and passenger front, individual seats in vinyl trim.)

Seat trim, cloth

Seat adjuster, driver 6-way power

Seats, third row 50/50 split-bench, 3-passenger, removable, all-belts-to-seat

Floor covering, Black rubberized-vinyl

Steering column, Tilt-Wheel, adjustable with brake/transmission shift interlock

Steering wheel, vinyl

Steering wheel controls, mounted cruise controls

Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature, oil pressure and tachometer

Warning tones headlamp on, key-in-ignition, driver and right-front passenger safety belt unfasten and turn signal on

Windows, power with driver Express-Down and lockout features

Door locks, power programmable with lockout protection

Remote vehicle starter prep package includes Remote Keyless Entry (Remote vehicle starter fob available as a Chevy Accessory.)

Cruise control, electronic with set and resume speed

Theft-deterrent system, vehicle, PASS-Key III

Air conditioning, tri-zone manual HVAC controls with individual climate settings for driver, right-front passenger and rear seat with rear controls located in floor console with front bucket seats and in the roof console with front bench seat

Air conditioning, rear auxiliary

Heater, rear auxiliary with rear passenger heating ducts

Defogger, rear-window electric

Power outlets, 3 auxiliary, 12-volt includes 2 on the instrument panel and 1 in the cargo area

Mirror, inside rearview manual day/night

Headliner, cloth

Visors, driver and front passenger illuminated vanity mirrors, padded with cloth trim, extends on rod

Assist handles, front passenger and second row outboard

Lighting, interior with dome light, driver- and passenger-side door switch with delayed entry feature, cargo lights, door handle or Remote Keyless Entry-activated illuminated entry and map lights in front and second seat positions

Fleet Package

SAFETY

StabiliTrak, stability control system with traction control includes electronic trailer sway control and hill start assist

Daytime Running Lamps with automatic exterior lamp control

Air bags, dual-stage frontal, driver and right-front passenger with Passenger Sensing System (right-front passenger air bag status on overhead console) (Always use safety belts and the correct child restraints for your child's age and size. Even in vehicles equipped with air bags and the Passenger Sensing System, children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. Never place a rear-facing infant restraint in the front seat of any vehicle equipped with an active frontal air bag. See the Owners Manual and child safety seat instructions for more safety information.)

Air bags, head curtain side-impact, first and second row outboard seating positions with rollover sensor, includes third row seating positions with (AS3) 3-passenger third row bench seat (Head curtain side air bags are designed to help reduce the risk of head and neck injuries to front and rear seat outboard occupants on the near side of certain side-impact collisions. Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. See the Owners Manual and child safety seat instructions for more safety information.)

Air bags, seat-mounted side-impact, driver and right-front passenger for thorax and pelvic protection (Always use safety belts and the correct child restraints for your child's age and size, even in vehicles equipped with air bags. Children are safer when properly secured in a rear seat in the appropriate infant, child or booster seat. See the Owners Manual and child safety seat instructions for more safety information.)

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

OnStar, 6 months of Directions and Connections plan includes, Automatic Crash Response, Emergency Services, Crisis Assist, First Assist, Injury Severity Predictor, Stolen Vehicle Assistance, Stolen Vehicle Slowdown, Remote Ignition Block, Remote Door Unlock, Roadside Assistance, Remote Horn and Lights, Turn-by-Turn Navigation with OnStar eNav, Destination Download (requires navigation radio), OnStar Vehicle Diagnostics, Hands Free Calling and available OnStar RemoteLink mobile app. (Visit onstar.com for details and system limitations.)

Automatic Crash Response (Deleted when (UE0) OnStar delete is ordered.)

Stolen Vehicle Assistance (Deleted when (UE0) OnStar delete is ordered.)

OnStar Turn-by-Turn Navigation (Deleted when (UE0) OnStar delete is ordered.)

Safety belts, 3-point, driver and right-front passenger

LATCH system (Lower Anchors and Top tethers for CHildren), for child safety seats

Tire Pressure Monitor System air pressure sensors in each tire with pressure display in Driver Information Center (does not apply to spare tire)

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Technical Specifications

CHASSIS

Weight Information

Trim Curb Weight	5824.00 lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	3028.00 lbs
Base Trim Weight - Rear	2796.00 lbs
Gross Axle Wt Rating - Front	3600 lbs
Gross Axle Wt Rating - Rear	4200 lbs
Curb Weight - Front	3028 lbs
Curb Weight - Rear	2796 lbs
Option Weight - Front	35.00 lbs
Option Weight - Rear	22.00 lbs
Reserve Axle Capacity - Front	537.00 lbs
Reserve Axle Capacity - Rear	1382.00 lbs
As Spec'd Curb Weight	5881.00 lbs
As Spec'd Payload	1519.00 lbs
Maximum Payload Capacity	1576.00 lbs
Gross Combined Wt Rating	14000 lbs
Gross Axle Weight Rating	7800.00 lbs
Curb Weight	5824.00 lbs
Reserve Axle Capacity	1919.00 lbs
Total Option Weight	57.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	7400.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	5000 lbs
Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	8000 lbs
Wt Distributing Hitch - Max Tongue Wt.	1185 lbs
Maximum Trailering Capacity	N/A lbs

Frame

Frame Type	Ladder
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Suspension

Suspension Type - Front	Coil springs
Suspension Type - Rear	Multi link
Spring Capacity - Front	3600 lbs
Spring Capacity - Rear	4200 lbs
Axle Type - Front	Independent
Axle Type - Rear	Semi-floating
Axle Capacity - Front	3600 lbs
Axle Capacity - Rear	4200 lbs
Axle Ratio (:1) - Front	3.42
Axle Ratio (:1) - Rear	3.42
Shock Absorber Diameter - Front	46.0 mm
Shock Absorber Diameter - Rear	46.0 mm
Stabilizer Bar Diameter - Front	1.41 in
Stabilizer Bar Diameter - Rear	1.10 in

Tires

Front Tire Order Code	QJP
Rear Tire Order Code	QJP
Spare Tire Order Code	ZRS
Front Tire Size	P265/70R17
Rear Tire Size	P265/70R17
Spare Tire Size	P265/70R17
Front Tire Capacity	2135 lbs
Rear Tire Capacity	2135 lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	17 X 7.0 in
Rear Wheel Size	17 X 7.0 in
Spare Wheel Size	17 x -TBD- in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Pwr
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	17.8
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	43.0 ft
Turning Diameter - Wall to Wall	N/A ft

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Brakes

Brake Type	Pwr
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	13.0 x 1.2 in
Rear Brake Rotor Diam x Thickness	13.6 x 0.8 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	31.0 gal
Aux Fuel Tank Capacity, Approx	
Fuel Tank Location	N/A
Aux Fuel Tank Location	

VEHICLE**Emissions**

Tons/yr of CO2 Emissions @ 15K mi/year	10.7
EPA Greenhouse Gas Score	N/A

Vehicle

Rear Door Type	Liftgate
----------------	----------

POWERTRAIN**Transmission**

Drivetrain	Four Wheel Drive
Trans Order Code	MYC
Trans Type	6
Trans Description Cont.	Automatic
Trans Description Cont. Again	
First Gear Ratio (:1)	4.0
Second Gear Ratio (:1)	2.4
Third Gear Ratio (:1)	1.5
Fourth Gear Ratio (:1)	1.2
Fifth Gear Ratio (:1)	0.9
Sixth Gear Ratio (:1)	0.7
Reverse Ratio (:1)	3.1
Clutch Size	
Trans Power Take Off	
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	Magna
Transfer Case Gear Ratio (:1), High	1.00
Transfer Case Gear Ratio (:1), Low	2.69
Transfer Case Power Take Off	

carbookfleetedition

Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Mileage

EPA Fuel Economy Est - Hwy	21 MPG
Cruising Range - City	465.00 mi
EPA Fuel Economy Est - City	15 MPG
Fuel Economy Est-Combined	17 MPG
Cruising Range - Hwy	651.00 mi

Engine

Engine Order Code	LC9
Engine Type	Gas/Ethanol V8
Displacement	5.3L/323
Fuel System	Electronic Fuel Injection
SAE Net Horsepower @ RPM	320 @ 5400
SAE Net Torque @ RPM	335 @ 4000
Engine Oil Cooler	

Electrical

Cold Cranking Amps @ 0° F (Primary)	600
Cold Cranking Amps @ 0° F (2nd)	
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	160

Cooling System

Total Cooling System Capacity	15.7 qts
-------------------------------	----------

DIMENSIONS

Interior Dimensions

Passenger Capacity	9
Front Head Room	41.10 in
Front Leg Room	41.30 in
Front Shoulder Room	65.20 in
Front Hip Room	60.50 in
Second Head Room	38.50 in
Second Leg Room	39.50 in
Second Shoulder Room	65.20 in
Second Hip Room	61.80 in
Third Head Room	38.10 in
Third Leg Room	34.90 in
Third Shoulder Room	64.70 in
Third Hip Room	49.40 in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Exterior Dimensions

Wheelbase	130.00 in
Length, Overall w/o rear bumper	N/A in
Length, Overall w/rear bumper	222.40 in
Width, Max w/o mirrors	79.10 in
Height, Overall	76.80 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	N/A in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	32.60 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	10.50 in
Ground Clearance, Rear	9.10 in
Body Length	0.00 ft
Rear Door Opening Height	32.6 in
Rear Door Opening Width	N/A in
Side Door Opening Height	
Side Door Opening Width	
Step Up Height - Front	
Step Up Height - Side	
Cab to Body	N/A in

Cargo Area Dimensions

Cargo Box Length @ Floor	N/A in
Cargo Area Length @ Floor to Console	
Cargo Area Length @ Floor to Seat 1	101.80 in
Cargo Area Length @ Floor to Seat 2	69.60 in
Cargo Area Length @ Floor to Seat 3	35.60 in
Cargo Box Width @ Top, Rear	N/A in
Cargo Area Width @ Beltline	N/A in
Cargo Box Width @ Floor	N/A in
Cargo Box Width @ Wheelhousings	49.10 in
Cargo Box (Area) Height	41.40 in
Tailgate Width	N/A in
Cargo Volume	N/A ft ³
Cargo Volume to Seat 1	137.4 ft ³
Cargo Volume to Seat 2	90.0 ft ³
Cargo Volume to Seat 3	45.8 ft ³
Cargo Volume to Seat 4	
Ext'd Cab Cargo Volume	N/A ft ³

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Side Door Type

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Warranty Information

Basic:

3 Years/36,000 Miles

Drivetrain:

5 Years/100,000 Miles

Corrosion:

3 Years/36,000 Miles

Rust-Through

6 Years/100,000 Miles

Roadside Assistance:

5 Years/100,000 Miles

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.