

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
CLASS 4904

2013 Ford Transit Connect 114.6" w/rear door privacy glass



2013 Ford Transit Connect 114.6" XL w/rear door privacy glass (S7C)

CLASS 4904

VAN CARGO MINI FWD

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Vehicle Report: Table of Contents

VEHICLE INFORMATION

Selected Model	1
Selected Vehicle Colors	1
Selected Options	1

STANDARD EQUIPMENT

Mechanical	2
Exterior	8
Entertainment	2
Interior	2
Safety	3

TECHNICAL SPECIFICATIONS

Chassis	4
Vehicle	6
Powertrain	6
Dimensions	7
Exterior	8

WARRANTY INFORMATION

Warranty Information	9
----------------------	---

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Vehicle Information

SELECTED MODEL

Code	Description	Front Weight	Rear Weight
S7C	2013 Ford Transit Connect 114.6" XL w/rear door privacy glass	1902 lbs	1471 lbs

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
—	STANDARD EMISSIONS
99N	2.0L DOHC SEFI I4 ENGINE
442	4-SPEED AUTOMATIC TRANSMISSION W/OD
200A	XL SERIES ORDER CODE
—	STANDARD PAINT
8K	DARK GRAY, CLOTH SEAT TRIM
86L	FLEET XL PWR GROUP, -inc: pwr door locks, pwr windows, pwr mirrors & cruise control
153	FRONT LICENSE PLATE BRACKETS, *Standard in states requiring (2) license plate brackets & optional in all others*
66B	REAR CARGO DOORS, -inc: 255-degree hinged opening, (REQ: 86L Fleet XL Pwr Group)
58T	AM/FM STEREO W/CD PLAYER, -inc: audio input jack, 2 speakers
16C	FRONT PREMIUM CARPETED FLOOR MATS
87R	(2) KEY FOBS, (REQ: 86L Fleet XL Pwr Group)
942	DAYTIME RUNNING LIGHTS

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Standard Equipment

MECHANICAL

- 2.0L DOHC SEFI I4 engine
- 4-speed automatic transmission w/OD
- 150-amp alternator
- Front wheel drive
- 3.96 final drive ratio
- 50 amp-hr, 500 CCA maintenance free battery
- Front independent MacPherson strut suspension
- Rear multi-leaf beam axle suspension
- Front/rear stabilizer bars
- Pwr rack & pinion steering
- Pwr front disc/rear drum brakes

EXTERIOR

- 15" steel wheels w/6-spoke wheel covers
- P205/65R15 BSW all-season tires
- Full-size spare tire
- Gray molded-in-color bumpers w/step
- Gray bodyside & wheel lip moldings
- Gray grille
- Rear fog lamps
- Rear door privacy glass
- Integrated spotter flat-folding mirrors
- Front variable intermittent wipers
- Rear 2-speed wipers
- Locking exterior hood release
- Dual sliding cargo doors w/o glass
- 180 degree rear cargo doors

ENTERTAINMENT

- AM/FM stereo -inc: audio input jack, 2 speakers

INTERIOR

- Cloth front bucket seats -inc: driver-side adjustable lumbar, driver-side armrest, passenger-side seat back map pocket
- Center console -inc: (2) cupholders, (2) stowage bins, (1) folding cupholder, audio input jack
- Front overhead storage shelf w/net
- Front row carpeted floor covering
- Cargo area vinyl floor covering
- Tilt/telescoping steering wheel
- Instrumentation -inc: speedometer, tachometer, fuel level, temp, digital clock
- Rear-view mirror
- Air conditioning
- 12V pwr point in center console
- Cigarette lighter
- Driver/front passenger door map pockets
- Dual front sunvisors w/passenger-side mirror
- Front/middle/rear dome lamps

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

SAFETY

- 4-wheel anti-lock (ABS) brakes
- AdvanceTrac w/Roll Stability Control (RSC)
- Driver/front passenger airbags
- Driver/front passenger side airbags
- Passenger airbag occupancy sensor
- Safety belts
- Tire pressure monitoring system
- Collapsible steering column

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Technical Specifications

CHASSIS

Weight Information

Trim Curb Weight	3373.00 lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	1902.00 lbs
Base Trim Weight - Rear	1471.00 lbs
Gross Axle Wt Rating - Front	2491 lbs
Gross Axle Wt Rating - Rear	2740 lbs
Curb Weight - Front	1902 lbs
Curb Weight - Rear	1471 lbs
Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs
Reserve Axle Capacity - Front	589.00 lbs
Reserve Axle Capacity - Rear	1269.00 lbs
As Spec'd Curb Weight	3373.00 lbs
As Spec'd Payload	1632.00 lbs
Maximum Payload Capacity	1632.00 lbs
Gross Combined Wt Rating	N/A lbs
Gross Axle Weight Rating	5231.00 lbs
Curb Weight	3373.00 lbs
Reserve Axle Capacity	1858.00 lbs
Total Option Weight	0.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	5005.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	
Dead Weight Hitch - Max Tongue Wt.	
Wt Distributing Hitch - Max Trailer Wt.	
Wt Distributing Hitch - Max Tongue Wt.	
Maximum Trailering Capacity	N/A lbs

Frame

Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Suspension

Suspension Type - Front	MacPherson Strut
Suspension Type - Rear	Beam Axle
Spring Capacity - Front	N/A lbs
Spring Capacity - Rear	N/A lbs
Axle Type - Front	N/A
Axle Type - Rear	N/A
Axle Capacity - Front	N/A lbs
Axle Capacity - Rear	N/A lbs
Axle Ratio (:1) - Front	3.96
Axle Ratio (:1) - Rear	
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires

Front Tire Order Code	N/A
Rear Tire Order Code	N/A
Spare Tire Order Code	N/A
Front Tire Size	P205/65R15
Rear Tire Size	P205/65R15
Spare Tire Size	P205/65R15
Front Tire Capacity	N/A lbs
Rear Tire Capacity	N/A lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	15 x -TBD- in
Rear Wheel Size	15 x -TBD- in
Spare Wheel Size	15 x -TBD- in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Pwr Rack & Pinion
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	39.0 ft
Turning Diameter - Wall to Wall	N/A ft

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Brakes

Brake Type	Pwr
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	
Front Brake Rotor Diam x Thickness	N/A in
Rear Brake Rotor Diam x Thickness	
Drum - Rear (Yes or)	Yes
Rear Drum Diam x Width	N/A in

Fuel Tank

Fuel Tank Capacity, Approx	15.4 gal
Aux Fuel Tank Capacity, Approx	
Fuel Tank Location	N/A
Aux Fuel Tank Location	

VEHICLE**Emissions**

Tons/yr of CO2 Emissions @ 15K mi/year	8.0
EPA Greenhouse Gas Score	N/A

Vehicle

Rear Door Type	Dual Swing
----------------	------------

POWERTRAIN**Transmission**

Drivetrain	Front Wheel Drive
Trans Order Code	442
Trans Type	4
Trans Description Cont.	Automatic
Trans Description Cont. Again	
First Gear Ratio (:1)	2.82
Second Gear Ratio (:1)	1.50
Third Gear Ratio (:1)	1.00
Fourth Gear Ratio (:1)	0.73
Reverse Ratio (:1)	2.65
Clutch Size	
Trans Power Take Off	
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	
Transfer Case Gear Ratio (:1), High	
Transfer Case Gear Ratio (:1), Low	
Transfer Case Power Take Off	

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Mileage

EPA Fuel Economy Est - Hwy	27 MPG
Cruising Range - City	323.40 mi
EPA Fuel Economy Est - City	21 MPG
Fuel Economy Est-Combined	23 MPG
Cruising Range - Hwy	415.80 mi

Engine

Engine Order Code	99N
Engine Type	Gas I4
Displacement	2.0L/121
Fuel System	Electronic Fuel Injection
SAE Net Horsepower @ RPM	136 @ 6300
SAE Net Torque @ RPM	128 @ 4750
Engine Oil Cooler	

Electrical

Cold Cranking Amps @ 0° F (Primary)	500
Cold Cranking Amps @ 0° F (2nd)	
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	150

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	2
Front Head Room	51.1 in
Front Leg Room	40.5 in
Front Shoulder Room	54.4 in
Front Hip Room	50.8 in
Second Head Room	N/A in
Second Leg Room	N/A in
Second Shoulder Room	N/A in
Second Hip Room	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Exterior Dimensions

Wheelbase	114.6 in
Length, Overall w/o rear bumper	N/A in
Length, Overall w/rear bumper	180.6 in
Width, Max w/o mirrors	70.7 in
Height, Overall	79.3 in
Overhang, Front	36.5 in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	N/A in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	23.1 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	7.9 in
Ground Clearance, Rear	7.2 in
Body Length	0.00 ft
Rear Door Opening Height	52.1 in
Rear Door Opening Width	50.2 in
Side Door Opening Height	
Side Door Opening Width	
Step Up Height - Front	N/A in
Step Up Height - Side	
Cab to Body	N/A in

Cargo Area Dimensions

Cargo Box Length @ Floor	N/A in
Cargo Area Length @ Floor to Console	N/A in
Cargo Area Length @ Floor to Seat 1	81.0 in
Cargo Box Width @ Top, Rear	N/A in
Cargo Area Width @ Beltline	59.8 in
Cargo Box Width @ Floor	N/A in
Cargo Box Width @ Wheelhousings	48.1 in
Cargo Box (Area) Height	53.7 in
Tailgate Width	N/A in
Cargo Volume	129.6 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

EXTERIOR

Side Door Type

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Warranty Information

Basic:

3 Years/36,000 Miles

Drivetrain:

5 Years/60,000 Miles

Diesel Engine

5 Years/100,000 Miles

Corrosion:

5 Years/Unlimited Miles

Roadside Assistance:

5 Years/60,000 Miles

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.