

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
CLASS 4906

2013 Chevrolet Express Cargo Van AWD 1500 135"



2013 Chevrolet Express Cargo Van AWD 1500 135" (CH13405)

CLASS 4906

VAN CARGO FULLSIZE AWD

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Vehicle Report: Table of Contents

VEHICLE INFORMATION		
Selected Model		1
Selected Vehicle Colors		1
Selected Options		1
Aftermarket Options		2
STANDARD EQUIPMENT		
Mechanical		3
Exterior		9
Entertainment		3
Interior		3
Safety		4
TECHNICAL SPECIFICATIONS		
Chassis		5
Vehicle		7
Powertrain		7
Dimensions		8
Exterior		9
WARRANTY INFORMATION		
Warranty Information		10

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Vehicle Information

SELECTED MODEL

Code	Description	Front Weight	Rear Weight
CH13405	2013 Chevrolet Express Cargo Van AWD 1500 135"	2959 lbs	2325 lbs

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description	Front Weight	Rear Weight
ZW9	BODY, STANDARD, (STD)		
FE9	EMISSIONS, FEDERAL REQUIREMENTS		
LMF	ENGINE, VORTEC 5.3L V8 SFI FLEXFUEL, (310 hp [231.1 kW] @ 5200 rpm, 334 lb-ft of torque [450.9 N-m] @ 4500 rpm) (STD), (Available on CG13405 model. Standard on CH13405 models. Reference the Engine/Axle page for availability.)		
M30	TRANSMISSION, 4-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED, with overdrive, tow/haul mode and internal transmission oil cooler (STD), (Required and standard when ordered with (LU3) Vortec 4.3L V6 MFI engine or (LMF) Vortec 5.3L V8 SFI engine. Reference the Engine/Axle page for availability.)		
Front Weight		Rear Weight	
GT4	REAR AXLE, 3.73 RATIO, (Requires CG13405 or CH13405 models with (LMF) Vortec 5.3L V8 SFI engine. Reference the Engine/Axle page for availability.)	3.0	5.0
E24	DOOR, SWING-OUT PASSENGER-SIDE, 60/40 SPLIT, (STD)		
1WT	PREFERRED EQUIPMENT GROUP, includes Standard Equipment		
ZPR	TIRE, SPARE P245/70R17 ALL-SEASON, BLACKWALL, (STD), (Requires CG13405 or CH13405 models standard tire.)		
ZY1	PAINT, SOLID		
Front Weight		Rear Weight	
AS5	SEATS, FRONT BUCKET WITH CUSTOM CLOTH TRIM, head restraints and inboard armrests Includes (BA3) console with swing-out storage bin.), (Requires (**G) interior trim.	4.0	2.0
93G	MEDIUM PEWTER, CUSTOM CLOTH SEAT TRIM		
ZX2	SEATING ARRANGEMENT, DRIVER AND FRONT PASSENGER HIGH-BACK BUCKETS, with head restraints and vinyl or cloth trim (STD)		
Front Weight		Rear Weight	
C60	AIR CONDITIONING, SINGLE-ZONE MANUAL, (STD)	46.0	-3.0
Front Weight		Rear Weight	
U1C	AUDIO SYSTEM, AM/FM STEREO WITH CD PLAYER, seek-and-scan, digital clock, TheftLock, random select and 2 front door speakers	3.0	1.0
PDN	POWER PACKAGE, (Includes (ZQ2) Convenience Package and (DE5) outside heated, power-adjustable, Black mirrors., Included with (PCH) Hotel Shuttle Package. Not available with (PRP) Express Access, (YF2) Ambulance Package or (R6G) air conditioning delete.)		
ZQ2	CONVENIENCE PACKAGE, POWER WINDOWS AND DOOR LOCKS, (Includes (A31) power windows and (AU3) power door locks., Included with (PDN) Power Package, (PRP) Express Access or (PCH) Hotel Shuttle Package., NOTE: Does not include (ATG) Remote Keyless Entry. (ATG) Remote Keyless Entry must be ordered separately.)	5.0	5.0
ZQ3	CONVENIENCE PACKAGE, TILT-WHEEL AND (K34) CRUISE CONTROL, (Included with (PCH) Hotel Shuttle Package.)	3.0	3.0
Z82	TRAILERING EQUIPMENT, HEAVY-DUTY, includes trailering hitch platform and 7-pin sealed connector (Includes (UY7) 7-lead trailer wiring harness., Required with (FHZ) Dedicated Compressed Natural Gas (CNG) system.)	-44.0	94.0
UY7	TRAILER WIRING, 7-PIN SEALED CONNECTOR, (Included with (Z82) heavy-duty trailering equipment.)	-2.0	3.0
DE5	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE, BLACK, MANUAL-FOLDING, (Requires (ZQ2) Convenience Package. Included with (PCR) Express Access Plus Package or (PDN) Power Package. Not available with (R6G) air conditioning delete.)	4.0	0.0

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Code	Description		
A12	GLASS, FIXED REAR DOORS WINDOWS, (Included and only available when (ZW*) is ordered. Included with (YF2) Ambulance Package)		
ZW2	GLASS, FIXED REAR DOORS, (May upgrade fixed glass to swing-out glass, see (A18) rear cargo door windows swing-out glass. Not available with (PCH) Hotel Shuttle Package.)	-2.0	9.0
BA3	CONSOLE, ENGINE COVER WITH SWING-OUT STORAGE BIN, (Included with (AS5) front bucket seats with Custom Cloth.)	2.0	1.0
A31	WINDOWS, POWER, (Included and only available with (ZQ2) Convenience Package.)		
AU3	DOOR LOCKS, POWER WITH LOCK-OUT PROTECTION, (Included with (ZQ2) Convenience Package or (PRP) Express Access., NOTE: Does not include (ATG) Remote Keyless Entry. (ATG) Remote Keyless Entry must be ordered separately.)	0.0	1.0
ATG	REMOTE KEYLESS ENTRY, with 2 transmitters and remote panic button, (Requires (AU3) power door locks. Included with (PRP) Express Access.)		
K34	CRUISE CONTROL, (Included and only available with (ZQ3) Convenience Package, (PCH) Hotel Shuttle Package or (YF2) Ambulance Package.)		
D31	MIRROR, INSIDE REARVIEW MANUAL DAY/NIGHT, (Included with (ZW*) Glass Packages or (UVC) Rear Vision Camera when (UYS) Audio system with navigation is not ordered.)		
VLW	LPO, BULKHEAD DIVIDER WITH DOOR, (Not available with (VLP) Bulkhead divider, LPO, (R7T/R7Q) commercial customer bin GM Business Choice Upfit or (PRP) Express Access.)	50.0	41.0

AFTERMARKET OPTIONS

Chev2008-Alarm	Front Weight	Rear Weight
Backup Alarm for fullsize passenger and cargo van. Option code: AMO.	0	0

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Standard Equipment

MECHANICAL

Engine, Vortec 5.3L V8 SFI FlexFuel (310 hp [231.1 kW] @ 5200 rpm, 334 lb-ft of torque [450.9 N-m] @ 4500 rpm) (Available on CG13405 model. Standard on CH13405 models. Reference the Engine/Axle page for availability.)

Transmission, 4-speed automatic, electronically controlled with overdrive, tow/haul mode and internal transmission oil cooler (Required and standard when ordered with (LU3) Vortec 4.3L V6 MFI engine or (LMF) Vortec 5.3L V8 SFI engine. Reference the Engine/Axle page for availability.)

Rear axle, 3.42 ratio (Standard on CG13405, CH13405, CG23405, CG23705, CG33405 and CG33705 models. Required with (LU3) Vortec 4.3L V6 MFI engine, (L20) Vortec 4.8L V8 SFI FlexFuel engine, (L96) Vortec 6.0L V8 SFI FlexFuel or (LC8) Gaseous 6.0L V8 SFI engine. Available with (LMF) Vortec 5.3L V8 SFI FlexFuel engine. Reference the Engine/Axle page for availability.)

Body, standard

All wheel drive

Battery, 600 cold-cranking amps, maintenance-free with rundown protection and retained accessory power

Alternator, 125 amps (Standard on CG13405 models or CH13405. Not available with (LU3) Vortec 4.3L V6 MFI engine.)

Frame, full-length box ladder-type

GVWR, 7300 lbs. (3311 kg) (Standard on CG13405 or CH13405 models. Reference the Engine/Axle page for availability.)

Suspension, front independent with torsion bar (computer selected) and stabilizer bar (Requires CH13405 models.)

Suspension, rear hypoid drive axle with multi-leaf springs

Steering, power

Brakes, 4-wheel antilock, 4-wheel disc

Fuel tank capacity, mid-frame and approximately 31 gallons (117.3L)

Exhaust, aluminized stainless-steel muffler and tailpipe

EXTERIOR

Wheels, 4 - 17" x 7" (43.2 cm x 17.8 cm) steel, includes steel spare (Requires CG13405 or CH13405 models.)

Tires, front P245/70R17 all-season, blackwall (Requires CG13405 or CH13405 models standard tire. Available with (ZX9) spare tire delete.)

Tires, rear P245/70R17 all-season, blackwall (Requires CG13405 or CH13405 models standard tire.)

Tire, spare P245/70R17 all-season, blackwall (Requires CG13405 or CH13405 models standard tire.)

Door, swing-out passenger-side, 60/40 split

Bumpers, front and rear painted Black with step-pad (Deleted when (ZR7) Chrome Appearance Package is ordered.)

Grille, Black composite with single rectangular halogen headlamps (Not available with (ZR7) Chrome Appearance Package.)

Headlamps, single halogen (Not available with (ZR7) Chrome Appearance Package.)

Mirrors, outside manual, Black

Glass, Solar-Ray light-tinted, all windows

Wipers, front intermittent wet-arm with pulse washers

License plate kit, front

ENTERTAINMENT

Audio system, radio provisions only. Includes alarm warning chimes, radio wiring harness, radio antenna and 2 front door speakers

INTERIOR

Seats, front bucket with vinyl trim and outboard head restraints, includes inboard armrests. (Requires (**W) interior trim.)

Seating arrangement, driver and front passenger high-back buckets with head restraints and vinyl or cloth trim

Air conditioning, single-zone manual

Console, engine cover with open storage bin

Floor covering, full-length Black rubberized-vinyl (Not available with (YF2) Ambulance Package or (RFM) rear floor covering delete.)

Steering wheel, steel sleeve column with theft-deterrent locking feature, Black

Instrumentation, analog with speedometer, odometer with trip odometer, fuel level, voltmeter, engine temperature and oil pressure

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Oil life monitor

Warning tones, headlamp on and key-in-ignition

Driver Information Center includes fuel range, average speed, oil life, tire pressure monitoring, fuel used, ice warning, engine hours, average fuel economy, tachometer, and maintenance reminders. Compass and outside temperature available if equipped. (When (FHZ) Dedicated Compressed Natural Gas (CNG) system is ordered, includes average speed, oil life, tire pressure monitoring, ice warning, engine hours, tachometer and maintenance reminders. Compass and outside temperature available if equipped.)

Compass, 8-point digital located in the Driver Information Center (Included and only available with (TR9) auxiliary lighting.)

Tow/haul mode selector, instrument panel-mounted

Theft-deterrent system, vehicle, PASS-Key III

Defogger, side windows

Cup holders, 3 on the engine console cover

Power outlets, 2 auxiliary on engine console cover with covers, 12-volt

Trim panels, hinged rear side doors and hinged rear doors

Headliner, cloth, over driver and passenger

Visors, driver and front passenger, cloth, padded

Assist handle, front passenger

Lighting, interior with 2 dome lights, defeat switch and door handle-activated switches

Lighting, auxiliary with reading and underhood lights (Standard on CG13405 and CH13405 models. Includes (U80) 8-point digital compass. Included with (PCR) Express Access Plus Package. Not available with (YF2) Ambulance Package.)

SAFETY

Brake/transmission shift interlock, for automatic transmissions

StabiliTrak, traction assistance and vehicle stability enhancement system

Door beams, steel-side

Daytime Running Lamps

Air bags, frontal, driver and right-front passenger (Includes passenger-side air bag deactivation switch on models CG23405, CG23705, CG33405 and CG33705. Not available with (ZX1) driver only high-back bucket seat or (AJ3) driver-side only frontal air bag. Always use safety belts and the correct child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)

Air bags, head/side-curtain (Standard on CG13405 and CH13405 models. Requires (AK5) driver and right-front passenger air bags and (TR9) auxiliary lighting. Not available with (AJ3) driver-side only frontal air bag and SEO option (5L3) interior trim panels. Always use safety belts and the correct child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)

Tire Pressure Monitoring System (does not apply to spare tires)

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Technical Specifications

CHASSIS

Weight Information

Trim Curb Weight	5284.00 lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	2959.00 lbs
Base Trim Weight - Rear	2325.00 lbs
Gross Axle Wt Rating - Front	3700 lbs
Gross Axle Wt Rating - Rear	4000 lbs
Curb Weight - Front	2959 lbs
Curb Weight - Rear	2325 lbs
Option Weight - Front	71.00 lbs
Option Weight - Rear	162.00 lbs
Reserve Axle Capacity - Front	670.00 lbs
Reserve Axle Capacity - Rear	1513.00 lbs
As Spec'd Curb Weight	5517.00 lbs
As Spec'd Payload	1783.00 lbs
Maximum Payload Capacity	2016.00 lbs
Gross Combined Wt Rating	12000 lbs
Gross Axle Weight Rating	7700.00 lbs
Curb Weight	5284.00 lbs
Reserve Axle Capacity	2183.00 lbs
Total Option Weight	233.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	7300.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	5000 lbs
Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	6500 lbs
Wt Distributing Hitch - Max Tongue Wt.	975 lbs
Maximum Trailering Capacity	6500 lbs

Frame

Frame Type	Ladder
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Suspension

Suspension Type - Front	Torsion Bar
Suspension Type - Rear	Hypoid Multi-Leaf
Spring Capacity - Front	3700 lbs
Spring Capacity - Rear	4000 lbs
Axle Type - Front	Independent
Axle Type - Rear	Semi-Floating
Axle Capacity - Front	3700 lbs
Axle Capacity - Rear	4000 lbs
Axle Ratio (:1) - Front	3.73
Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	1.30 in
Stabilizer Bar Diameter - Rear	

Tires

Front Tire Order Code	XPR
Rear Tire Order Code	YPR
Spare Tire Order Code	ZPR
Front Tire Size	P245/70R17
Rear Tire Size	P245/70R17
Spare Tire Size	P245/70R17
Front Tire Capacity	2004 lbs
Rear Tire Capacity	2004 lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	17 x 7.0 in
Rear Wheel Size	17 x 7.0 in
Spare Wheel Size	17 x 7.0 in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Pwr
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	17.2
Steering Ratio (:1), At Lock	17.2
Turning Diameter - Curb to Curb	43.4 ft
Turning Diameter - Wall to Wall	N/A ft

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Brakes

Brake Type	Pwr
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	12.0 x 1.1 in
Rear Brake Rotor Diam x Thickness	13.0 x 1.2 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	31.0 gal
Aux Fuel Tank Capacity, Approx	
Fuel Tank Location	Mid-frame
Aux Fuel Tank Location	

VEHICLE**Emissions**

Tons/yr of CO2 Emissions @ 15K mi/year	13.1
EPA Greenhouse Gas Score	1 (2012)

Vehicle

Rear Door Type	Dual Swing-out
----------------	----------------

POWERTRAIN**Transmission**

Drivetrain	All Wheel Drive
Trans Order Code	M30
Trans Type	4
Trans Description Cont.	Automatic
Trans Description Cont. Again	
First Gear Ratio (:1)	3.06
Second Gear Ratio (:1)	1.63
Third Gear Ratio (:1)	1.00
Fourth Gear Ratio (:1)	0.70
Reverse Ratio (:1)	2.29
Clutch Size	
Trans Power Take Off	
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	
Transfer Case Gear Ratio (:1), Low	
Transfer Case Power Take Off	

carbookfleetedition

Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Mileage

EPA Fuel Economy Est - Hwy	17 MPG
Cruising Range - City	403.00 mi
EPA Fuel Economy Est - City	13 MPG
Fuel Economy Est-Combined	14 MPG
Cruising Range - Hwy	527.00 mi

Engine

Engine Order Code	LMF
Engine Type	Gas/Ethanol V8
Displacement	5.3L/323
Fuel System	Electronic Fuel Injection
SAE Net Horsepower @ RPM	310 @ 5200
SAE Net Torque @ RPM	334 @ 4500
Engine Oil Cooler	Yes

Electrical

Cold Cranking Amps @ 0° F (Primary)	600
Cold Cranking Amps @ 0° F (2nd)	
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	125

Cooling System

Total Cooling System Capacity	14.4 qts
-------------------------------	----------

DIMENSIONS**Interior Dimensions**

Passenger Capacity	2
Front Head Room	39.80 in
Front Leg Room	41.30 in
Front Shoulder Room	68.80 in
Front Hip Room	65.50 in
Second Head Room	N/A in
Second Leg Room	N/A in
Second Shoulder Room	N/A in
Second Hip Room	N/A in

carbookfleetedition

Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Exterior Dimensions

Wheelbase	135.00 in
Length, Overall w/o rear bumper	N/A in
Length, Overall w/rear bumper	224.10 in
Width, Max w/o mirrors	79.20 in
Height, Overall	83.70 in
Overhang, Front	39.70 in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	N/A in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	25.10 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	8.20 in
Ground Clearance, Rear	7.10 in
Body Length	0.00 ft
Rear Door Opening Height	49.40 in
Rear Door Opening Width	57.00 in
Side Door Opening Height	47.90 in
Side Door Opening Width	44.10 in
Step Up Height - Front	20.30 in
Step Up Height - Side	20.80 in
Cab to Body	N/A in

Cargo Area Dimensions

Cargo Box Length @ Floor	N/A in
Cargo Area Length @ Floor to Console	153.60 in
Cargo Area Length @ Floor to Seat 1	124.60 in
Cargo Box Width @ Top, Rear	N/A in
Cargo Area Width @ Beltline	N/A in
Cargo Box Width @ Floor	N/A in
Cargo Box Width @ Wheelhousings	52.70 in
Cargo Box (Area) Height	52.90 in
Tailgate Width	N/A in
Cargo Volume	239.7 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

EXTERIOR

Side Door Type

Swing-out

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Warranty Information

Basic:

3 Years/36,000 Miles

Drivetrain:

5 Years/100,000 Miles

Corrosion:

3 Years/36,000 Miles

Rust-Through

6 Years/100,000 Miles

Roadside Assistance:

5 Years/100,000 Miles

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 2533, current as of 12/16/2012 at 00:13 AM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.