

**Prepared By:**  
Anne Stehno  
Utah Fleet Operations  
801-619-7242  
annestehno@utah.gov

**Prepared For:**  
CLASS 0203 LB

## **2014 Ford Super Duty F-350 SRW 4WD Reg Cab 137"**



### **2014 Ford Super Duty F-350 SRW 4WD Reg Cab 137" XL (F3B)**

---

CLASS 0203 LB

TRUCK 1 TON REG CAB 4X4 LB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

# Vehicle Report: Table of Contents

## VEHICLE INFORMATION

Selected Model	1
Selected Vehicle Colors	1
Selected Options	1
Aftermarket Options	1

## STANDARD EQUIPMENT

Mechanical	2
Exterior	2
Entertainment	3
Interior	3
Safety	3

## WARRANTY INFORMATION

Warranty Information	4
----------------------	---

## TECHNICAL SPECIFICATIONS

Chassis	5
Vehicle	7
Powertrain	7
Dimensions	8

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

# Vehicle Information

## SELECTED MODEL

Code	Description
F3B	2014 Ford Super Duty F-350 SRW 4WD Reg Cab 137" XL

## SELECTED VEHICLE COLORS

## SELECTED OPTIONS

Code	Description
996	ENGINE: 6.2L 2-VALVE SOHC EFI NA V8 FLEX-FUEL, (STD)
44P	TRANSMISSION: TORQSHIFT 6-SPEED AUTOMATIC W/OD+, -inc: SelectShift, range select and tow haul feature (STD)
610A	ORDER CODE 610A, -inc: HD Vinyl 40/20/40 Split Bench Seat
X37	3.73 AXLE RATIO, (STD)
64A	WHEELS: 17" ARGENT PAINTED STEEL, -inc: painted hub covers/center ornaments (STD)
TBM	TIRES: LT245/75RX17E BSW A/T (5)
—	STANDARD PAINT
1S	STEEL, CLOTH 40/20/40 SPLIT BENCH SEAT, -inc: center armrest, cupholder and storage
90L	POWER EQUIPMENT GROUP, -inc: Deletes passenger-side lock cylinder, upgraded door-trim panel, Accessory Delay, Remote Keyless Entry, Manual Telescoping Trailer-Tow Mirrors, power heated glass, heated convex spotter mirror and integrated clearance lamps/turn signals, Perimeter Anti-Theft Alarm, Power Front Side Windows, 1-touch up and down driver and passenger windows, Power Locks
213	4X4 ELECTRONIC-SHIFT-ON-THE-FLY (ESOF), -inc: manual locking hubs and auto rotary control on instrument panel
52B	TRAILER BRAKE CONTROLLER, -inc: Compatible w/select electric over hydraulic brakes
41P	TRANSFER CASE & FUEL TANK SKID PLATES
942	DAYTIME RUNNING LAMP(S) (DRL), (LPO)
585	RADIO: AM/FM STEREO/SINGLE CD/MP3, -inc: clock, 4-speakers and auxiliary audio input jack, (LPO)
525	CRUISE CONTROL, (LPO)

## AFTERMARKET OPTIONS

### Ford-MatRegSDuty

Floormat, Truck, Regular Cab, SuperDuty. Option code: AMO.

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

# Standard Equipment

## MECHANICAL

Engine: 6.2L 2-Valve SOHC EFI NA V8 Flex-Fuel  
Transmission: TorqShift 6-Speed Automatic w/OD+ -inc: SelectShift, range select and tow haul feature  
3.73 Axle Ratio  
GVWR: 10,400 lb Payload Package  
Transmission w/Oil Cooler  
Manual Transfer Case  
Part-Time Four-Wheel Drive  
72-Amp/Hr 650CCA Maintenance-Free Battery w/Run Down Protection  
157 Amp Alternator  
Class V Towing w/Harness, Hitch and Trailer Sway Control  
4070# Maximum Payload  
HD Shock Absorbers  
Front Anti-Roll Bar  
Firm Suspension  
Hydraulic Power-Assist Steering  
35 Gal. Fuel Tank  
Single Stainless Steel Exhaust  
Manual Locking Hubs  
Front Suspension w/Coil Springs  
Leaf Rear Suspension w/Leaf Springs  
4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Panic Brake Assist and Hill Hold Control

## EXTERIOR

Wheels: 17" Argent Painted Steel -inc: painted hub covers/center ornaments  
Tires: LT245/75R17E BSW A/S (5)  
Regular Box Style  
Steel Spare Wheel  
Full-Size Spare Tire Stored Underbody w/Crankdown  
Clearcoat Paint  
Black Front Bumper w/2 Tow Hooks  
Black Rear Step Bumper  
Black Side Windows Trim and Black Front Windshield Trim  
Black Door Handles  
Black Manual Side Mirrors w/Manual Folding  
Manual Extendable Trailer Style Mirrors  
Fixed Rear Window  
Light Tinted Glass  
Variable Intermittent Wipers  
Fully Galvanized Steel Panels  
Black Grille  
Front License Plate Bracket  
Tailgate Rear Cargo Access  
Manual Tailgate/Rear Door Lock  
Aero-Composite Halogen Headlamps  
Cargo Lamp Integrated w/High Mount Stop Light

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

## ENTERTAINMENT

Radio: AM/FM Stereo w/Digital Clock -inc: 2 speakers  
Fixed Antenna

## INTERIOR

Vinyl 40-20-40 Split-Bench Front Seats w/Vinyl Back Material and Manual Driver Lumbar  
4-Way Driver Seat -inc: Manual Lumbar Support  
4-Way Passenger Seat  
Manual Tilt/Telescoping Steering Column  
Gauges -inc: Speedometer, Odometer, Oil Pressure, Engine Coolant Temp, Tachometer, Transmission Fluid Temp, Engine Hour Meter and Trip Odometer  
Front Cupholder  
Manual Air Conditioning  
Glove Box  
Interior Trim -inc: Chrome Interior Accents  
Full Cloth Headliner  
Urethane Gear Shift Knob  
Day-Night Rearview Mirror  
Passenger Visor Vanity Mirror  
2 12V DC Power Outlets  
Front Map Lights  
Fade-To-Off Interior Lighting  
Full Vinyl/Rubber Floor Covering  
Underhood And Pickup Cargo Box Lights  
Instrument Panel Bin and Dashboard Storage  
Manual 1st Row Windows  
Systems Monitor  
Outside Temp Gauge  
Analog Display  
Manual Adjustable Front Head Restraints  
Front Center Armrest w/Storage  
Securilock Anti-Theft Ignition (pats) Engine Immobilizer

## SAFETY

Advancetrac w/Roll Stability Control Electronic Stability Control (ESC) And Roll Stability Control (RSC)  
ABS And Driveline Traction Control  
Side Impact Beams  
Dual Stage Driver And Passenger Seat-Mounted Side Airbags  
Low Tire Pressure Warning  
Dual Stage Driver And Passenger Front Airbags w/Passenger Off Switch  
Curtain 1st Row Airbags  
Mykey System -inc: Top Speed Limiter, Audio Volume Limiter, Early Low Fuel Warning, Programmable Sound Chimes and Beltminder w/Audio Mute  
Outboard Front Lap And Shoulder Safety Belts -inc: Height Adjusters

All specifications are subject to change without notice.

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

# Warranty Information

Basic:

3 Years/36,000 Miles

Drivetrain:

5 Years/60,000 Miles

Corrosion:

5 Years/Unlimited Miles

Roadside Assistance:

5 Years/60,000 Miles

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

*Chrome Carbook Fleet Edition™.* Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

# Technical Specifications

## CHASSIS

### Weight Information

Trim Curb Weight	6419.00 lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	3731.00 lbs
Base Trim Weight - Rear	2688.00 lbs
Gross Axle Wt Rating - Front	4400 lbs
Gross Axle Wt Rating - Rear	6290 lbs
Curb Weight - Front	3731 lbs
Curb Weight - Rear	2688 lbs
Option Weight - Front	36.00 lbs
Option Weight - Rear	27.00 lbs
Reserve Axle Capacity - Front	633.00 lbs
Reserve Axle Capacity - Rear	3575.00 lbs
As Spec'd Curb Weight	6482.00 lbs
As Spec'd Payload	3918.00 lbs
Maximum Payload Capacity	3981.00 lbs
Gross Combined Wt Rating	19000 lbs
Gross Axle Weight Rating	10690.00 lbs
Curb Weight	6419.00 lbs
Reserve Axle Capacity	4208.00 lbs
Total Option Weight	63.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	10400.00 lbs

### Trailer

Dead Weight Hitch - Max Trailer Wt.	12500 lbs
Dead Weight Hitch - Max Tongue Wt.	1250 lbs
Wt Distributing Hitch - Max Trailer Wt.	12500 lbs
Wt Distributing Hitch - Max Tongue Wt.	1875 lbs
Maximum Trailering Capacity	12500 lbs

### Frame

Frame Type	N/A
Sect Modulus Rails Only	N/A in <sup>3</sup>
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

## Suspension

Suspension Type - Front	N/A
Suspension Type - Rear	N/A
Spring Capacity - Front	4400 lbs
Spring Capacity - Rear	7000 lbs
Axle Type - Front	Non-Independent
Axle Type - Rear	Rigid Axle
Axle Capacity - Front	6000 lbs
Axle Capacity - Rear	7280 lbs
Axle Ratio (:1) - Front	3.73
Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

## Tires

Front Tire Order Code	TBM
Rear Tire Order Code	TBM
Spare Tire Order Code	
Front Tire Size	LT245/75SR17
Rear Tire Size	LT245/75SR17
Spare Tire Size	Full-Size
Front Tire Capacity	6390 lbs
Rear Tire Capacity	6390 lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	663
Revolutions/Mile @ 45 mph - Rear	663
Revolutions/Mile @ 45 mph - Spare	N/A

## Wheels

Front Wheel Size	17 X 7.5 in
Rear Wheel Size	17 X 7.5 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

## Steering

Steering Type	Re-Circulating Ball
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	46.1 ft
Turning Diameter - Wall to Wall	N/A ft

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

## Brakes

Brake Type	N/A
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A
Disc - Front (Yes or )	Yes
Disc - Rear (Yes or )	Yes
Front Brake Rotor Diam x Thickness	14.3 in
Rear Brake Rotor Diam x Thickness	14.3 in
Drum - Rear (Yes or )	
Rear Drum Diam x Width	

## Fuel Tank

Fuel Tank Capacity, Approx	35 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	Midship
Aux Fuel Tank Location	Midship

## VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	N/A
EPA Greenhouse Gas Score	N/A

## POWERTRAIN

### Transmission

Drivetrain	Four Wheel Drive
Trans Order Code	44P
Trans Type	6
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	3.97
Second Gear Ratio (:1)	2.32
Third Gear Ratio (:1)	1.52
Fourth Gear Ratio (:1)	1.15
Fifth Gear Ratio (:1)	0.86
Sixth Gear Ratio (:1)	0.67
Reverse Ratio (:1)	3.13
Clutch Size	N/A in
Trans Power Take Off	
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

## Mileage

EPA Fuel Economy Est - Hwy	N/A MPG
Cruising Range - City	N/A mi
EPA Fuel Economy Est - City	N/A MPG
Fuel Economy Est-Combined	N/A MPG
Cruising Range - Hwy	N/A mi

## Engine

Engine Order Code	996-1
Engine Type	Regular Unleaded V-8
Displacement	6.2 L/379
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	316 @ 4179
SAE Net Torque @ RPM	397 @ 4179
Engine Oil Cooler	None

## Electrical

Cold Cranking Amps @ 0° F (Primary)	650
Cold Cranking Amps @ 0° F (2nd)	650
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	157

## Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

## DIMENSIONS

### Interior Dimensions

Passenger Capacity	3
Front Head Room	40.7 in
Front Leg Room	41.1 in
Front Shoulder Room	68 in
Front Hip Room	67.6 in
Second Head Room	N/A in
Second Leg Room	N/A in
Second Shoulder Room	N/A in
Second Hip Room	N/A in

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

## Exterior Dimensions

Wheelbase	137 in
Length, Overall w/o rear bumper	N/A in
Width, Max w/o mirrors	79.9 in
Height, Overall	80 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	56.3 in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	38.5 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	8.2 in
Ground Clearance, Rear	8.2 in
Body Length	0.00 ft
Cab to Body	N/A in

## Cargo Area Dimensions

Cargo Box Length @ Floor	98 in
Cargo Box Width @ Top, Rear	69.3 in
Cargo Box Width @ Floor	69.3 in
Cargo Box Width @ Wheelhousings	50.9 in
Cargo Box (Area) Height	20 in
Tailgate Width	N/A in
Cargo Volume	77.3 ft <sup>3</sup>
Ext'd Cab Cargo Volume	N/A ft <sup>3</sup>

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.