

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
CLASS 0211 LB

2014 Ford Super Duty F-350 SRW 4WD Crew Cab 172"



2014 Ford Super Duty F-350 SRW 4WD Crew Cab 172" XL (W3B)

CLASS 0211 LB

TRUCK 1 TON CREW CAB 4X4 LB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Vehicle Report: Table of Contents

VEHICLE INFORMATION

Selected Model	1
Selected Vehicle Colors	1
Selected Options	1
Aftermarket Options	1

STANDARD EQUIPMENT

Mechanical	2
Exterior	2
Entertainment	3
Interior	3
Safety	3

WARRANTY INFORMATION

Warranty Information	5
----------------------	---

TECHNICAL SPECIFICATIONS

Chassis	6
Vehicle	8
Powertrain	8
Dimensions	9

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Vehicle Information

SELECTED MODEL

Code	Description
W3B	2014 Ford Super Duty F-350 SRW 4WD Crew Cab 172" XL

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
996	ENGINE: 6.2L 2-VALVE SOHC EFI NA V8 FLEX-FUEL, (STD)
44P	TRANSMISSION: TORQSHIFT 6-SPEED AUTOMATIC W/OD+, -inc: SelectShift, range select and tow haul feature (STD)
610A	ORDER CODE 610A, -inc: HD Vinyl 40/20/40 Split Bench Seat
X37	3.73 AXLE RATIO, (STD)
64A	WHEELS: 17" ARGENT PAINTED STEEL, -inc: painted hub covers/center ornaments (STD)
TBM	TIRES: LT245/75RX17E BSW A/T (5)
—	STANDARD PAINT
1S	STEEL, CLOTH 40/20/40 SPLIT BENCH SEAT, -inc: center armrest, cupholder and storage
90L	POWER EQUIPMENT GROUP, -inc: Deletes passenger-side lock cylinder, upgraded door-trim panel, Accessory Delay, Remote Keyless Entry, Manual Telescoping Trailer-Tow Mirrors, power heated glass, heated convex spotter mirror and integrated clearance lamps/turn signals, Perimeter Anti-Theft Alarm, Power Front & Rear Side Windows, 1-touch up and down driver and passenger windows, Power Locks
213	4X4 ELECTRONIC-SHIFT-ON-THE-FLY (ESOF), -inc: manual locking hubs and auto rotary control on instrument panel
52B	TRAILER BRAKE CONTROLLER, -inc: Compatible w/select electric over hydraulic brakes
41P	TRANSFER CASE & FUEL TANK SKID PLATES
942	DAYTIME RUNNING LAMP(S) (DRL), (LPO)
585	RADIO: AM/FM STEREO/SINGLE CD/MP3, -inc: clock, 4-speakers and auxiliary audio input jack, (LPO)
525	CRUISE CONTROL, (LPO)

AFTERMARKET OPTIONS

Ford-MatCwSDuty

Floormat, Truck Crew Cab, SuperDuty. Option code: AMO.

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Standard Equipment

MECHANICAL

Engine: 6.2L 2-Valve SOHC EFI NA V8 Flex-Fuel
Transmission: TorqShift 6-Speed Automatic w/OD+ -inc: SelectShift, range select and tow haul feature
3.73 Axle Ratio
GVWR: 10,800 lb Payload Package
Transmission w/Oil Cooler
Manual Transfer Case
Part-Time Four-Wheel Drive
72-Amp/Hr 650CCA Maintenance-Free Battery w/Run Down Protection
157 Amp Alternator
Class V Towing w/Harness, Hitch and Trailer Sway Control
3900# Maximum Payload
HD Shock Absorbers
Front Anti-Roll Bar
Firm Suspension
Hydraulic Power-Assist Steering
35 Gal. Fuel Tank
Single Stainless Steel Exhaust
Manual Locking Hubs
Front Suspension w/Coil Springs
Leaf Rear Suspension w/Leaf Springs
4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Panic Brake Assist and Hill Hold Control

EXTERIOR

Wheels: 17" Argent Painted Steel -inc: painted hub covers/center ornaments
Tires: LT245/75R17E BSW A/S (5)
Regular Box Style
Steel Spare Wheel
Full-Size Spare Tire Stored Underbody w/Crankdown
Clearcoat Paint
Black Front Bumper w/2 Tow Hooks
Black Rear Step Bumper
Black Side Windows Trim and Black Front Windshield Trim
Black Door Handles
Black Manual Side Mirrors w/Manual Folding
Manual Extendable Trailer Style Mirrors
Fixed Rear Window
Light Tinted Glass
Variable Intermittent Wipers
Fully Galvanized Steel Panels
Black Grille
Front License Plate Bracket
Tailgate Rear Cargo Access
Manual Tailgate/Rear Door Lock
Aero-Composite Halogen Headlamps
Cargo Lamp Integrated w/High Mount Stop Light

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

ENTERTAINMENT

Radio: AM/FM Stereo w/Digital Clock -inc: 2 speakers
Fixed Antenna

INTERIOR

Vinyl 40-20-40 Split-Bench Front Seats w/Vinyl Back Material and Manual Driver Lumbar
4-Way Driver Seat -inc: Manual Lumbar Support
4-Way Passenger Seat
60-40 Folding Split-Bench Front Facing FlexFold Flip Forward Cushion/Seatback Vinyl Rear Seat
Manual Tilt/Telescoping Steering Column
Gauges -inc: Speedometer, Odometer, Oil Pressure, Engine Coolant Temp, Tachometer, Transmission Fluid Temp, Engine Hour Meter and Trip Odometer
Manual Rear Windows
Front Cupholder
Manual Air Conditioning
HVAC -inc: Underseat Ducts
Glove Box
Interior Trim -inc: Chrome Interior Accents
Full Cloth Headliner
Urethane Gear Shift Knob
Day-Night Rearview Mirror
Passenger Visor Vanity Mirror
2 12V DC Power Outlets
Full Overhead Console w/Storage and 2 12V DC Power Outlets
Fade-To-Off Interior Lighting
Front And Rear Map Lights
Full Vinyl/Rubber Floor Covering
Underhood And Pickup Cargo Box Lights
Instrument Panel Bin and Dashboard Storage
Manual 1st Row Windows
Systems Monitor
Outside Temp Gauge
Analog Display
Front Center Armrest w/Storage
Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
Securilock Anti-Theft Ignition (pats) Engine Immobilizer

SAFETY

Advancetrac w/Roll Stability Control Electronic Stability Control (ESC) And Roll Stability Control (RSC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Low Tire Pressure Warning
Mykey System -inc: Top Speed Limiter, Audio Volume Limiter, Early Low Fuel Warning, Programmable Sound Chimes and Beltminder w/Audio Mute
Curtain 1st And 2nd Row Airbags
Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point and Height Adjusters
Dual Stage Driver And Passenger Front Airbags

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Warranty Information

Basic:

3 Years/36,000 Miles

Drivetrain:

5 Years/60,000 Miles

Corrosion:

5 Years/Unlimited Miles

Roadside Assistance:

5 Years/60,000 Miles

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Technical Specifications

CHASSIS

Weight Information

Trim Curb Weight	6979.00 lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	4060.00 lbs
Base Trim Weight - Rear	2919.00 lbs
Gross Axle Wt Rating - Front	4800 lbs
Gross Axle Wt Rating - Rear	6290 lbs
Curb Weight - Front	4060 lbs
Curb Weight - Rear	2919 lbs
Option Weight - Front	44.00 lbs
Option Weight - Rear	26.00 lbs
Reserve Axle Capacity - Front	696.00 lbs
Reserve Axle Capacity - Rear	3345.00 lbs
As Spec'd Curb Weight	7049.00 lbs
As Spec'd Payload	3751.00 lbs
Maximum Payload Capacity	3821.00 lbs
Gross Combined Wt Rating	19000 lbs
Gross Axle Weight Rating	11090.00 lbs
Curb Weight	6979.00 lbs
Reserve Axle Capacity	4041.00 lbs
Total Option Weight	70.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	10800.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	12000 lbs
Dead Weight Hitch - Max Tongue Wt.	1200 lbs
Wt Distributing Hitch - Max Trailer Wt.	12000 lbs
Wt Distributing Hitch - Max Tongue Wt.	1800 lbs
Maximum Trailing Capacity	12000 lbs

Frame

Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Suspension

Suspension Type - Front	N/A
Suspension Type - Rear	N/A
Spring Capacity - Front	4800 lbs
Spring Capacity - Rear	7000 lbs
Axle Type - Front	Non-Independent
Axle Type - Rear	Rigid Axle
Axle Capacity - Front	6000 lbs
Axle Capacity - Rear	7280 lbs
Axle Ratio (:1) - Front	3.73
Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires

Front Tire Order Code	TBM
Rear Tire Order Code	TBM
Spare Tire Order Code	
Front Tire Size	LT245/75SR17
Rear Tire Size	LT245/75SR17
Spare Tire Size	Full-Size
Front Tire Capacity	6390 lbs
Rear Tire Capacity	6390 lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	663
Revolutions/Mile @ 45 mph - Rear	663
Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	17 X 7.5 in
Rear Wheel Size	17 X 7.5 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Re-Circulating Ball
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	56.5 ft
Turning Diameter - Wall to Wall	N/A ft

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Brakes

Brake Type	N/A
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	14.3 in
Rear Brake Rotor Diam x Thickness	14.3 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	35 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	Midship
Aux Fuel Tank Location	Midship

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	N/A
EPA Greenhouse Gas Score	N/A

POWERTRAIN

Transmission

Drivetrain	Four Wheel Drive
Trans Order Code	44P
Trans Type	6
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	3.97
Second Gear Ratio (:1)	2.32
Third Gear Ratio (:1)	1.52
Fourth Gear Ratio (:1)	1.15
Fifth Gear Ratio (:1)	0.86
Sixth Gear Ratio (:1)	0.67
Reverse Ratio (:1)	3.13
Clutch Size	N/A in
Trans Power Take Off	
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Mileage

EPA Fuel Economy Est - Hwy	N/A MPG
Cruising Range - City	N/A mi
EPA Fuel Economy Est - City	N/A MPG
Fuel Economy Est-Combined	N/A MPG
Cruising Range - Hwy	N/A mi

Engine

Engine Order Code	996-1
Engine Type	Regular Unleaded V-8
Displacement	6.2 L/379
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	316 @ 4179
SAE Net Torque @ RPM	397 @ 4179
Engine Oil Cooler	None

Electrical

Cold Cranking Amps @ 0° F (Primary)	650
Cold Cranking Amps @ 0° F (2nd)	650
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	157

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	6
Front Head Room	40.7 in
Front Leg Room	41.1 in
Front Shoulder Room	68 in
Front Hip Room	67.6 in
Second Head Room	40.8 in
Second Leg Room	42.1 in
Second Shoulder Room	68 in
Second Hip Room	67.6 in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Exterior Dimensions

Wheelbase	172 in
Length, Overall w/o rear bumper	N/A in
Width, Max w/o mirrors	79.9 in
Height, Overall	80.8 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	56.4 in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	37.7 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	8.2 in
Ground Clearance, Rear	8.2 in
Body Length	0.00 ft
Cab to Body	N/A in

Cargo Area Dimensions

Cargo Box Length @ Floor	98 in
Cargo Box Width @ Top, Rear	69.3 in
Cargo Box Width @ Floor	69.3 in
Cargo Box Width @ Wheelhousings	50.9 in
Cargo Box (Area) Height	20 in
Tailgate Width	N/A in
Cargo Volume	77.3 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.