

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
CLASS 0213 LB

2014 Chevrolet Silverado 1500 4WD Reg Cab 133.0"



2014 Chevrolet Silverado 1500 4WD Reg Cab 133.0" Work Truck w/1WT (CK15903)

CLASS 0213 LB

TRUCK 1/2 TON REG CAB 4X4 LB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Vehicle Report: Table of Contents

VEHICLE INFORMATION

Selected Model	1
Selected Vehicle Colors	1
Selected Options	1
Aftermarket Options	2

STANDARD EQUIPMENT

Mechanical	3
Exterior	3
Entertainment	3
Interior	3
Safety	4

WARRANTY INFORMATION

Warranty Information	5
----------------------	---

TECHNICAL SPECIFICATIONS

Chassis	6
Vehicle	8
Powertrain	8
Dimensions	9

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 430, current as of 12/30/2013 at 19:02 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Vehicle Information

SELECTED MODEL

Code	Description
CK15903	2014 Chevrolet Silverado 1500 4WD Reg Cab 133.0" Work Truck w/1WT

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
Z85	SUSPENSION PACKAGE, HANDLING/TRAILERING, (STD)
FE9	EMISSIONS, FEDERAL REQUIREMENTS
L83	ENGINE, 5.3L FLEXFUEL ECOTEC3 V8 WITH ACTIVE FUEL MANAGEMENT, DIRECT INJECTION AND VARIABLE VALVE TIMING, includes aluminum block construction with Flex Fuel capability, capable of running on unleaded or up to 85% ethanol (355 hp [265 kW] @ 5600 rpm, 383 lb-ft of torque [518 Nm] @ 4100 rpm; more than 300 lb-ft of torque from 2000 to 5600 rpm)
MYC	TRANSMISSION, 6-SPEED AUTOMATIC, ELECTRONICALLY CONTROLLED, with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking (STD)
C5W	GVWR, 7000 LBS. (3175 KG), (Requires CK15903 4WD models and (L83) 5.3L EcoTec3 V8 engine.)
GU6	REAR AXLE, 3.42 RATIO, (Standard on 4WD (LV3) 4.3L EcoTec3 V6 engine and (L86) 6.2L EcoTec3 V8 engine. Available with (L83) 5.3L EcoTec3 V8 engine.)
1WT	1WT PREFERRED EQUIPMENT GROUP, includes standard equipment
RC3	TIRES, P265/70R17 ALL-TERRAIN, BLACKWALL
ZY1	PAINT, SOLID
AE7	SEATS, FRONT 40/20/40 SPLIT-BENCH, 3-PASSENGER, DRIVER AND FRONT PASSENGER MANUAL RECLINE, with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manual adjustable driver lumbar. (STD)
H2R	JET BLACK/DARK ASH, CLOTH SEAT TRIM
IO4	CHEVROLET MYLINK AUDIO SYSTEM, 4.2" DIAGONAL COLOR SCREEN WITH AM/FM STEREO, USB PORTS, auxiliary jack, SD card slot, Bluetooth streaming audio for music and most phones, hands-free smartphone integration, Pandora Internet radio and voice-activated technology for radio and phone, (See "gmttotalconnect.com" for phone compatibility info.)
PCR	WT FLEET CONVENIENCE PACKAGE, includes (DL8) outside heated power-adjustable mirrors, (AQQ) Remote Keyless Entry and (A31) Power Windows
Z82	TRAILERING PACKAGE, includes trailer hitch, 7-pin and 4-pin connectors
NQH	TRANSFER CASE, ELECTRONIC AUTOTRAC WITH ROTARY DIAL CONTROL, (Requires 4WD models.)
KNP	COOLING, AUXILIARY EXTERNAL TRANSMISSION OIL COOLER, (Included and only available with (L83) 5.3L EcoTec3 V8 engine.)
JL1	TRAILER BRAKE CONTROLLER, INTEGRATED, (Requires (Z82) Trailering Package.)
NZZ	UNDERBODY SHIELD, TRANSFER CASE PROTECTION, (Requires 4WD models. Included with (VYU) Snow Plow Prep.)
RC4	TIRE, SPARE P265/70R17 ALL-SEASON, BLACKWALL, (Included and only available with (RC3) P265/70R17 all-terrain blackwall tires.)
DL8	MIRRORS, OUTSIDE HEATED POWER-ADJUSTABLE, BLACK, (includes driver's side spotter mirror), (Included and only available with (PCR) WT Fleet Convenience Package.)
VK3	LICENSE PLATE KIT, FRONT, (will be shipped to orders with ship-to states that require front license plate)
TG5	SINGLE-SLOT CD/MP3 PLAYER, (Requires (IO4) 4.2" color radio with Chevrolet MyLink.)
—	BLUETOOTH FOR PHONE, PERSONAL CELL PHONE CONNECTIVITY TO VEHICLE AUDIO SYSTEM, (Included and only available with (IO4) 4.2" diagonal color screen radio with Chevrolet MyLink., See "gmttotalconnect.com" for phone compatibility info.)
A31	WINDOWS, POWER FRONT AND REAR, with driver express up and down and express down on all other windows, (Included and only available with (PCR) WT Fleet Convenience Package.)
AQQ	REMOTE KEYLESS ENTRY, WITH 2 TRANSMITTERS, (Included and only available with (PCR) WT Fleet Convenience Package.)

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 430, current as of 12/30/2013 at 19:02 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Chev-MatReg

Floormats, Truck, Regular Cab. Option code: AMO.

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 430, current as of 12/30/2013 at 19:02 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Standard Equipment

MECHANICAL

Engine, 4.3L FlexFuel EcoTec3 V6 with Active Fuel Management, Direct Injection and Variable Valve Timing includes aluminum block construction with FlexFuel capability, capable of running on unleaded or up to 85% ethanol (285 hp [212 kW] @ 5300 rpm, 305 lb-ft of torque [413 Nm] @ 3900 rpm)

Transmission, 6-speed automatic, electronically controlled with overdrive and tow/haul mode. Includes Cruise Grade Braking and Powertrain Grade Braking

Rear axle, 3.42 ratio (Standard on 4WD (LV3) 4.3L EcoTec3 V6 engine and (L86) 6.2L EcoTec3 V8 engine. Available with (L83) 5.3L EcoTec3 V8 engine.)

Suspension Package, Handling/Trailering

GVWR, 6900 lbs. (3130 kg) (Requires K15903 model and (LV3) 4.3L EcoTec3 V6 engine.)

Transfer case, with floor-mounted shifter (Included with 4WD models only.)

Four wheel drive

Cooling, external engine oil cooler

Alternator, 150 amps

Frame, fully-boxed, hydroformed front section

Body, Pick Up Box

Steering, Electric Power Steering (EPS) assist, rack-and-pinion

Brakes, 4-wheel disc with DURALIFE rotors, 4-wheel antilock

Exhaust, aluminized stainless-steel muffler and tailpipe

StabiliTrak, stability control system with Proactive Roll Avoidance and traction control includes electronic trailer sway control and hill start assist

EXTERIOR

Wheels, 17" x 8" (43.2 cm x 20.3 cm) painted steel

Tires, P255/70R17 all-season, blackwall

Wheel, full-size spare, 17" (43.2 cm) steel

Tire, spare P255/70R17 all-season, blackwall (Included and only available with (RBZ) P255/70R17 all-season, blackwall tires.)

Tire carrier lock, keyed cylinder lock that utilizes same key as ignition and door

Bumpers, front, Black

Bumpers, rear, Black

Recovery hooks, front, frame-mounted, black (Included with 4WD models only.) (Standard with 4WD models. Available with 2WD models.)

Lamps, cargo area, cab mounted with switch on center switch bank

Tailgate and bed rail protection cap, top

Tailgate, locking utilizes same key as ignition and door

CornerStep, rear bumper

Headlamps, halogen reflector

Mirrors, outside manual, Black

Glass, solar absorbing, tinted

Door handles, Black

ENTERTAINMENT

Audio system, 4.2" Diagonal Color Display, AM/FM stereo with USB ports auxiliary jack and SD card slot

SiriusXM Satellite Radio, delete

Audio system feature, 4-speaker system

INTERIOR

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 430, current as of 12/30/2013 at 19:02 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Seats, front 40/20/40 split-bench, 3-passenger, driver and front passenger manual recline with outboard head restraints and center fold-down armrest with storage. Vinyl has fixed lumbar and cloth has manual adjustable driver lumbar.

Floor covering, Graphite-colored rubberized-vinyl, no floor mats included

Steering column, Tilt-Wheel, manual with theft-deterrent locking feature

Instrumentation, 6-gauge cluster featuring speedometer, fuel level, engine temperature, tachometer, voltage and oil pressure

Driver Information Center, 3.5-inch diagonal monochromatic display provides warning messages and basic vehicle information

Door locks, power

Cruise control, electronic with set and resume speed, steering wheel-mounted

Air conditioning, single-zone

Assist handle, front passenger on A-pillar

SAFETY

Daytime Running Lamps with automatic exterior lamp control

Air bags, dual-stage frontal and side-impact, driver and front passenger and head-curtain and seat-mounted side-impact, front and rear outboard seating positions with Passenger Sensing System (Always use safety belts and child restraints. Children are safer when properly secured in a rear seat in the appropriate child restraint. See the Owner's Manual for more information.)

OnStar, delete

Tire Pressure Monitoring System (does not apply to spare tire)

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 430, current as of 12/30/2013 at 19:02 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Warranty Information

Basic:

3 Years/36,000 Miles

Drivetrain:

5 Years/100,000 Miles

Corrosion:

3 Years/36,000 Miles

Rust-Through

6 Years/100,000 Miles

Roadside Assistance:

5 Years/100,000 Miles

Maintenance:

2 Years/24,000 Miles

2 Year Maintenance Program

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 430, current as of 12/30/2013 at 19:02 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Technical Specifications

CHASSIS

Weight Information

Trim Curb Weight	N/A lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	N/A lbs
Base Trim Weight - Rear	N/A lbs
Gross Axle Wt Rating - Front	3950 lbs
Gross Axle Wt Rating - Rear	3950 lbs
Curb Weight - Front	N/A lbs
Curb Weight - Rear	N/A lbs
Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs
Reserve Axle Capacity - Front	N/A lbs
Reserve Axle Capacity - Rear	N/A lbs
As Spec'd Curb Weight	N/A lbs
As Spec'd Payload	N/A lbs
Maximum Payload Capacity	N/A lbs
Gross Combined Wt Rating	15000 lbs
Gross Axle Weight Rating	7900.00 lbs
Curb Weight	N/A lbs
Reserve Axle Capacity	N/A lbs
Total Option Weight	0.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	7000.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	5000 lbs
Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	9900 lbs
Wt Distributing Hitch - Max Tongue Wt.	1485 lbs
Maximum Trailing Capacity	9900 lbs

Frame

Frame Type	Hydroformed
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 430, current as of 12/30/2013 at 19:02 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Suspension

Suspension Type - Front	Independent
Suspension Type - Rear	2-Stage Multi-Leaf
Spring Capacity - Front	3950 lbs
Spring Capacity - Rear	3950 lbs
Axle Type - Front	N/A
Axle Type - Rear	N/A
Axle Capacity - Front	3950 lbs
Axle Capacity - Rear	3950 lbs
Axle Ratio (:1) - Front	3.42
Axle Ratio (:1) - Rear	3.42
Shock Absorber Diameter - Front	1.81 mm
Shock Absorber Diameter - Rear	1.38 mm
Stabilizer Bar Diameter - Front	1.35 in
Stabilizer Bar Diameter - Rear	

Tires

Front Tire Order Code	RC3
Rear Tire Order Code	RC3
Spare Tire Order Code	RC4
Front Tire Size	P265/70R17
Rear Tire Size	P265/70R17
Spare Tire Size	P265/70R17
Front Tire Capacity	N/A lbs
Rear Tire Capacity	N/A lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	17 x 8.0 in
Rear Wheel Size	17 x 8.0 in
Spare Wheel Size	17 x -TBD- in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Electric Rack & Pinion
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	18.4
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	43.9 ft
Turning Diameter - Wall to Wall	N/A ft

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 430, current as of 12/30/2013 at 19:02 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Brakes

Brake Type	Pwr
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	13.0 x 1.18 in
Rear Brake Rotor Diam x Thickness	13.6 x 0.79 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	34 gal
Aux Fuel Tank Capacity, Approx	
Fuel Tank Location	N/A
Aux Fuel Tank Location	

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	10.2
EPA Greenhouse Gas Score	N/A

POWERTRAIN

Transmission

Drivetrain	Four Wheel Drive
Trans Order Code	MYC
Trans Type	6
Trans Description Cont.	Automatic
Trans Description Cont. Again	
First Gear Ratio (:1)	4.0
Second Gear Ratio (:1)	2.4
Third Gear Ratio (:1)	1.5
Fourth Gear Ratio (:1)	1.2
Fifth Gear Ratio (:1)	0.9
Sixth Gear Ratio (:1)	0.7
Reverse Ratio (:1)	3.1
Clutch Size	
Trans Power Take Off	
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	Magna MP3023/4
Transfer Case Gear Ratio (:1), High	1.00
Transfer Case Gear Ratio (:1), Low	2.69
Transfer Case Power Take Off	

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 430, current as of 12/30/2013 at 19:02 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Mileage

EPA Fuel Economy Est - Hwy	22 MPG
Cruising Range - City	544.00 mi
EPA Fuel Economy Est - City	16 MPG
Fuel Economy Est-Combined	18 MPG
Cruising Range - Hwy	748.00 mi

Engine

Engine Order Code	L83
Engine Type	Gas/Ethanol V8
Displacement	5.3L/325
Fuel System	Direct Injection
SAE Net Horsepower @ RPM	355 @ 5600
SAE Net Torque @ RPM	383 @ 4100
Engine Oil Cooler	Yes

Electrical

Cold Cranking Amps @ 0° F (Primary)	N/A
Cold Cranking Amps @ 0° F (2nd)	
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	150

Cooling System

Total Cooling System Capacity	15.6 qts
-------------------------------	----------

DIMENSIONS

Interior Dimensions

Passenger Capacity	3
Front Head Room	42.40 in
Front Leg Room	45.27 in
Front Shoulder Room	66.03 in
Front Hip Room	60.73 in
Second Head Room	N/A in
Second Leg Room	N/A in
Second Shoulder Room	N/A in
Second Hip Room	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 430, current as of 12/30/2013 at 19:02 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Exterior Dimensions

Wheelbase	133.0 in
Length, Overall w/o rear bumper	224.43 in
Width, Max w/o mirrors	80.0 in
Height, Overall	73.77 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	116.90 in
Cab to Axle	55.40 in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	35.6 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	8.77 in
Ground Clearance, Rear	8.77 in
Body Length	0.00 ft
Cab to Body	N/A in

Cargo Area Dimensions

Cargo Box Length @ Floor	97.77 in
Cargo Box Width @ Top, Rear	N/A in
Cargo Box Width @ Floor	64.6 in
Cargo Box Width @ Wheelhousings	51.03 in
Cargo Box (Area) Height	21.23 in
Tailgate Width	62.2 in
Cargo Volume	76.3 ft ³
Ext'd Cab Cargo Volume	

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 430, current as of 12/30/2013 at 19:02 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.