

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
CLASS 0215 LB

2014 Ford F-150 4WD SuperCab 163"



2014 Ford F-150 4WD SuperCab 163" XL (X1E)

CLASS 0215 LB

TRUCK 1/2 TON EXT CAB 4X4 LB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Vehicle Report: Table of Contents

VEHICLE INFORMATION

Selected Model	1
Selected Vehicle Colors	1
Selected Options	1
Aftermarket Options	1

STANDARD EQUIPMENT

Mechanical	2
Exterior	2
Entertainment	2
Interior	3
Safety	3

WARRANTY INFORMATION

Warranty Information	4
----------------------	---

TECHNICAL SPECIFICATIONS

Chassis	5
Vehicle	7
Powertrain	7
Dimensions	8

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Vehicle Information

SELECTED MODEL

Code	Description
X1E	2014 Ford F-150 4WD SuperCab 163" XL

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
99F	ENGINE: 5.0L V8 FFV, (STD)
446	TRANSMISSION: ELECTRONIC 6-SPEED AUTOMATIC, -inc: tow/haul mode (STD)
101A	EQUIPMENT GROUP 101A MID, -inc: Trailer Tow Package, 7-pin wiring harness and class IV trailer hitch receiver, Auxiliary Transmission Oil Cooler, SelectShift Transmission, Upgraded Radiator, Communications Package, Additional Steering Wheel Audio Controls, SYNC Voice Activated Communication & Entertainment, 911 assist and vehicle health reports, SYNC Applink provides control of certain smartphone applications using SYNC voice commands, Connect to apps like Pandora and more w/your iPhone, Blackberry or Android platform mobile phone, Power Equipment Group, Black Power Mirrors, Power Door Locks, integrated key transmitter keyless-entry (includes Autolock), Illuminated Entry, Power Front & Rear Windows, Perimeter Alarm, XL Decor Group, Cloth 40/20/40 Front Seat, Chrome Front & Rear Bumpers, XL Plus Package, Radio: AM/FM Stereo/Single-CD Player w/Clock, auxiliary audio input jack, speed-compensated volume control and customer information display, MyKey Owner controls feature, Cruise Control, *GROSS*
X19	3.55 AXLE RATIO, (STD)
64C	WHEELS: 17" GRAY STYLED STEEL, (STD)
T7E	TIRES: LT245/75R17E BSW A/T (5)
—	STANDARD PAINT
CS	STEEL GRAY, CLOTH 40/20/40 FRONT SEAT, -inc: manual driver lumbar
61X	XL PLUS PACKAGE, -inc: Radio: AM/FM Stereo/Single-CD Player w/Clock, auxiliary audio input jack, speed-compensated volume control and customer information display, MyKey Owner controls feature, Cruise Control
85A	POWER EQUIPMENT GROUP, -inc: Black Power Mirrors, Power Door Locks, integrated key transmitter keyless-entry (includes Autolock), Illuminated Entry, Power Front & Rear Windows, Perimeter Alarm, *GROSS*
535	TRAILER TOW PACKAGE, -inc: 7-pin wiring harness and class IV trailer hitch receiver, Auxiliary Transmission Oil Cooler, SelectShift Transmission, Upgraded Radiator, *REQUIRED for towing over 5,000 lbs.*
67T	TRAILER BRAKE CONTROLLER
413	SKID PLATES, -inc: fuel tank, transfer case and front differential
54P	POWER GLASS HEATED SIDE MIRRORS, -inc: manual telescoping, turn signal and clearance lights
153	FRONT LICENSE PLATE BRACKET, -inc: Standard in states requiring 2 license plates, optional to all others, *DELETES standard lower front grille on 3.7L and 5.0L engines.*
595	FOG LAMPS
942	DAYTIME RUNNING LAMPS
—	EQUIPMENT GROUP 101A MID SAVINGS, *DISCOUNT*

AFTERMARKET OPTIONS

Ford-MatExtF150

Floormats, Truck, Extended Cab, F150. Option code: AMO.

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Standard Equipment

MECHANICAL

Engine: 5.0L V8 FFV
Transmission: Electronic 6-Speed Automatic -inc: tow/haul mode
3.55 Axle Ratio
GVWR: 7,450 lbs Payload Package
Transmission w/Oil Cooler
Electronic Transfer Case
Part-Time Four-Wheel Drive
78-Amp/Hr 750CCA Maintenance-Free Battery w/Run Down Protection
155 Amp Alternator
Towing w/Harness and Trailer Sway Control
1770# Maximum Payload
Gas-Pressurized Shock Absorbers
Front Anti-Roll Bar
Electric Power-Assist Speed-Sensing Steering
Single Stainless Steel Exhaust
36 Gal. Fuel Tank
Auto Locking Hubs
Double Wishbone Front Suspension w/Coil Springs
Leaf Rear Suspension w/Leaf Springs
4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs and Hill Hold Control

EXTERIOR

Wheels: 17" Gray Styled Steel
Tires: P235/75R17 BSW A/T (5)
Regular Box Style
Steel Spare Wheel
Full-Size Spare Tire Stored Underbody w/Crankdown
Clearcoat Paint
Argent Rear Step Bumper
Argent Front Bumper w/Black Rub Strip/Fascia Accent and 2 Tow Hooks
Black Side Windows Trim and Black Front Windshield Trim
Black Door Handles
Black Manual Side Mirrors w/Convex Spotter and Manual Folding
Fixed Rear Window
Light Tinted Glass
Variable Intermittent Wipers
Galvanized Steel/Aluminum Panels
Black Grille
Tailgate Rear Cargo Access
Reverse Opening Rear Doors
Manual Tailgate/Rear Door Lock
Aero-Composite Halogen Headlamps
Cargo Lamp Integrated w/High Mount Stop Light

ENTERTAINMENT

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Radio: AM/FM Stereo/Clock
Radio w/Clock
4 Speakers
Fixed Antenna

INTERIOR

Vinyl 40-20-40 Split-Bench Front Seats w/Vinyl Back Material
4-Way Driver Seat
4-Way Passenger Seat
60-40 Folding Split-Bench Front Facing Fold-Up Cushion Vinyl Rear Seat
Manual Tilt Steering Column
Gauges -inc: Speedometer, Odometer, Oil Pressure, Engine Coolant Temp, Tachometer, Transmission Fluid Temp and Trip Odometer
Fixed Rear Windows
Front Cupholder
Rear Cupholder
Front Cigar Lighter(s)
3 12V DC Power Outlets
Manual Air Conditioning
HVAC -inc: Underseat Ducts
Glove Box
Interior Trim -inc: Cabback Insulator
Full Cloth Headliner
Urethane Gear Shift Knob
Day-Night Rearview Mirror
Passenger Visor Vanity Mirror
Fade-To-Off Interior Lighting
Full Vinyl/Rubber Floor Covering
Pickup Cargo Box Lights
Instrument Panel Bin, Dashboard Storage and Driver / Passenger And Rear Door Bins
Manual 1st Row Windows
Analog Display
Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
Securilock Anti-Theft Ignition (pats) Engine Immobilizer

SAFETY

Advancetrac w/Roll Stability Control Electronic Stability Control (ESC) And Roll Stability Control (RSC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Low Tire Pressure Warning
Dual Stage Driver And Passenger Front Airbags
Airbag Occupancy Sensor
Safety Canopy System Curtain 1st And 2nd Row Airbags
Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Warranty Information

Basic:

3 Years/36,000 Miles

Drivetrain:

5 Years/60,000 Miles

Corrosion:

5 Years/Unlimited Miles

Roadside Assistance:

5 Years/60,000 Miles

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Technical Specifications

CHASSIS

Weight Information

Trim Curb Weight	5620.00 lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	3309.00 lbs
Base Trim Weight - Rear	2311.00 lbs
Gross Axle Wt Rating - Front	4050 lbs
Gross Axle Wt Rating - Rear	3850 lbs
Curb Weight - Front	3309 lbs
Curb Weight - Rear	2311 lbs
Option Weight - Front	54.00 lbs
Option Weight - Rear	122.00 lbs
Reserve Axle Capacity - Front	687.00 lbs
Reserve Axle Capacity - Rear	1417.00 lbs
As Spec'd Curb Weight	5796.00 lbs
As Spec'd Payload	1654.00 lbs
Maximum Payload Capacity	1830.00 lbs
Gross Combined Wt Rating	13500 lbs
Gross Axle Weight Rating	7900.00 lbs
Curb Weight	5620.00 lbs
Reserve Axle Capacity	2104.00 lbs
Total Option Weight	176.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	7450.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	7600 lbs
Dead Weight Hitch - Max Tongue Wt.	760 lbs
Wt Distributing Hitch - Max Trailer Wt.	7600 lbs
Wt Distributing Hitch - Max Tongue Wt.	1140 lbs
Maximum Trailering Capacity	7600 lbs

Frame

Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Suspension

Suspension Type - Front	N/A
Suspension Type - Rear	N/A
Spring Capacity - Front	4050 lbs
Spring Capacity - Rear	3850 lbs
Axle Type - Front	Independent
Axle Type - Rear	Rigid Axle
Axle Capacity - Front	4050 lbs
Axle Capacity - Rear	4100 lbs
Axle Ratio (:1) - Front	3.55
Axle Ratio (:1) - Rear	3.55
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires

Front Tire Order Code	T7E
Rear Tire Order Code	T7E
Spare Tire Order Code	
Front Tire Size	LT245/75SR17
Rear Tire Size	LT245/75SR17
Spare Tire Size	Full-Size
Front Tire Capacity	4050 lbs
Rear Tire Capacity	4050 lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	17 X 7.5 in
Rear Wheel Size	17 X 7.5 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Styled Steel
Rear Wheel Material	Styled Steel
Spare Wheel Material	Steel

Steering

Steering Type	Rack-Pinion
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	52.3 ft
Turning Diameter - Wall to Wall	N/A ft

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Brakes

Brake Type	N/A
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	13.8 in
Rear Brake Rotor Diam x Thickness	13.7 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	36 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	Midship
Aux Fuel Tank Location	Midship

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	11.4
EPA Greenhouse Gas Score	N/A

POWERTRAIN**Transmission**

Drivetrain	Four Wheel Drive
Trans Order Code	446
Trans Type	6
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	4.17
Second Gear Ratio (:1)	2.34
Third Gear Ratio (:1)	1.52
Fourth Gear Ratio (:1)	1.14
Fifth Gear Ratio (:1)	0.86
Sixth Gear Ratio (:1)	0.69
Reverse Ratio (:1)	3.40
Clutch Size	N/A in
Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Mileage

EPA Fuel Economy Est - Hwy	19 MPG
Cruising Range - City	504.00 mi
EPA Fuel Economy Est - City	14 MPG
Fuel Economy Est-Combined	16 MPG
Cruising Range - Hwy	684.00 mi

Engine

Engine Order Code	99F
Engine Type	Regular Unleaded V-8
Displacement	5.0 L/302
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	360 @ 5500
SAE Net Torque @ RPM	380 @ 4250
Engine Oil Cooler	None

Electrical

Cold Cranking Amps @ 0° F (Primary)	750
Cold Cranking Amps @ 0° F (2nd)	750
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	155

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	6
Front Head Room	41 in
Front Leg Room	41.4 in
Front Shoulder Room	65.9 in
Front Hip Room	60.5 in
Second Head Room	39.6 in
Second Leg Room	33.4 in
Second Shoulder Room	65.7 in
Second Hip Room	65.4 in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Exterior Dimensions

Wheelbase	163 in
Length, Overall w/o rear bumper	N/A in
Width, Max w/o mirrors	79.2 in
Height, Overall	76.7 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	N/A in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	35.7 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	8.4 in
Ground Clearance, Rear	8.4 in
Body Length	0.00 ft
Cab to Body	N/A in

Cargo Area Dimensions

Cargo Box Length @ Floor	96 in
Cargo Box Width @ Top, Rear	65.2 in
Cargo Box Width @ Floor	65.2 in
Cargo Box Width @ Wheelhousings	50 in
Cargo Box (Area) Height	22.4 in
Tailgate Width	N/A in
Cargo Volume	81.3 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.