

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
CLASS 0216 LB

2014 Ram 2500 2WD Reg Cab 140.5"



2014 Ram 2500 2WD Reg Cab 140.5" Tradesman (DJ2L62)

CLASS 0216 LB

TRUCK 3/4 TON REG CAB 4X2 LB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Vehicle Report: Table of Contents

VEHICLE INFORMATION

| | |
|-------------------------|---|
| Selected Model | 1 |
| Selected Vehicle Colors | 1 |
| Selected Options | 1 |
| Aftermarket Options | 1 |

STANDARD EQUIPMENT

| | |
|---------------|---|
| Mechanical | 2 |
| Exterior | 2 |
| Entertainment | 3 |
| Interior | 3 |
| Safety | 3 |

WARRANTY INFORMATION

| | |
|----------------------|---|
| Warranty Information | 4 |
|----------------------|---|

TECHNICAL SPECIFICATIONS

| | |
|------------|---|
| Chassis | 5 |
| Vehicle | 7 |
| Powertrain | 7 |
| Dimensions | 8 |

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Vehicle Information

SELECTED MODEL

| Code | Description |
|--------|--|
| DJ2L62 | 2014 Ram 2500 2WD Reg Cab 140.5" Tradesman |

SELECTED VEHICLE COLORS

SELECTED OPTIONS

| Code | Description |
|------|---|
| EZC | ENGINE: 5.7L V8 HEMI VVT, -inc: 50 State Emissions (STD) |
| DFP | TRANSMISSION: 6-SPEED AUTOMATIC (66RFE), (STD) |
| 26A | QUICK ORDER PACKAGE 26A TRADESMAN, -inc: Engine: 5.7L V8 HEMI VVT, Transmission: 6-Speed Automatic (66RFE) |
| DME | 3.73 REAR AXLE RATIO, (STD) |
| WBN | WHEELS: 18 X 8.0 STEEL, -inc: 18" Steel Spare Wheel, Tires: LT275/70R18E OWL On/Off Road |
| — | STANDARD PAINT |
| V9X8 | DIESEL GRAY/BLACK, CLOTH 40/20/40 BENCH SEAT, -inc: 40/20/40 Split Bench Seat |
| AJY | POPULAR EQUIPMENT GROUP, -inc: Cloth 40/20/40 Bench Seat, Carpet Floor Covering, Front Floor Mats, SIRIUSXM Satellite Radio, For More Info, Call 800-643-2112, 1-Yr, SIRIUSXM Radio Service |
| AJH | POWER & REMOTE ENTRY GROUP, -inc: Premium Vinyl Door Trim w/Map Pocket, Power Windows w/Driver One-Touch, Remote Keyless Entry, Exterior Mirrors w/Heating Element, Power Locks, Black Exterior Mirrors, Fold-Away Power Heated Mirrors |
| NAS | 50 STATE EMISSIONS |
| DSA | ANTI-SPIN DIFFERENTIAL REAR AXLE |
| XHC | TRAILER BRAKE CONTROL |
| TCP | TIRES: LT275/70R18E OWL ON/OFF ROAD |
| LM1 | LOW BEAM DAYTIME RUNNING HEADLAMPS |
| RH1 | SINGLE DISC REMOTE CD PLAYER |
| CK9 | DELETE CARPET, -inc: Delete Floor Mats |

AFTERMARKET OPTIONS

Dodg-MatReg

Floor mats, Truck, Regular Cab. Option code: AMO.

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Standard Equipment

MECHANICAL

Engine: 5.7L V8 HEMI VVT -inc: 50 State Emissions
Transmission: 6-Speed Automatic (66RFE)
3.73 Rear Axle Ratio
GVWR: 9,000 lbs
Transmission w/Driver Selectable Mode, Sequential Shift Control and Oil Cooler
Rear-Wheel Drive
730CCA Maintenance-Free Battery w/Run Down Protection
160 Amp Alternator
Front Bumper Sight Shields
Tip Start
Class V Towing w/Harness, Hitch and Trailer Sway Control
3030# Maximum Payload
HD Shock Absorbers
Front Anti-Roll Bar
Hydraulic Power-Assist Steering
32 Gal. Fuel Tank
Single Stainless Steel Exhaust
Multi-Link Front Suspension w/Coil Springs
Multi-Link Rear Suspension w/Coil Springs
4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Panic Brake Assist and Hill Hold Control

EXTERIOR

Wheels: 17" x 7.5" Steel Styled
Tires: LT245/70R17E BSW AS
Regular Box Style
Center Hub
Firestone Brand Tires
Steel Spare Wheel
Full-Size Spare Tire Stored Underbody w/Crankdown
Clearcoat Paint
Black Front Bumper
Black Rear Step Bumper
Black Side Windows Trim and Black Front Windshield Trim
Black Door Handles
Black Manual Side Mirrors w/Manual Folding
Fixed Rear Window
Light Tinted Glass
Variable Intermittent Wipers
Fully Galvanized Steel Panels
Black Grille
Front License Plate Bracket
Tailgate Rear Cargo Access
Manual Tailgate/Rear Door Lock
Fully Automatic Aero-Composite Halogen Headlamps w/Delay-Off
Cargo Lamp Integrated w/High Mount Stop Light

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

ENTERTAINMENT

Radio: Uconnect 3.0 AM/FM
Radio w/Clock and Radio Data System
6 Speakers
Fixed Antenna
Media Hub (USB, AUX)

INTERIOR

Vinyl 40-20-40 Split-Bench Front Seats w/Vinyl Back Material
4-Way Driver Seat
4-Way Passenger Seat
Manual Tilt Steering Column
Gauges -inc: Speedometer, Odometer, Voltmeter, Oil Pressure, Engine Coolant Temp, Tachometer, Oil Temperature, Transmission Fluid Temp, Engine Hour Meter and Trip Odometer
Cruise Control w/Steering Wheel Controls
Manual Air Conditioning
Glove Box
Interior Trim -inc: Metal-Look Instrument Panel Insert and Chrome And Metal-Look Interior Accents
Full Cloth Headliner
Urethane Gear Shift Knob
Day-Night Rearview Mirror
2 12V DC Power Outlets
Fade-To-Off Interior Lighting
Full Vinyl/Rubber Floor Covering
Pickup Cargo Box Lights
Electronically Controlled Throttle
Instrument Panel Bin, Dashboard Storage and Driver And Passenger Door Bins
Manual 1st Row Windows
Delayed Accessory Power
Systems Monitor
Analog Display
Manual Adjustable Front Head Restraints
Front Armrest w/Cupholders
Sentry Key Engine Immobilizer

SAFETY

Electronic Stability Control (ESC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Tire Specific Low Tire Pressure Warning
Dual Stage Driver And Passenger Front Airbags
Curtain 1st Row Airbags
Airbag Occupancy Sensor
Outboard Front Lap And Shoulder Safety Belts -inc: Height Adjusters and Pretensioners

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Warranty Information

Basic:

3 Years/36,000 Miles

Drivetrain:

5 Years/100,000 Miles

Corrosion:

5 Years/100,000 Miles

Roadside Assistance:

3 Years/36,000 Miles

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Technical Specifications

CHASSIS

Weight Information

| | |
|-------------------------------|--------------|
| Trim Curb Weight | 5966.00 lbs |
| Standard Weight - Front | 0 lbs |
| Standard Weight - Rear | 0 lbs |
| Base Trim Weight - Front | 3406.00 lbs |
| Base Trim Weight - Rear | 2560.00 lbs |
| Gross Axle Wt Rating - Front | 5000 lbs |
| Gross Axle Wt Rating - Rear | 6000 lbs |
| Curb Weight - Front | 3406 lbs |
| Curb Weight - Rear | 2560 lbs |
| Option Weight - Front | 0.00 lbs |
| Option Weight - Rear | 0.00 lbs |
| Reserve Axle Capacity - Front | 1594.00 lbs |
| Reserve Axle Capacity - Rear | 3440.00 lbs |
| As Spec'd Curb Weight | 5966.00 lbs |
| As Spec'd Payload | 3034.00 lbs |
| Maximum Payload Capacity | 3034.00 lbs |
| Gross Combined Wt Rating | 18000 lbs |
| Gross Axle Weight Rating | 11000.00 lbs |
| Curb Weight | 5966.00 lbs |
| Reserve Axle Capacity | 5034.00 lbs |
| Total Option Weight | 0.00 lbs |
| Payload Weight Front | 0 lbs |
| Payload Weight Rear | 0 lbs |
| Gross Vehicle Weight Rating | 9000.00 lbs |

Trailer

| | |
|---|-----------|
| Dead Weight Hitch - Max Trailer Wt. | 11860 lbs |
| Dead Weight Hitch - Max Tongue Wt. | 1186 lbs |
| Wt Distributing Hitch - Max Trailer Wt. | 11860 lbs |
| Wt Distributing Hitch - Max Tongue Wt. | 1779 lbs |
| Maximum Trailering Capacity | 11860 lbs |

Frame

| | |
|-------------------------|---------------------|
| Frame Type | N/A |
| Sect Modulus Rails Only | N/A in ³ |
| Frame RBM | N/A N/A |
| Frame Strength | N/A lbs |
| Frame Thickness | N/A in |

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Suspension

| | |
|---------------------------------|-----------------|
| Suspension Type - Front | N/A |
| Suspension Type - Rear | N/A |
| Spring Capacity - Front | N/A lbs |
| Spring Capacity - Rear | N/A lbs |
| Axle Type - Front | Non-Independent |
| Axle Type - Rear | Rigid Axle |
| Axle Capacity - Front | 5000 lbs |
| Axle Capacity - Rear | 6010 lbs |
| Axle Ratio (:1) - Front | 3.73 |
| Axle Ratio (:1) - Rear | 3.73 |
| Shock Absorber Diameter - Front | N/A mm |
| Shock Absorber Diameter - Rear | N/A mm |
| Stabilizer Bar Diameter - Front | N/A in |
| Stabilizer Bar Diameter - Rear | N/A in |

Tires

| | |
|-----------------------------------|--------------|
| Front Tire Order Code | TCP |
| Rear Tire Order Code | TCP |
| Spare Tire Order Code | |
| Front Tire Size | LT275/70SR18 |
| Rear Tire Size | LT275/70SR18 |
| Spare Tire Size | Full-Size |
| Front Tire Capacity | 7280 lbs |
| Rear Tire Capacity | 7280 lbs |
| Spare Tire Capacity | N/A lbs |
| Revolutions/Mile @ 45 mph - Front | 628 |
| Revolutions/Mile @ 45 mph - Rear | 628 |
| Revolutions/Mile @ 45 mph - Spare | N/A |

Wheels

| | |
|----------------------|--------------|
| Front Wheel Size | 18 X 8 in |
| Rear Wheel Size | 18 X 8 in |
| Spare Wheel Size | Full-Size in |
| Front Wheel Material | Styled Steel |
| Rear Wheel Material | Styled Steel |
| Spare Wheel Material | Steel |

Steering

| | |
|---------------------------------|-------------|
| Steering Type | Rack-Pinion |
| Steering Ratio (:1), Overall | N/A |
| Steering Ratio (:1), On Center | N/A |
| Steering Ratio (:1), At Lock | N/A |
| Turning Diameter - Curb to Curb | 45 ft |
| Turning Diameter - Wall to Wall | N/A ft |

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Brakes

| | |
|------------------------------------|---------|
| Brake Type | N/A |
| Brake ABS System | 4-Wheel |
| Brake ABS System (Second Line) | N/A |
| Disc - Front (Yes or) | Yes |
| Disc - Rear (Yes or) | Yes |
| Front Brake Rotor Diam x Thickness | 14.2 in |
| Rear Brake Rotor Diam x Thickness | 14.1 in |
| Drum - Rear (Yes or) | |
| Rear Drum Diam x Width | |

Fuel Tank

| | |
|--------------------------------|---------|
| Fuel Tank Capacity, Approx | 32 gal |
| Aux Fuel Tank Capacity, Approx | N/A gal |
| Fuel Tank Location | Midship |
| Aux Fuel Tank Location | Midship |

VEHICLE

| | |
|--|-----|
| Tons/yr of CO2 Emissions @ 15K mi/year | N/A |
| EPA Greenhouse Gas Score | N/A |

POWERTRAIN

Transmission

| | |
|-------------------------------------|------------------|
| Drivetrain | Rear Wheel Drive |
| Trans Order Code | DFP |
| Trans Type | 6 |
| Trans Description Cont. | Automatic w/OD |
| Trans Description Cont. Again | |
| First Gear Ratio (:1) | 3.23 |
| Second Gear Ratio (:1) | 1.84 |
| Third Gear Ratio (:1) | 1.41 |
| Fourth Gear Ratio (:1) | 1.00 |
| Fifth Gear Ratio (:1) | 0.82 |
| Sixth Gear Ratio (:1) | 0.62 |
| Reverse Ratio (:1) | 4.44 |
| Clutch Size | N/A in |
| Trans Power Take Off | |
| Final Drive Axle Ratio (:1) | N/A |
| Transfer Case Model | N/A |
| Transfer Case Gear Ratio (:1), High | N/A |
| Transfer Case Gear Ratio (:1), Low | N/A |
| Transfer Case Power Take Off | |

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Mileage

| | |
|-----------------------------|---------|
| EPA Fuel Economy Est - Hwy | N/A MPG |
| Cruising Range - City | N/A mi |
| EPA Fuel Economy Est - City | N/A MPG |
| Fuel Economy Est-Combined | N/A MPG |
| Cruising Range - Hwy | N/A mi |

Engine

| | |
|--------------------------|----------------------|
| Engine Order Code | EZC |
| Engine Type | Regular Unleaded V-8 |
| Displacement | 5.7 L/345 |
| Fuel System | Sequential MPI |
| SAE Net Horsepower @ RPM | 383 @ 5600 |
| SAE Net Torque @ RPM | 400 @ 4000 |
| Engine Oil Cooler | None |

Electrical

| | |
|-------------------------------------|-----|
| Cold Cranking Amps @ 0° F (Primary) | 730 |
| Cold Cranking Amps @ 0° F (2nd) | 730 |
| Cold Cranking Amps @ 0° F (3rd) | N/A |
| Maximum Alternator Capacity (amps) | 160 |

Cooling System

| | |
|-------------------------------|---------|
| Total Cooling System Capacity | N/A qts |
|-------------------------------|---------|

DIMENSIONS

Interior Dimensions

| | |
|----------------------|---------|
| Passenger Capacity | 3 |
| Front Head Room | 40.3 in |
| Front Leg Room | 41 in |
| Front Shoulder Room | 66 in |
| Front Hip Room | 62.9 in |
| Second Head Room | N/A in |
| Second Leg Room | N/A in |
| Second Shoulder Room | N/A in |
| Second Hip Room | N/A in |

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Exterior Dimensions

| | |
|---------------------------------|----------|
| Wheelbase | 140.5 in |
| Length, Overall w/o rear bumper | N/A in |
| Width, Max w/o mirrors | 79.4 in |
| Height, Overall | 73.3 in |
| Overhang, Front | N/A in |
| Overhang, Rear w/o bumper | N/A in |
| Front Bumper to Back of Cab | N/A in |
| Cab to Axle | 56.7 in |
| Cab to End of Frame | N/A in |
| Ground to Top of Load Floor | 33.5 in |
| Ground to Top of Frame | N/A in |
| Frame Width, Rear | N/A in |
| Ground Clearance, Front | 7.4 in |
| Ground Clearance, Rear | 7.4 in |
| Body Length | 0.00 ft |
| Cab to Body | N/A in |

Cargo Area Dimensions

| | |
|---------------------------------|----------------------|
| Cargo Box Length @ Floor | 98.3 in |
| Cargo Box Width @ Top, Rear | 66.4 in |
| Cargo Box Width @ Floor | 66.4 in |
| Cargo Box Width @ Wheelhousings | 51 in |
| Cargo Box (Area) Height | 20.2 in |
| Tailgate Width | N/A in |
| Cargo Volume | 74.7 ft ³ |
| Ext'd Cab Cargo Volume | N/A ft ³ |

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.