

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
CLASS 0225 SB

2014 Ram 2500 4WD Crew Cab 149"



2014 Ram 2500 4WD Crew Cab 149" Tradesman (DJ7L91)

CLASS 0225 SB

TRUCK 3/4 TON CREW CAB 4X4 SB

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Vehicle Report: Table of Contents

VEHICLE INFORMATION

Selected Model	1
Selected Vehicle Colors	1
Selected Options	1
Aftermarket Options	1

STANDARD EQUIPMENT

Mechanical	2
Exterior	2
Entertainment	3
Interior	3
Safety	3

WARRANTY INFORMATION

Warranty Information	5
----------------------	---

TECHNICAL SPECIFICATIONS

Chassis	6
Vehicle	8
Powertrain	8
Dimensions	9

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Vehicle Information

SELECTED MODEL

Code	Description
DJ7L91	2014 Ram 2500 4WD Crew Cab 149" Tradesman

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
EZC	ENGINE: 5.7L V8 HEMI VVT, -inc: 50 State Emissions (STD)
DFP	TRANSMISSION: 6-SPEED AUTOMATIC (66RFE), (STD)
26A	QUICK ORDER PACKAGE 26A TRADESMAN, -inc: Engine: 5.7L V8 HEMI VVT, Transmission: 6-Speed Automatic (66RFE)
DME	3.73 REAR AXLE RATIO, (STD)
WBN	WHEELS: 18" X 8.0" STEEL, -inc: 18" Steel Spare Wheel, Tires: LT275/70R18E OWL On/Off Road
—	STANDARD PAINT
V9X8	DIESEL GRAY/BLACK, CLOTH 40/20/40 BENCH SEAT
AJY	POPULAR EQUIPMENT GROUP, -inc: Cloth 40/20/40 Bench Seat, Remote Keyless Entry, Carpet Floor Covering, Front & Rear Floor Mats, SIRIUSXM Satellite Radio, For More Info, Call 800-643-2112, 1-Yr SIRIUS Radio Service
ADB	PROTECTION GROUP, -inc: Transfer Case Skid Plate Shield
NAS	50 STATE EMISSIONS
DK3	ELECTRIC SHIFT-ON-THE-FLY TRANSFER CASE
XHC	TRAILER BRAKE CONTROL
TCP	TIRES: LT275/70R18E OWL ON/OFF ROAD
LM1	LOW BEAM DAYTIME RUNNING HEADLAMPS
RH1	SINGLE DISC REMOTE CD PLAYER
CK9	DELETE CARPET, -inc: Floor Mats Delete

AFTERMARKET OPTIONS

Dodg-MatCrw

Floormats, Truck, Mega Cab. Option code: AMO.

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Standard Equipment

MECHANICAL

Engine: 5.7L V8 HEMI VVT -inc: 50 State Emissions
Transmission: 6-Speed Automatic (66RFE)
3.73 Rear Axle Ratio
GVWR: 9,000 lbs
Transmission w/Driver Selectable Mode, Sequential Shift Control and Oil Cooler
Manual Transfer Case
Part-Time Four-Wheel Drive
730CCA Maintenance-Free Battery w/Run Down Protection
160 Amp Alternator
Class V Towing w/Harness, Hitch and Trailer Sway Control
2370# Maximum Payload
HD Shock Absorbers
Front Anti-Roll Bar
Hydraulic Power-Assist Steering
Single Stainless Steel Exhaust
31 Gal. Fuel Tank
Auto Locking Hubs
Multi-Link Front Suspension w/Coil Springs
Multi-Link Rear Suspension w/Coil Springs
4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Panic Brake Assist and Hill Hold Control

EXTERIOR

Wheels: 17" x 7.5" Steel Styled
Tires: LT245/70R17E BSW AS
Regular Box Style
Center Hub
Steel Spare Wheel
Full-Size Spare Tire Stored Underbody w/Crankdown
Clearcoat Paint
Black Front Bumper
Black Rear Step Bumper
Black Side Windows Trim and Black Front Windshield Trim
Black Door Handles
Power Side Mirrors w/Manual Folding
Black Exterior Mirrors
Exterior Mirrors w/Heating Element
Fixed Rear Window
Variable Intermittent Wipers
Deep Tinted Glass
Fully Galvanized Steel Panels
Black Grille
Front License Plate Bracket
Tailgate Rear Cargo Access
Fully Automatic Aero-Composite Halogen Headlamps w/Delay-Off
Cargo Lamp Integrated w/High Mount Stop Light
Vendor Painted Cargo Box Tracking
Rear Wheel Spats

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

ENTERTAINMENT

Radio: Uconnect 3.0 AM/FM
Radio w/Clock and Radio Data System
6 Speakers
Fixed Antenna
Media Hub (USB, AUX)

INTERIOR

Vinyl Front Seats w/Vinyl Back Material
4-Way Driver Seat
4-Way Passenger Seat
Vinyl Rear Seat
Manual Tilt Steering Column
Gauges -inc: Speedometer, Odometer, Voltmeter, Oil Pressure, Engine Coolant Temp, Tachometer, Oil Temperature, Transmission Fluid Temp, Engine Hour Meter and Trip Odometer
Power Rear Windows
Rear Folding Seat
Locking Tailgate
Cruise Control w/Steering Wheel Controls
Manual Air Conditioning
HVAC -inc: Underseat Ducts and Console Ducts
Glove Box
Interior Trim -inc: Metal-Look Instrument Panel Insert and Chrome And Metal-Look Interior Accents
Full Cloth Headliner
Urethane Gear Shift Knob
Day-Night Rearview Mirror
2 12V DC Power Outlets
Fade-To-Off Interior Lighting
Full Vinyl/Rubber Floor Covering
Cargo Area Concealed Storage
Storage Tray
Pickup Cargo Box Lights
Mini Floor Console
Instrument Panel Bin, Dashboard Storage, Driver / Passenger And Rear Door Bins and 2nd Row Underseat Storage
Delayed Accessory Power
Power 1st Row Windows w/Driver And Passenger 1-Touch Up/Down
Power Door Locks
Systems Monitor
Analog Display
Manual Adjustable Front Head Restraints and Manual Adjustable Rear Head Restraints
Rear Center Armrest
Front Armrest w/Cupholders
40/20/40 Split Bench Seat
Sentry Key Engine Immobilizer

SAFETY

Electronic Stability Control (ESC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Tire Specific Low Tire Pressure Warning

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Dual Stage Driver And Passenger Front Airbags
Airbag Occupancy Sensor
Curtain 1st And 2nd Row Airbags
Rear Child Safety Locks
Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Warranty Information

Basic:

3 Years/36,000 Miles

Drivetrain:

5 Years/100,000 Miles

Corrosion:

5 Years/100,000 Miles

Roadside Assistance:

3 Years/36,000 Miles

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Technical Specifications

CHASSIS

Weight Information

Trim Curb Weight	6632.00 lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	3817.00 lbs
Base Trim Weight - Rear	2815.00 lbs
Gross Axle Wt Rating - Front	5250 lbs
Gross Axle Wt Rating - Rear	6000 lbs
Curb Weight - Front	3817 lbs
Curb Weight - Rear	2815 lbs
Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs
Reserve Axle Capacity - Front	1433.00 lbs
Reserve Axle Capacity - Rear	3185.00 lbs
As Spec'd Curb Weight	6632.00 lbs
As Spec'd Payload	2368.00 lbs
Maximum Payload Capacity	2368.00 lbs
Gross Combined Wt Rating	18000 lbs
Gross Axle Weight Rating	11250.00 lbs
Curb Weight	6632.00 lbs
Reserve Axle Capacity	4618.00 lbs
Total Option Weight	0.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	9000.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	11200 lbs
Dead Weight Hitch - Max Tongue Wt.	1120 lbs
Wt Distributing Hitch - Max Trailer Wt.	11200 lbs
Wt Distributing Hitch - Max Tongue Wt.	1680 lbs
Maximum Trailering Capacity	11200 lbs

Frame

Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Suspension

Suspension Type - Front	N/A
Suspension Type - Rear	N/A
Spring Capacity - Front	N/A lbs
Spring Capacity - Rear	N/A lbs
Axle Type - Front	Non-Independent
Axle Type - Rear	Rigid Axle
Axle Capacity - Front	5250 lbs
Axle Capacity - Rear	6010 lbs
Axle Ratio (:1) - Front	3.73
Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires

Front Tire Order Code	TCP
Rear Tire Order Code	TCP
Spare Tire Order Code	
Front Tire Size	LT275/70SR18
Rear Tire Size	LT275/70SR18
Spare Tire Size	Full-Size
Front Tire Capacity	7280 lbs
Rear Tire Capacity	7280 lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	628
Revolutions/Mile @ 45 mph - Rear	628
Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	18 X 8 in
Rear Wheel Size	18 X 8 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Styled Steel
Rear Wheel Material	Styled Steel
Spare Wheel Material	Steel

Steering

Steering Type	Re-Circulating Ball
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	43.9 ft
Turning Diameter - Wall to Wall	N/A ft

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Brakes

Brake Type	N/A
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	14.2 in
Rear Brake Rotor Diam x Thickness	14.1 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	31 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	Midship
Aux Fuel Tank Location	Midship

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	N/A
EPA Greenhouse Gas Score	N/A

POWERTRAIN

Transmission

Drivetrain	Four Wheel Drive
Trans Order Code	DFP
Trans Type	6
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	3.23
Second Gear Ratio (:1)	1.84
Third Gear Ratio (:1)	1.41
Fourth Gear Ratio (:1)	1.00
Fifth Gear Ratio (:1)	0.82
Sixth Gear Ratio (:1)	0.62
Reverse Ratio (:1)	4.44
Clutch Size	N/A in
Trans Power Take Off	
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Mileage

EPA Fuel Economy Est - Hwy	N/A MPG
Cruising Range - City	N/A mi
EPA Fuel Economy Est - City	N/A MPG
Fuel Economy Est-Combined	N/A MPG
Cruising Range - Hwy	N/A mi

Engine

Engine Order Code	EZC
Engine Type	Regular Unleaded V-8
Displacement	5.7 L/345
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	383 @ 5600
SAE Net Torque @ RPM	400 @ 4000
Engine Oil Cooler	None

Electrical

Cold Cranking Amps @ 0° F (Primary)	730
Cold Cranking Amps @ 0° F (2nd)	730
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	160

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	6
Front Head Room	41 in
Front Leg Room	41 in
Front Shoulder Room	66 in
Front Hip Room	63.2 in
Second Head Room	39.9 in
Second Leg Room	40.3 in
Second Shoulder Room	65.7 in
Second Hip Room	63.2 in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Exterior Dimensions

Wheelbase	149 in
Length, Overall w/o rear bumper	N/A in
Width, Max w/o mirrors	79.5 in
Height, Overall	77.7 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	36.7 in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	36.3 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	7.1 in
Ground Clearance, Rear	7.1 in
Body Length	0.00 ft
Cab to Body	N/A in

Cargo Area Dimensions

Cargo Box Length @ Floor	76.3 in
Cargo Box Width @ Top, Rear	66.4 in
Cargo Box Width @ Floor	66.4 in
Cargo Box Width @ Wheelhousings	51 in
Cargo Box (Area) Height	20.2 in
Tailgate Width	N/A in
Cargo Volume	57.5 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.