

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
CLASS 0228 ACCESS

2014 Toyota Tacoma 2WD Access Cab V6 AT (Natl)



**2014 Toyota Tacoma 2WD Access Cab V6 AT PreRunner (Natl)
(7164)**

CLASS 0228 ACCESS

TRUCK MIDSIZE EXT CAB 4X2

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Vehicle Report: Table of Contents

VEHICLE INFORMATION

Selected Model	1
Selected Vehicle Colors	1
Selected Options	1

STANDARD EQUIPMENT

Mechanical	2
Exterior	2
Entertainment	2
Interior	3
Safety	3

WARRANTY INFORMATION

Warranty Information	5
----------------------	---

TECHNICAL SPECIFICATIONS

Chassis	6
Vehicle	8
Powertrain	8
Dimensions	9

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Vehicle Information

SELECTED MODEL

Code	Description
7164	2014 Toyota Tacoma 2WD Access Cab V6 AT PreRunner (Natl)

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
—	STANDARD PAINT
DH	TOWING RECEIVER HITCH, (PPO)
C4	CARPET FLOOR MATS (4-PIECE SET), (PPO), *PRICE TO FOLLOW*

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Standard Equipment

MECHANICAL

Engine: 4.0L V6 DOHC EFI 24-Valve -inc: aluminum block and alloy head w/VVT-i
Transmission: Electronic 5-Speed Automatic w/OD
3.727 Axle Ratio
GVWR: 5,400 lbs
Rear-Wheel Drive
65-Amp/Hr 582CCA Maintenance-Free Battery w/Run Down Protection
1 Skid Plate
1500# Maximum Payload
Gas-Pressurized Shock Absorbers
Front Anti-Roll Bar
Hydraulic Power-Assist Speed-Sensing Steering
21.1 Gal. Fuel Tank
Single Stainless Steel Exhaust
Double Wishbone Front Suspension w/Coil Springs
Leaf Rear Suspension w/Leaf Springs
Front Disc/Rear Drum Brakes w/4-Wheel ABS, Front Vented Discs and Panic Brake Assist
Brake Actuated Limited Slip Differential

EXTERIOR

Wheels: 16" x 7J+30 Style Steel
Tires: P245/75R16
Regular Composite Box Style
Steel Spare Wheel
Full-Size Spare Tire Stored Underbody w/Crankdown
Clearcoat Paint
Black Front Bumper w/1 Tow Hook
Black Rear Step Bumper
Black Side Windows Trim, Black Front Windshield Trim and Black Rear Window Trim
Black Door Handles
Black Fender Flares
Black Manual Remote Side Mirrors w/Manual Folding
Fixed Rear Window
Light Tinted Glass
Fixed Interval Wipers
Front Windshield -inc: Sun Visor Strip
Fully Galvanized Steel Panels
Argent Grille
Splash Guards
Tailgate Rear Cargo Access
Reverse Opening Rear Doors
Integrated Storage
Auto Off Aero-Composite Halogen Daytime Running Headlamps
LED Brakelights

ENTERTAINMENT

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Radio: AM/FM/CD w/6 Speakers -inc: display audio 6.1" touch-screen, MP3/WMA playback capability, auxiliary audio jack, USB port w/iPod connectivity and control and hands-free phone capability, phone book access and music streaming via Bluetooth wireless technology

Radio w/Seek-Scan, Clock and Speed Compensated Volume Control

Fixed Antenna

INTERIOR

Front Bucket Seats -inc: passenger-side fold-flat seat, adjustable headrests and center console

Cloth Front Seats

4-Way Driver Seat

4-Way Passenger Seat

Jump Front Facing Fold-Up Cushion Cloth Rear Seat

Manual Tilt/Telescoping Steering Column

Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer and Trip Odometer

Fixed Rear Windows

Front Cupholder

Rear Cupholder

Front Cigar Lighter(s)

Remote Entry w/Illuminated Entry

Manual Air Conditioning

Glove Box

Driver Foot Rest

Interior Trim -inc: Metal-Look Interior Accents

Full Cloth Headliner

Cloth Door Trim Insert

Urethane Gear Shift Knob

Day-Night Rearview Mirror

Passenger Visor Vanity Mirror

2 12V DC Power Outlets

Mini Overhead Console w/Storage, Rear Console w/Storage and 2 12V DC Power Outlets

Regular Dome Lighting

Front Map Lights

Full Carpet Floor Covering

Instrument Panel Covered Bin, Driver / Passenger And Rear Door Bins and 2nd Row Underseat Storage

Power 1st Row Windows w/Driver 1-Touch Down

Delayed Accessory Power

Power Door Locks

Analog Display

Fixed Rear Head Restraints

Front Center Armrest

Engine Immobilizer

Air Filtration

SAFETY

Electronic Stability Control (ESC)

ABS And Driveline Traction Control

Side Impact Beams

Dual Stage Driver And Passenger Seat-Mounted Side Airbags

Low Tire Pressure Warning

Dual Stage Driver And Passenger Front Airbags

Airbag Occupancy Sensor

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Outboard Front Lap And Shoulder Safety Belts -inc: Height Adjusters and Pretensioners
Curtain 1st And 2nd Row Airbags

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Warranty Information

Basic:

3 Years/36,000 Miles

Drivetrain:

5 Years/60,000 Miles

Corrosion:

5 Years/Unlimited Miles

Roadside Assistance:

2 Years/25,000 Miles

Maintenance:

2 Years/25,000 Miles

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Technical Specifications

CHASSIS

Weight Information

Trim Curb Weight	N/A lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	N/A lbs
Base Trim Weight - Rear	N/A lbs
Gross Axle Wt Rating - Front	N/A lbs
Gross Axle Wt Rating - Rear	N/A lbs
Curb Weight - Front	N/A lbs
Curb Weight - Rear	N/A lbs
Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs
Reserve Axle Capacity - Front	N/A lbs
Reserve Axle Capacity - Rear	N/A lbs
As Spec'd Curb Weight	N/A lbs
As Spec'd Payload	N/A lbs
Maximum Payload Capacity	N/A lbs
Gross Combined Wt Rating	8100 lbs
Gross Axle Weight Rating	N/A lbs
Curb Weight	N/A lbs
Reserve Axle Capacity	N/A lbs
Total Option Weight	0.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	5400.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	3500 lbs
Dead Weight Hitch - Max Tongue Wt.	350 lbs
Wt Distributing Hitch - Max Trailer Wt.	3500 lbs
Wt Distributing Hitch - Max Tongue Wt.	525 lbs
Maximum Trailering Capacity	3500 lbs

Frame

Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Suspension

Suspension Type - Front	N/A
Suspension Type - Rear	N/A
Spring Capacity - Front	N/A lbs
Spring Capacity - Rear	N/A lbs
Axle Type - Front	Independent
Axle Type - Rear	Rigid Axle
Axle Capacity - Front	N/A lbs
Axle Capacity - Rear	N/A lbs
Axle Ratio (:1) - Front	3.73
Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires

Front Tire Order Code	
Rear Tire Order Code	
Spare Tire Order Code	
Front Tire Size	P245/75SR16
Rear Tire Size	P245/75SR16
Spare Tire Size	Full-Size
Front Tire Capacity	N/A lbs
Rear Tire Capacity	N/A lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	16 X 7 in
Rear Wheel Size	16 X 7 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Styled Steel
Rear Wheel Material	Styled Steel
Spare Wheel Material	Steel

Steering

Steering Type	Rack-Pinion
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	40.6 ft
Turning Diameter - Wall to Wall	N/A ft

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Brakes

Brake Type	N/A
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	N/A
Front Brake Rotor Diam x Thickness	12.6 in
Rear Brake Rotor Diam x Thickness	10 in
Drum - Rear (Yes or)	Yes
Rear Drum Diam x Width	10 in

Fuel Tank

Fuel Tank Capacity, Approx	21.1 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	Midship
Aux Fuel Tank Location	Midship

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	9.6 (Est)
EPA Greenhouse Gas Score	N/A

POWERTRAIN**Transmission**

Drivetrain	Rear Wheel Drive
Trans Order Code	
Trans Type	5
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	3.52
Second Gear Ratio (:1)	2.04
Third Gear Ratio (:1)	1.40
Fourth Gear Ratio (:1)	1.00
Fifth Gear Ratio (:1)	0.72
Reverse Ratio (:1)	3.22
Clutch Size	N/A in
Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Mileage

EPA Fuel Economy Est - Hwy	21 MPG
Cruising Range - City	358.70 mi
EPA Fuel Economy Est - City	17 MPG
Fuel Economy Est-Combined	19 MPG
Cruising Range - Hwy	443.10 mi

Engine

Engine Order Code	
Engine Type	Regular Unleaded V-6
Displacement	4.0 L/241
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	236 @ 5200
SAE Net Torque @ RPM	266 @ 4000
Engine Oil Cooler	None

Electrical

Cold Cranking Amps @ 0° F (Primary)	582
Cold Cranking Amps @ 0° F (2nd)	582
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS**Interior Dimensions**

Passenger Capacity	4
Front Head Room	40 in
Front Leg Room	41.7 in
Front Shoulder Room	57.7 in
Front Hip Room	53.5 in
Second Head Room	34.9 in
Second Leg Room	24.6 in
Second Shoulder Room	55.7 in
Second Hip Room	52.6 in

carbookfleetedition

Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Exterior Dimensions

Wheelbase	127.4 in
Length, Overall w/o rear bumper	N/A in
Width, Max w/o mirrors	74.6 in
Height, Overall	70.3 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	N/A in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	N/A in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	9.3 in
Ground Clearance, Rear	9.3 in
Body Length	0.00 ft
Cab to Body	N/A in

Cargo Area Dimensions

Cargo Box Length @ Floor	73.5 in
Cargo Box Width @ Top, Rear	56.7 in
Cargo Box Width @ Floor	56.7 in
Cargo Box Width @ Wheelhousings	41.5 in
Cargo Box (Area) Height	18 in
Tailgate Width	N/A in
Cargo Volume	N/A ft ³
Ext'd Cab Cargo Volume	N/A ft ³

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.