

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
CLASS 0228 CREW

2014 Toyota Tacoma 2WD Double Cab V6 AT (Natl)



**2014 Toyota Tacoma 2WD Double Cab V6 AT PreRunner (Natl)
(7188)**

CLASS 0228 CREW

TRUCK MIDSIZE CREW CAB 4X2

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Vehicle Report: Table of Contents

VEHICLE INFORMATION

Selected Model	1
Selected Vehicle Colors	1
Selected Options	1

STANDARD EQUIPMENT

Mechanical	2
Exterior	2
Entertainment	2
Interior	3
Safety	3

WARRANTY INFORMATION

Warranty Information	5
----------------------	---

TECHNICAL SPECIFICATIONS

Chassis	6
Vehicle	8
Powertrain	8
Dimensions	9

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Vehicle Information

SELECTED MODEL

Code	Description
7188	2014 Toyota Tacoma 2WD Double Cab V6 AT PreRunner (Natl)

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
___	STANDARD PAINT
FR13	GRAPHITE, FABRIC SEAT TRIM
C4	CARPET FLOOR MATS (4-PIECE SET), (PPO), *PRICE TO FOLLOW*

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Standard Equipment

MECHANICAL

Engine: 4.0L V6 DOHC EFI 24-Valve -inc: aluminum block and alloy head w/VVT-i
Transmission: Electronic 5-Speed Automatic w/OD
3.727 Axle Ratio
GVWR: 5,400 lbs
Rear-Wheel Drive
65-Amp/Hr 582CCA Maintenance-Free Battery w/Run Down Protection
1 Skid Plate
1415# Maximum Payload
Gas-Pressurized Shock Absorbers
Front Anti-Roll Bar
Hydraulic Power-Assist Speed-Sensing Steering
21.1 Gal. Fuel Tank
Single Stainless Steel Exhaust
Double Wishbone Front Suspension w/Coil Springs
Leaf Rear Suspension w/Leaf Springs
Front Disc/Rear Drum Brakes w/4-Wheel ABS, Front Vented Discs and Panic Brake Assist
Brake Actuated Limited Slip Differential

EXTERIOR

Wheels: 16" x 7J+30 Style Steel
Tires: P245/75R16
Regular Composite Box Style
Steel Spare Wheel
Full-Size Spare Tire Stored Underbody w/Crankdown
Clearcoat Paint
Black Front Bumper w/1 Tow Hook
Black Rear Step Bumper
Black Side Windows Trim, Black Front Windshield Trim and Black Rear Window Trim
Black Door Handles
Black Fender Flares
Black Power Side Mirrors w/Manual Folding
Fixed Rear Window
Light Tinted Glass
Fixed Interval Wipers
Front Windshield -inc: Sun Visor Strip
Fully Galvanized Steel Panels
Argent Grille
Splash Guards
Tailgate Rear Cargo Access
Integrated Storage
Auto Off Aero-Composite Halogen Daytime Running Headlamps
LED Brakelights

ENTERTAINMENT

Radio: AM/FM/CD w/6 Speakers -inc: display audio 6.1" touch-screen, MP3/WMA playback capability, auxiliary audio jack, USB port w/iPod connectivity and control and hands-free phone capability, phone book access and music streaming via Bluetooth wireless technology
Radio w/Seek-Scan, Clock and Speed Compensated Volume Control

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

INTERIOR

Front Bucket Seats -inc: passenger-side fold-flat seat, adjustable headrests, center console and driver's seat w/adjustable lumbar support
 Cloth Front Seats w/Manual Driver Lumbar
 4-Way Driver Seat -inc: Manual Lumbar Support
 4-Way Passenger Seat
 60-40 Folding Split-Bench Front Facing Flip Forward Cushion/Seatback Cloth Rear Seat
 Manual Tilt/Telescoping Steering Column
 Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer and Trip Odometer
 Power Rear Windows
 Front Cupholder
 Rear Cupholder
 Front Cigar Lighter(s)
 Remote Entry w/Illuminated Entry
 Manual Air Conditioning
 HVAC -inc: Underseat Ducts
 Glove Box
 Driver Foot Rest
 Interior Trim -inc: Metal-Look Interior Accents
 Full Cloth Headliner
 Cloth Door Trim Insert
 Urethane Gear Shift Knob
 Day-Night Rearview Mirror
 Passenger Visor Vanity Mirror
 2 12V DC Power Outlets
 Mini Overhead Console w/Storage and 2 12V DC Power Outlets
 Regular Dome Lighting
 Front Map Lights
 Full Carpet Floor Covering
 Instrument Panel Covered Bin, Interior Concealed Storage, Driver / Passenger And Rear Door Bins and 2nd Row Underseat Storage
 Power 1st Row Windows w/Driver 1-Touch Down
 Delayed Accessory Power
 Power Door Locks
 Analog Display
 Front Center Armrest
 Manual Adjustable Rear Head Restraints
 Engine Immobilizer
 Air Filtration

SAFETY

Electronic Stability Control (ESC)
 ABS And Driveline Traction Control
 Side Impact Beams
 Dual Stage Driver And Passenger Seat-Mounted Side Airbags
 Low Tire Pressure Warning
 Dual Stage Driver And Passenger Front Airbags
 Airbag Occupancy Sensor
 Curtain 1st And 2nd Row Airbags

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Rear Child Safety Locks

Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Warranty Information

Basic:

3 Years/36,000 Miles

Drivetrain:

5 Years/60,000 Miles

Corrosion:

5 Years/Unlimited Miles

Roadside Assistance:

2 Years/25,000 Miles

Maintenance:

2 Years/25,000 Miles

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Technical Specifications

CHASSIS

Weight Information

Trim Curb Weight	N/A lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	N/A lbs
Base Trim Weight - Rear	N/A lbs
Gross Axle Wt Rating - Front	N/A lbs
Gross Axle Wt Rating - Rear	N/A lbs
Curb Weight - Front	N/A lbs
Curb Weight - Rear	N/A lbs
Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs
Reserve Axle Capacity - Front	N/A lbs
Reserve Axle Capacity - Rear	N/A lbs
As Spec'd Curb Weight	N/A lbs
As Spec'd Payload	N/A lbs
Maximum Payload Capacity	N/A lbs
Gross Combined Wt Rating	8100 lbs
Gross Axle Weight Rating	N/A lbs
Curb Weight	N/A lbs
Reserve Axle Capacity	N/A lbs
Total Option Weight	0.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	5400.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	3500 lbs
Dead Weight Hitch - Max Tongue Wt.	350 lbs
Wt Distributing Hitch - Max Trailer Wt.	3500 lbs
Wt Distributing Hitch - Max Tongue Wt.	525 lbs
Maximum Trailering Capacity	3500 lbs

Frame

Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Suspension

Suspension Type - Front	N/A
Suspension Type - Rear	N/A
Spring Capacity - Front	N/A lbs
Spring Capacity - Rear	N/A lbs
Axle Type - Front	Independent
Axle Type - Rear	Rigid Axle
Axle Capacity - Front	N/A lbs
Axle Capacity - Rear	N/A lbs
Axle Ratio (:1) - Front	3.73
Axle Ratio (:1) - Rear	3.73
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires

Front Tire Order Code	
Rear Tire Order Code	
Spare Tire Order Code	
Front Tire Size	P245/75SR16
Rear Tire Size	P245/75SR16
Spare Tire Size	Full-Size
Front Tire Capacity	N/A lbs
Rear Tire Capacity	N/A lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	16 X 7 in
Rear Wheel Size	16 X 7 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Styled Steel
Rear Wheel Material	Styled Steel
Spare Wheel Material	Steel

Steering

Steering Type	Rack-Pinion
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	40.6 ft
Turning Diameter - Wall to Wall	N/A ft

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Brakes

Brake Type	N/A
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	N/A
Front Brake Rotor Diam x Thickness	12.6 in
Rear Brake Rotor Diam x Thickness	10 in
Drum - Rear (Yes or)	Yes
Rear Drum Diam x Width	10 in

Fuel Tank

Fuel Tank Capacity, Approx	21.1 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	Midship
Aux Fuel Tank Location	Midship

VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	9.6 (Est)
EPA Greenhouse Gas Score	N/A

POWERTRAIN

Transmission

Drivetrain	Rear Wheel Drive
Trans Order Code	
Trans Type	5
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	3.52
Second Gear Ratio (:1)	2.04
Third Gear Ratio (:1)	1.40
Fourth Gear Ratio (:1)	1.00
Fifth Gear Ratio (:1)	0.72
Reverse Ratio (:1)	3.22
Clutch Size	N/A in
Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Mileage

EPA Fuel Economy Est - Hwy	21 MPG
Cruising Range - City	358.70 mi
EPA Fuel Economy Est - City	17 MPG
Fuel Economy Est-Combined	19 MPG
Cruising Range - Hwy	443.10 mi

Engine

Engine Order Code	
Engine Type	Regular Unleaded V-6
Displacement	4.0 L/241
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	236 @ 5200
SAE Net Torque @ RPM	266 @ 4000
Engine Oil Cooler	None

Electrical

Cold Cranking Amps @ 0° F (Primary)	582
Cold Cranking Amps @ 0° F (2nd)	582
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS**Interior Dimensions**

Passenger Capacity	5
Front Head Room	40.2 in
Front Leg Room	41.7 in
Front Shoulder Room	57.7 in
Front Hip Room	53.5 in
Second Head Room	38.4 in
Second Leg Room	32.6 in
Second Shoulder Room	58.7 in
Second Hip Room	54.6 in

carbookfleetedition

Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Exterior Dimensions

Wheelbase	127.4 in
Length, Overall w/o rear bumper	N/A in
Width, Max w/o mirrors	74.6 in
Height, Overall	70.1 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	N/A in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	N/A in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	9.3 in
Ground Clearance, Rear	9.3 in
Body Length	0.00 ft
Cab to Body	N/A in

Cargo Area Dimensions

Cargo Box Length @ Floor	60.3 in
Cargo Box Width @ Top, Rear	56.7 in
Cargo Box Width @ Floor	56.7 in
Cargo Box Width @ Wheelhousings	41.5 in
Cargo Box (Area) Height	18 in
Tailgate Width	N/A in
Cargo Volume	N/A ft ³
Ext'd Cab Cargo Volume	N/A ft ³

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.