

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
CLASS 4801

2014 Jeep Patriot FWD 4dr



2014 Jeep Patriot FWD 4dr Sport (MKTE74)

CLASS 4801

UTILITY SPORT COMPACT 4 DOOR 4X4

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Vehicle Report: Table of Contents

VEHICLE INFORMATION

Selected Model	1
Selected Vehicle Colors	1
Selected Options	1

STANDARD EQUIPMENT

Mechanical	2
Exterior	2
Entertainment	2
Interior	3
Safety	3

WARRANTY INFORMATION

Warranty Information	5
----------------------	---

TECHNICAL SPECIFICATIONS

Vehicle	6
Powertrain	6
Dimensions	6
Chassis	7

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Vehicle Information

SELECTED MODEL

Code	Description
MKTE74	2014 Jeep Patriot FWD 4dr Sport

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
ECN	ENGINE: 2.0L I4 DOHC 16V DUAL VVT, (STD)
DAV	TRANSMISSION: CONTINUOUSLY VARIABLE TRANSAXLE II
24A	QUICK ORDER PACKAGE 24A, -inc: Engine: 2.0L I4 DOHC 16V Dual VVT, Transmission: Continuously Variable Transaxle II, *Upon selection of this pkg, the cost of powertrain components will be added*
___	4.12 AXLE RATIO, (STD)
C7DV	DARK SLATE GRAY, PREMIUM CLOTH BUCKET SEATS
AWH	POWER VALUE GROUP, -inc: Speed Sensitive Power Locks, Body Color Door Handles, Body Color Liftgate Applique, Keyless Entry, Illuminated Entry, Power Heated Fold-Away Mirrors, Power Driver 1-Touch Windows
AHT	MOPAR TRAILER TOW GROUP, -inc: Class III Receiver Hitch, *MOPAR Upfit Option.*
HAA	AIR CONDITIONING

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Standard Equipment

MECHANICAL

Engine: 2.0L I4 DOHC 16V Dual VVT
Transmission: 5-Speed Manual T355
4.12 Axle Ratio
GVWR: 4,435 lbs
Front-Wheel Drive
60-Amp/Hr 525CCA Maintenance-Free Battery w/Run Down Protection
120 Amp Alternator
Gas-Pressurized Shock Absorbers
Front And Rear Anti-Roll Bars
Touring Suspension
Hydraulic Power-Assist Steering
13.6 Gal. Fuel Tank
Single Stainless Steel Exhaust
Strut Front Suspension w/Coil Springs
Multi-Link Rear Suspension w/Coil Springs
Front Disc/Rear Drum Brakes w/4-Wheel ABS, Front Vented Discs, Panic Brake Assist and Hill Hold Control

EXTERIOR

Wheels: 16" x 6.5" Styled Steel
Tires: P205/70R16 BSW AS
Wheels w/Silver Accents
Steel Spare Wheel
Compact Spare Tire Mounted Inside Under Cargo
Clearcoat Paint
Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent
Body-Colored Rear Step Bumper w/Black Rub Strip/Fascia Accent
Black Bodyside Cladding
Black Side Windows Trim and Black Front Windshield Trim
Black Door Handles
Black Manual Side Mirrors w/Manual Folding
Fixed Rear Window w/Fixed Interval Wiper and Defroster
Deep Tinted Glass
Variable Intermittent Wipers
Fully Galvanized Steel Panels
Body-Colored Grille
Liftgate Rear Cargo Access
Manual Tailgate/Rear Door Lock
Roof Rack Rails Only
Aero-Composite Halogen Headlamps
Front Fog Lamps

ENTERTAINMENT

Radio: Uconnect 130 AM/FM/CD/MP3
Radio w/Clock
4 Speakers
Fixed Antenna
Audio Jack Input for Mobile Devices

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

INTERIOR

Cloth Bucket Front Seats
4-Way Driver Seat
4-Way Passenger Seat
60-40 Folding Bench Front Facing Fold Forward Seatback Cloth Rear Seat
Manual Tilt Steering Column
Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer and Trip Odometer
Manual Rear Windows and Fixed 3rd Row Windows
Front Cupholder
Rear Cupholder
Cruise Control w/Steering Wheel Controls
HVAC -inc: Underseat Ducts
Glove Box
Driver Foot Rest
Interior Trim -inc: Chrome Interior Accents
Full Cloth Headliner
Chrome Gear Shift Knob
Day-Night Rearview Mirror
Driver And Passenger Visor Vanity Mirrors
Full Floor Console w/Covered Storage and 1 12V DC Power Outlet
Front Map Lights
Fade-To-Off Interior Lighting
Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats
Carpet Floor Trim
Cargo Space Lights
Instrument Panel Bin and Driver / Passenger And Rear Door Bins
Manual 1st Row Windows
Delayed Accessory Power
Outside Temp Gauge
Analog Display
Manual Type Adjustable Front Head Restraints and Fixed Rear Head Restraints
Front Center Armrest w/Storage
Sentry Key Engine Immobilizer
1 12V DC Power Outlet
Air Filtration

SAFETY

Electronic Stability Control (ESC) And Roll Stability Control (RSC)
ABS And Driveline Traction Control
Side Impact Beams
Dual Stage Driver And Passenger Seat-Mounted Side Airbags
Low Tire Pressure Warning
Dual Stage Driver And Passenger Front Airbags
Curtain 1st And 2nd Row Airbags
Airbag Occupancy Sensor
Rear Child Safety Locks
Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Warranty Information

Basic:

3 Years/36,000 Miles

Drivetrain:

5 Years/100,000 Miles

Corrosion:

5 Years/100,000 Miles

Roadside Assistance:

5 Years/100,000 Miles

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Technical Specifications

VEHICLE

Emissions

Tons/yr of CO2 Emissions @ 15K mi/year	7.7 (Est)
EPA Greenhouse Gas Score	N/A

Vehicle

EPA Classification	Small Sport Utility Vehicles 2WD
--------------------	----------------------------------

POWERTRAIN

Transmission

Drivetrain	Front Wheel Drive
Trans Order Code	DAV
Trans Type	1
Trans Description Cont.	CVT w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	2.35 - 0.39
Reverse Ratio (:1)	1.75
Clutch Size	N/A in
Final Drive Axle Ratio (:1)	4.12
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A

Mileage

EPA Fuel Economy Est - Hwy	27 MPG
Cruising Range - City	299.20 mi
EPA Fuel Economy Est - City	22 MPG
Fuel Economy Est-Combined	24 MPG
Cruising Range - Hwy	367.20 mi

Engine

Engine Order Code	ECN
Engine Type	Regular Unleaded I-4
Displacement	2.0 L/122
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	158 @ 6400
SAE Net Torque @ RPM	141 @ 5000

Electrical

Cold Cranking Amps @ 0° F (Primary)	525
Maximum Alternator Capacity (amps)	120

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Interior Dimensions

Passenger Capacity	5
Passenger Volume	N/A ft ³
Front Head Room	41 in
Front Leg Room	40.6 in
Front Shoulder Room	54.5 in
Front Hip Room	52.3 in
Second Head Room	39.9 in
Second Leg Room	39.4 in
Second Shoulder Room	54 in
Second Hip Room	51 in

Exterior Dimensions

Wheelbase	103.7 in
Length, Overall	173.8 in
Width, Max w/o mirrors	69.2 in
Height, Overall	65.5 in
Track Width, Front	59.8 in
Track Width, Rear	59.8 in
Min Ground Clearance	8.1 in
Rear Door Opening Height	N/A in
Rear Door Opening Width	N/A in
Liftover Height	N/A in

Cargo Area Dimensions

Cargo Area Length @ Floor to Seat 1	N/A in
Cargo Area Length @ Floor to Seat 2	N/A in
Cargo Area Length @ Floor to Seat 3	N/A in
Cargo Area Width @ Beltline	45.1 in
Cargo Box Width @ Wheelhousings	38 in
Cargo Box (Area) Height	27.4 in
Cargo Volume to Seat 1	53.5 ft ³
Cargo Volume to Seat 2	53.5 ft ³
Cargo Volume to Seat 3	N/A ft ³

CHASSIS

Weight Information

Base Curb Weight	3210 lbs
Curb Weight - Front	N/A lbs
Curb Weight - Rear	N/A lbs
Maximum Payload Capacity	N/A lbs
Curb Weight	N/A lbs
Total Option Weight	0.00 lbs

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Trailer

Dead Weight Hitch - Max Trailer Wt.	2000 lbs
Dead Weight Hitch - Max Tongue Wt.	200 lbs
Wt Distributing Hitch - Max Trailer Wt.	2000 lbs
Wt Distributing Hitch - Max Tongue Wt.	300 lbs
Maximum Trailering Capacity	N/A lbs

Suspension

Suspension Type - Front	Strut
Suspension Type - Rear	Multi-Link
Suspension Type - Front (Cont.)	N/A
Suspension Type - Rear (Cont.)	N/A
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires

Front Tire Order Code	TLB
Rear Tire Order Code	TLB
Spare Tire Order Code	
Front Tire Size	P205/70TR16
Rear Tire Size	P205/70TR16
Spare Tire Size	Compact

Wheels

Front Wheel Size	16 X 6.5 in
Rear Wheel Size	16 X 6.5 in
Spare Wheel Size	Compact in
Front Wheel Material	Styled Steel
Rear Wheel Material	Styled Steel
Spare Wheel Material	Steel

Steering

Steering Type	Rack-Pinion
Steering Ratio (:1), Overall	N/A
Lock to Lock Turns (Steering)	N/A
Turning Diameter - Curb to Curb	35.6 ft
Turning Diameter - Wall to Wall	N/A ft

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Brakes

Brake Type	N/A
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	N/A
Front Brake Rotor Diam x Thickness	11.5 in
Rear Brake Rotor Diam x Thickness	9 in
Drum - Rear (Yes or)	Yes
Rear Drum Diam x Width	9 in

Fuel Tank

Fuel Tank Capacity, Approx	13.6 gal
Aux Fuel Tank Capacity, Approx	N/A gal

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.