

**Prepared By:**  
Anne Stehno  
Utah Fleet Operations  
801-619-7242  
annestehno@utah.gov

**Prepared For:**  
CLASS 4804 Extended

## 2014 Ford Expedition EL 4WD 4dr



### 2014 Ford Expedition EL 4WD 4dr XL (K1G)

---

CLASS 4804

UTILITY SPORT FULLSIZE 4 DOOR EXTENDED 4X4

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

# Vehicle Report: Table of Contents

## VEHICLE INFORMATION

Selected Model	1
Selected Vehicle Colors	1
Selected Options	1

## STANDARD EQUIPMENT

Mechanical	2
Exterior	2
Entertainment	3
Interior	3
Safety	4

## WARRANTY INFORMATION

Warranty Information	5
----------------------	---

## TECHNICAL SPECIFICATIONS

Chassis	6
Vehicle	8
Powertrain	8
Dimensions	9

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

*Chrome Carbook Fleet Edition™.* Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

# Vehicle Information

## SELECTED MODEL

Code	Description
K1G	2014 Ford Expedition EL 4WD 4dr XL

## SELECTED VEHICLE COLORS

## SELECTED OPTIONS

Code	Description
995	ENGINE: 5.4L SOHC 3V V8 FFV, -inc: Capable of running unleaded or up to 85% ethanol, Fuel economy for ethanol E85: 9 MPG city, 13 MPG highway (STD)
446	TRANSMISSION: 6-SPEED AUTOMATIC, (STD)
100A	EQUIPMENT GROUP 100A, -inc: Cloth Front Bucket Seats, *Valid FIN code required.*
64K	WHEELS: 18" MACHINED-ALUMINUM, (STD)
—	STANDARD PAINT
FL	STONE, CLOTH FRONT BUCKET SEATS, -inc: 5-passenger seating, 6-way power driver's seat w/manual recline, manual lumbar and manual passenger seat
536	HEAVY-DUTY TRAILER-TOW PACKAGE, -inc: class IV trailer hitch receiver, wiring harness w/4 and 7-pin connector and electronic braking wiring kit, Heavy-Duty Auxiliary Transmission Oil Cooler, Heavy-Duty Radiator
41K	4X4 SKID PLATES, -inc: front, transfer case and fuel tank
153	LICENSE PLATE BRACKET
43D	DAYTIME RUNNING LAMPS

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

# Standard Equipment

## MECHANICAL

Engine: 5.4L SOHC 3V V8 FFV -inc: Capable of running unleaded or up to 85% ethanol, Fuel economy for ethanol E85: 9 MPG city, 13 MPG highway  
Transmission: 6-Speed Automatic  
3.73 Axle Ratio -inc: non-limited slip  
GVWR: 7,720 lbs Payload Package  
Transmission w/Driver Selectable Mode  
Electronic Transfer Case  
Part And Full-Time Four-Wheel Drive  
72-Amp/Hr 650CCA Maintenance-Free Battery w/Run Down Protection  
150 Amp Alternator  
Class IV Towing w/Harness, Hitch and Trailer Sway Control  
Gas-Pressurized Shock Absorbers  
Front And Rear Anti-Roll Bars  
Hydraulic Power-Assist Speed-Sensing Steering  
34 Gal. Fuel Tank  
Single Stainless Steel Exhaust  
Auto Locking Hubs  
Double Wishbone Front Suspension w/Coil Springs  
Multi-Link Rear Suspension w/Coil Springs  
4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs and Panic Brake Assist

## EXTERIOR

Wheels: 18" Machined-Aluminum  
Tires: P275/65R18 OWL All-Terrain  
Steel Spare Wheel  
Full-Size Spare Tire Stored Underbody w/Crankdown  
Clearcoat Paint  
Black Rear Step Bumper w/Black Rub Strip/Fascia Accent  
Black Front Bumper w/Black Rub Strip/Fascia Accent and 2 Tow Hooks  
Black Bodyside Cladding  
Black Side Windows Trim and Black Front Windshield Trim  
Chrome Door Handles  
Black Power Heated Side Mirrors w/Convex Spotter and Manual Folding  
Flip-Up Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster  
Deep Tinted Glass  
Speed Sensitive Variable Intermittent Wipers  
Galvanized Steel/Aluminum Panels  
Running Boards  
Chrome Grille  
Liftgate Rear Cargo Access  
Tailgate/Rear Door Lock Included w/Power Door Locks  
Roof Rack  
Fully Automatic Aero-Composite Halogen Headlamps w/Delay-Off  
Front Fog Lamps  
Perimeter/Approach Lights

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

## ENTERTAINMENT

Radio: AM/FM Single CD -inc: speed sensitive volume, input jack, rear audio controls and 6-speakers  
Radio w/Seek-Scan, MP3 Player, Clock and Radio Data System  
Window Grid Antenna

## INTERIOR

Cloth Bucket Front Seats w/Cloth Back Material and Manual Driver Lumbar  
6-Way Power Driver Seat -inc: Manual Lumbar Support  
4-Way Passenger Seat  
40-20-40 Folding Split-Bench Front Facing Manual Reclining Fold Forward Seatback Cloth Rear Seat  
Manual Tilt Steering Column  
Gauges -inc: Speedometer, Odometer, Voltmeter, Oil Pressure, Engine Coolant Temp, Tachometer and Trip Odometer  
Power Rear Windows and Fixed 3rd Row Windows  
Fixed 60-40 Split-Bench Cloth 3rd Row Seat Front, Manual Fold Into Floor, Number and Type Head Restraint  
Leather Steering Wheel  
Front Cupholder  
Rear Cupholder  
Front Cigar Lighter(s)  
Compass  
Keypad  
Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button  
Remote Releases -Inc: Keyfob Rear Window  
Cruise Control w/Steering Wheel Controls  
Manual Air Conditioning  
Rear HVAC w/Separate Controls  
HVAC -inc: Underseat Ducts, Auxiliary Rear Heater and Headliner/Pillar Ducts  
Illuminated Glove Box  
Interior Trim -inc: Other Interior Accents  
Full Cloth Headliner  
Vinyl Door Trim Insert  
Urethane Gear Shift Knob  
Day-Night Auto-Dimming Rearview Mirror  
Driver And Passenger Visor Vanity Mirrors w/Driver And Passenger Illumination and Driver And Passenger Auxiliary Mirror  
Full Floor Console w/Covered Storage, Full Overhead Console w/Storage, Conversation Mirror and 4 12V DC Power Outlets  
Front And Rear Map Lights  
Fade-To-Off Interior Lighting  
Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats  
Carpet Floor Trim  
Cargo Area Concealed Storage  
Cargo Space Lights  
Dashboard Storage and Driver / Passenger And Rear Door Bins  
Power 1st Row Windows w/Driver 1-Touch Up/Down  
Delayed Accessory Power  
Power Door Locks w/Autolock Feature  
Systems Monitor  
Outside Temp Gauge  
Analog Display  
Manual Adjustable Front Head Restraints and Fixed Rear Head Restraints  
Front Center Armrest  
Perimeter Alarm

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Securilock Anti-Theft Ignition (pats) Engine Immobilizer  
4 12V DC Power Outlets

## SAFETY

Advancetrac w/Roll Stability Control Electronic Stability Control (ESC) And Roll Stability Control (RSC)  
ABS And Driveline Traction Control  
Side Impact Beams  
Dual Stage Driver And Passenger Seat-Mounted Side Airbags  
Low Tire Pressure Warning  
Dual Stage Driver And Passenger Front Airbags  
Safety Canopy System Curtain 1st and 2nd And 3rd Row Airbags  
Airbag Occupancy Sensor  
Mykey System -inc: Top Speed Limiter, Audio Volume Limiter, Early Low Fuel Warning, Programmable Sound Chimes and Beltminder w/Audio Mute  
Rear Child Safety Locks  
Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners

All specifications are subject to change without notice.

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

# Warranty Information

Basic:

3 Years/36,000 Miles

Drivetrain:

5 Years/60,000 Miles

Corrosion:

5 Years/Unlimited Miles

Roadside Assistance:

5 Years/60,000 Miles

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

*Chrome Carbook Fleet Edition™.* Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

# Technical Specifications

## CHASSIS

### Weight Information

Trim Curb Weight	N/A lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	N/A lbs
Base Trim Weight - Rear	N/A lbs
Gross Axle Wt Rating - Front	N/A lbs
Gross Axle Wt Rating - Rear	N/A lbs
Curb Weight - Front	N/A lbs
Curb Weight - Rear	N/A lbs
Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs
Reserve Axle Capacity - Front	N/A lbs
Reserve Axle Capacity - Rear	N/A lbs
As Spec'd Curb Weight	N/A lbs
As Spec'd Payload	N/A lbs
Maximum Payload Capacity	N/A lbs
Gross Combined Wt Rating	N/A lbs
Gross Axle Weight Rating	N/A lbs
Curb Weight	N/A lbs
Reserve Axle Capacity	N/A lbs
Total Option Weight	0.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	0.00 lbs

### Trailer

Dead Weight Hitch - Max Trailer Wt.	8700 lbs
Dead Weight Hitch - Max Tongue Wt.	870 lbs
Wt Distributing Hitch - Max Trailer Wt.	8700 lbs
Wt Distributing Hitch - Max Tongue Wt.	1305 lbs
Maximum Trailering Capacity	N/A lbs

### Frame

Frame Type	N/A
Sect Modulus Rails Only	N/A in <sup>3</sup>
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

## Suspension

Suspension Type - Front	N/A
Suspension Type - Rear	N/A
Spring Capacity - Front	N/A lbs
Spring Capacity - Rear	N/A lbs
Axle Type - Front	N/A
Axle Type - Rear	N/A
Axle Capacity - Front	N/A lbs
Axle Capacity - Rear	N/A lbs
Axle Ratio (:1) - Front	N/A
Axle Ratio (:1) - Rear	N/A
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

## Tires

Front Tire Order Code	
Rear Tire Order Code	
Spare Tire Order Code	
Front Tire Size	P275/65SR18
Rear Tire Size	P275/65SR18
Spare Tire Size	Full-Size
Front Tire Capacity	N/A lbs
Rear Tire Capacity	N/A lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

## Wheels

Front Wheel Size	18 X 8.5 in
Rear Wheel Size	18 X 8.5 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Aluminum
Rear Wheel Material	Aluminum
Spare Wheel Material	Steel

## Steering

Steering Type	Rack-Pinion
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	43.9 ft
Turning Diameter - Wall to Wall	N/A ft

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

## Brakes

Brake Type	N/A
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A
Disc - Front (Yes or )	Yes
Disc - Rear (Yes or )	Yes
Front Brake Rotor Diam x Thickness	13.5 in
Rear Brake Rotor Diam x Thickness	13.2 in
Drum - Rear (Yes or )	
Rear Drum Diam x Width	

## Fuel Tank

Fuel Tank Capacity, Approx	34 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	N/A
Aux Fuel Tank Location	N/A

## VEHICLE

Tons/yr of CO2 Emissions @ 15K mi/year	12.2 (Est)
EPA Greenhouse Gas Score	N/A

## POWERTRAIN

### Transmission

Drivetrain	Four Wheel Drive
Trans Order Code	446
Trans Type	6
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	4.17
Second Gear Ratio (:1)	2.34
Third Gear Ratio (:1)	1.52
Fourth Gear Ratio (:1)	1.14
Fifth Gear Ratio (:1)	0.86
Sixth Gear Ratio (:1)	0.69
Reverse Ratio (:1)	3.40
Clutch Size	N/A in
Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	3.73
Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

## Mileage

EPA Fuel Economy Est - Hwy	18 MPG
Cruising Range - City	442.00 mi
EPA Fuel Economy Est - City	13 MPG
Fuel Economy Est-Combined	15 MPG
Cruising Range - Hwy	612.00 mi

## Engine

Engine Order Code	995
Engine Type	Regular Unleaded V-8
Displacement	5.4 L/330
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	310 @ 5100
SAE Net Torque @ RPM	365 @ 3600
Engine Oil Cooler	N/A

## Electrical

Cold Cranking Amps @ 0° F (Primary)	650
Cold Cranking Amps @ 0° F (2nd)	N/A
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	150

## Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

## DIMENSIONS

### Interior Dimensions

Passenger Capacity	5
Front Head Room	39.5 in
Front Leg Room	41.1 in
Front Shoulder Room	63.2 in
Front Hip Room	60.2 in
Second Head Room	39.7 in
Second Leg Room	39.1 in
Second Shoulder Room	63.7 in
Second Hip Room	59.9 in
Third Head Room	38 in
Third Leg Room	37.7 in
Third Shoulder Room	67.1 in
Third Hip Room	51.8 in

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

## Exterior Dimensions

Wheelbase	131 in
Length, Overall w/o rear bumper	N/A in
Length, Overall	221.3 in
Width, Max w/o mirrors	78.8 in
Height, Overall	78.3 in
Track Width, Front	67 in
Track Width, Rear	67.2 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	N/A in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	N/A in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	N/A in
Ground Clearance, Rear	N/A in
Min Ground Clearance	8.7 in
Body Length	0.00 ft
Rear Door Opening Height	N/A in
Rear Door Opening Width	N/A in
Liftover Height	N/A in
Cab to Body	N/A in

## Cargo Area Dimensions

Cargo Box Length @ Floor	N/A in
Cargo Area Length @ Floor to Seat 1	98.3 in
Cargo Area Length @ Floor to Seat 2	60.2 in
Cargo Area Length @ Floor to Seat 3	28.9 in
Cargo Box Width @ Top, Rear	N/A in
Cargo Area Width @ Beltline	N/A in
Cargo Box Width @ Floor	N/A in
Cargo Box Width @ Wheelhousings	51.4 in
Cargo Box (Area) Height	34.1 in
Tailgate Width	N/A in
Cargo Volume	N/A ft <sup>3</sup>
Cargo Volume to Seat 1	130.8 ft <sup>3</sup>
Cargo Volume to Seat 2	85.5 ft <sup>3</sup>
Cargo Volume to Seat 3	42.6 ft <sup>3</sup>
Ext'd Cab Cargo Volume	N/A ft <sup>3</sup>

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.