

**Prepared By:**  
Anne Stehno  
Utah Fleet Operations  
801-619-7242  
annestehno@utah.gov

**Prepared For:**  
CLASS 4811

## 2014 Ford Explorer 4WD 4dr



**2014 Ford Explorer 4WD 4dr Base (K8B)**

---

CLASS 4811

UTILITY SPORT MIDSIZE 4 DOOR 4X4

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

# Vehicle Report: Table of Contents

## VEHICLE INFORMATION

Selected Model	1
Selected Vehicle Colors	1
Selected Options	1

## STANDARD EQUIPMENT

Mechanical	2
Exterior	2
Entertainment	3
Interior	3
Safety	4

## WARRANTY INFORMATION

Warranty Information	5
----------------------	---

## TECHNICAL SPECIFICATIONS

Vehicle	6
Powertrain	6
Dimensions	7
Chassis	7

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

*Chrome Carbook Fleet Edition™.* Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

# Vehicle Information

## SELECTED MODEL

Code	Description
K8B	2014 Ford Explorer 4WD 4dr Base

## SELECTED VEHICLE COLORS

## SELECTED OPTIONS

Code	Description
998	ENGINE: 3.5L TI-VCT V6 (FFV), -inc: Flexible Fuel Vehicle (FFV) system is standard equipment for vehicles w/the 3.5L Ti-VCT V6 engine shipped to Federal Emissions States or Cross Border State dealers and is only available w/a Federal emissions system, (FFV system not available w/code 422 and requires code 936 or 423 if applicable for California Emissions State dealer destinations).Cross border states include AZ, DC, ID, NH, NV, OH, VA, WV (STD), *Not standard equipment in CA Emissions States.*
44C	TRANSMISSION: 6-SPD SELECTSHIFT AUTOMATIC (TR-CG)
100A	EQUIPMENT GROUP 100A, -inc: Cloth Bucket Seats
—	STANDARD PAINT
7L	MEDIUM LIGHT STONE, CLOTH BUCKET SEATS, -inc: 6-way power driver w/manual lumbar and recline and 2-way (fore/aft) manual passenger seat w/manual recline
52T	TRAILER TOW PACKAGE (CLASS III), -inc: Engine Oil Cooler, 4.7 Pin Wiring Harness
60T	CARGO SHADE (DEALER INSTALLED), -inc: Factory invoiced accessory
153	LICENSE PLATE BRACKET
942	DAYTIME RUNNING LAMPS, *REQUIRES valid FIN code.*

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

# Standard Equipment

## MECHANICAL

Engine: 3.5L Ti-VCT V6 (FFV) -inc: Flexible Fuel Vehicle (FFV) system is standard equipment for vehicles w/the 3.5L Ti-VCT V6 engine shipped to Federal Emissions States or Cross Border State dealers and is only available w/a Federal emissions system, (FFV system not available w/code 422 and requires code 936 or 423 if applicable for California Emissions State dealer destinations). Cross border states include AZ, DC, ID, NH, NV, OH, VA, WV \*Not standard equipment in CA Emissions States.\*

Transmission: 6-Speed SelectShift Automatic

3.65 Axle Ratio

GVWR: 6,160 lbs

Electronic Transfer Case

Automatic Full-Time Four-Wheel Drive

58-Amp/Hr 650CCA Maintenance-Free Battery w/Run Down Protection

175 Amp Alternator

Towing w/Trailer Sway Control

Gas-Pressurized Shock Absorbers

Front And Rear Anti-Roll Bars

Electric Power-Assist Speed-Sensing Steering

18.6 Gal. Fuel Tank

Quasi-Dual Stainless Steel Exhaust w/Chrome Tailpipe Finisher

Auto Locking Hubs

Strut Front Suspension w/Coil Springs

Multi-Link Rear Suspension w/Coil Springs

4-Wheel Disc Brakes w/4-Wheel ABS, Front And Rear Vented Discs, Hill Descent Control and Hill Hold Control

## EXTERIOR

Wheels: 17" Steel w/Wheel Covers

Tires: P245/65R17 AS BSW

Steel Spare Wheel

Compact Spare Tire Mounted Inside Under Cargo

Clearcoat Paint

Body-Colored Front Bumper w/Black Rub Strip/Fascia Accent

Body-Colored Rear Bumper w/Black Rub Strip/Fascia Accent

Black Bodyside Cladding and Black Wheel Well Trim

Black Side Windows Trim and Black Front Windshield Trim

Black Door Handles

Black Power Side Mirrors w/Convex Spotter and Manual Folding

Fixed Rear Window w/Fixed Interval Wiper, Heated Wiper Park and Defroster

Deep Tinted Glass

Speed Sensitive Variable Intermittent Wipers

Front Windshield -inc: Sun Visor Strip

Galvanized Steel/Aluminum Panels

Lip Spoiler

Gray Grille

Liftgate Rear Cargo Access

Tailgate/Rear Door Lock Included w/Power Door Locks

Roof Rack Rails Only

Fully Automatic Projector Beam Halogen Headlamps w/Delay-Off

LED Brakelights

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

## ENTERTAINMENT

Radio: AM/FM Stereo w/Single CD/MP3 Capable -inc: (6) speakers, media hub w/auxiliary jack and courtesy light  
Radio w/Seek-Scan, Clock, Speed Compensated Volume Control, Aux Audio Input Jack, Steering Wheel Controls and Radio Data System  
Integrated Roof Antenna  
2 LCD Monitors In The Front

## INTERIOR

Cloth Bucket Front Seats w/Cloth Back Material and Manual Driver Lumbar  
6-Way Power Driver Seat -inc: Manual Lumbar Support  
4-Way Passenger Seat  
60-40 Folding Split-Bench Front Facing Manual Reclining Tumble Forward Cloth Rear Seat  
Manual Tilt/Telescoping Steering Column  
Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer  
Power Rear Windows and Fixed 3rd Row Windows  
Fixed 50-50 Split-Bench Cloth 3rd Row Seat Front, Manual Fold Into Floor, Number and Type Head Restraint  
Front Cupholder  
Rear Cupholder  
Remote Keyless Entry w/Integrated Key Transmitter, Illuminated Entry and Panic Button  
Cruise Control w/Steering Wheel Controls  
Manual Air Conditioning  
Rear HVAC w/Separate Controls  
HVAC -inc: Underseat Ducts, Auxiliary Rear Heater and Headliner/Pillar Ducts  
Illuminated Locking Glove Box  
Driver Foot Rest  
Interior Trim -inc: Metal-Look Instrument Panel Insert, Metal-Look Door Panel Insert, Metal-Look Console Insert and Chrome And Metal-Look Interior Accents  
Full Cloth Headliner  
Cloth Door Trim Insert  
Leatherette Gear Shift Knob  
Day-Night Rearview Mirror  
Driver And Passenger Visor Vanity Mirrors  
Full Floor Console w/Covered Storage, Full Overhead Console w/Storage and 4 12V DC Power Outlets  
Front And Rear Map Lights  
Fade-To-Off Interior Lighting  
Full Carpet Floor Covering -inc: Carpet Front And Rear Floor Mats  
Carpet Floor Trim  
Cargo Space Lights  
Driver / Passenger And Rear Door Bins  
Power 1st Row Windows w/Driver 1-Touch Down  
Delayed Accessory Power  
Power Door Locks w/Autolock Feature  
Systems Monitor  
Trip Computer  
Outside Temp Gauge  
Analog Display  
Manual Adjustable Front Head Restraints and Fixed Rear Head Restraints  
Front Center Armrest  
2 Seatback Storage Pockets  
Securilock Anti-Theft Ignition (pats) Engine Immobilizer  
4 12V DC Power Outlets

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

**SAFETY**

Advancetrac w/Roll Stability Control Electronic Stability Control (ESC) And Roll Stability Control (RSC)  
Terrain Management System ABS And Driveline Traction Control  
Side Impact Beams  
Dual Stage Driver And Passenger Seat-Mounted Side Airbags  
Low Tire Pressure Warning  
Dual Stage Driver And Passenger Front Airbags  
Safety Canopy System Curtain 1st and 2nd And 3rd Row Airbags  
Airbag Occupancy Sensor  
Passenger Knee Airbag  
Mykey System -inc: Top Speed Limiter, Audio Volume Limiter, Early Low Fuel Warning, Programmable Sound Chimes and Beltminder w/Audio Mute  
Rear Child Safety Locks  
Outboard Front Lap And Shoulder Safety Belts -inc: Rear Center 3 Point, Height Adjusters and Pretensioners

All specifications are subject to change without notice.

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

# Warranty Information

Basic:

3 Years/36,000 Miles

Drivetrain:

5 Years/60,000 Miles

Corrosion:

5 Years/Unlimited Miles

Roadside Assistance:

5 Years/60,000 Miles

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

*Chrome Carbook Fleet Edition™.* Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

# Technical Specifications

## VEHICLE

### Emissions

Tons/yr of CO2 Emissions @ 15K mi/year	N/A
EPA Greenhouse Gas Score	N/A

### Vehicle

EPA Classification	Standard Sport Utility Vehicles 4WD
--------------------	-------------------------------------

## POWERTRAIN

### Transmission

Drivetrain	Four Wheel Drive
Trans Order Code	44C
Trans Type	6
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	4.48
Second Gear Ratio (:1)	2.87
Third Gear Ratio (:1)	1.84
Fourth Gear Ratio (:1)	1.41
Fifth Gear Ratio (:1)	1.00
Sixth Gear Ratio (:1)	0.75
Reverse Ratio (:1)	2.88
Clutch Size	N/A in
Final Drive Axle Ratio (:1)	3.65
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A

### Mileage

EPA Fuel Economy Est - Hwy	23 MPG
Cruising Range - City	316.20 mi
EPA Fuel Economy Est - City	17 MPG
Fuel Economy Est-Combined	19 MPG
Cruising Range - Hwy	427.80 mi

### Engine

Engine Order Code	998
Engine Type	Regular Unleaded V-6
Displacement	3.5 L/213
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	290 @ 6500
SAE Net Torque @ RPM	255 @ 4000

### Electrical

Cold Cranking Amps @ 0° F (Primary)	650
Maximum Alternator Capacity (amps)	175

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

## Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

## DIMENSIONS

### Interior Dimensions

Passenger Capacity	7
Passenger Volume	N/A ft <sup>3</sup>
Front Head Room	41.4 in
Front Leg Room	40.6 in
Front Shoulder Room	61.3 in
Front Hip Room	57.3 in
Second Head Room	40.5 in
Second Leg Room	39.8 in
Second Shoulder Room	61 in
Second Hip Room	56.7 in
Third Head Room	37.8 in
Third Leg Room	33.2 in
Third Shoulder Room	50.8 in
Third Hip Room	40.7 in

### Exterior Dimensions

Wheelbase	112.6 in
Length, Overall	197.1 in
Width, Max w/o mirrors	78.9 in
Height, Overall	71 in
Track Width, Front	67 in
Track Width, Rear	67 in
Min Ground Clearance	7.6 in
Rear Door Opening Height	N/A in
Rear Door Opening Width	N/A in
Liftover Height	N/A in

### Cargo Area Dimensions

Cargo Area Length @ Floor to Seat 1	N/A in
Cargo Area Length @ Floor to Seat 2	N/A in
Cargo Area Length @ Floor to Seat 3	N/A in
Cargo Area Width @ Beltline	N/A in
Cargo Box Width @ Wheelhousings	N/A in
Cargo Box (Area) Height	N/A in
Cargo Volume to Seat 1	80.7 ft <sup>3</sup>
Cargo Volume to Seat 2	43.8 ft <sup>3</sup>
Cargo Volume to Seat 3	21 ft <sup>3</sup>

## CHASSIS

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

## Weight Information

Base Curb Weight	4697 lbs
Curb Weight - Front	N/A lbs
Curb Weight - Rear	N/A lbs
Maximum Payload Capacity	N/A lbs
Curb Weight	N/A lbs
Total Option Weight	0.00 lbs

## Trailer

Dead Weight Hitch - Max Trailer Wt.	5000 lbs
Dead Weight Hitch - Max Tongue Wt.	500 lbs
Wt Distributing Hitch - Max Trailer Wt.	5000 lbs
Wt Distributing Hitch - Max Tongue Wt.	750 lbs
Maximum Trailering Capacity	N/A lbs

## Suspension

Suspension Type - Front	Strut
Suspension Type - Rear	Multi-Link
Suspension Type - Front (Cont.)	N/A
Suspension Type - Rear (Cont.)	N/A
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

## Tires

Front Tire Order Code	
Rear Tire Order Code	
Spare Tire Order Code	
Front Tire Size	P245/65TR17
Rear Tire Size	P245/65TR17
Spare Tire Size	Compact

## Wheels

Front Wheel Size	17 X 7.5 in
Rear Wheel Size	17 X 7.5 in
Spare Wheel Size	Compact in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

## Steering

Steering Type	Rack-Pinion
Steering Ratio (:1), Overall	N/A
Lock to Lock Turns (Steering)	N/A
Turning Diameter - Curb to Curb	38.9 ft
Turning Diameter - Wall to Wall	N/A ft

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

**Brakes**

Brake Type	N/A
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A
Disc - Front (Yes or )	Yes
Disc - Rear (Yes or )	Yes
Front Brake Rotor Diam x Thickness	12.8 in
Rear Brake Rotor Diam x Thickness	12.8 in
Drum - Rear (Yes or )	
Rear Drum Diam x Width	

**Fuel Tank**

Fuel Tank Capacity, Approx	18.6 gal
Aux Fuel Tank Capacity, Approx	N/A gal

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.