

**Prepared By:**  
Anne Stehno  
Utah Fleet Operations  
801-619-7242  
annestehno@utah.gov

**Prepared For:**  
CLASS 4904

## 2014 Ford Transit Connect LWB



### 2014 Ford Transit Connect LWB XL (S7E)

---

CLASS 4904

VAN CARGO MINI

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

# Vehicle Report: Table of Contents

## VEHICLE INFORMATION

Selected Model	1
Selected Vehicle Colors	1
Selected Options	1

## STANDARD EQUIPMENT

Mechanical	2
Exterior	9
Entertainment	2
Interior	3
Safety	3

## WARRANTY INFORMATION

Warranty Information	4
----------------------	---

## TECHNICAL SPECIFICATIONS

Chassis	5
Vehicle	7
Powertrain	7
Dimensions	8
Exterior	9

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

*Chrome Carbook Fleet Edition™.* Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

# Vehicle Information

## SELECTED MODEL

Code	Description
S7E	2014 Ford Transit Connect LWB XL

## SELECTED VEHICLE COLORS

## SELECTED OPTIONS

Code	Description
997	ENGINE: 2.5L DURATEC I4, (STD)
446	TRANSMISSION: 6-SPEED SELECTSHIFT AUTOMATIC, (STD)
100A	ORDER CODE 100A, -inc: Vinyl Front Bucket Seats
—	3.21 AXLE RATIO, (STD)
—	STANDARD PAINT
6B	CHARCOAL BLACK, CLOTH FRONT BUCKET SEATS, -inc: driver and passenger manual 2-way adjustment (fore/aft) w/lever recline
53T	TRAILER TOWING PACKAGE (CLASS I), -inc: trailer tow hitch w/trailer sway control, trailer module and 4-pin connector
545	BLACK POWER ADJUST HEATED MIRRORS W/MANUAL FOLD, -inc: molded-in-color skull caps
59F	2ND ROW FIXED GLASS ON BOTH SIDES
924	REAR PRIVACY GLASS WINDOWS
153	FRONT LICENSE PLATE BRACKET, -inc: Standard in states requiring 2 license plates and optional to all others, *NO LONGER AVAILABLE for factory ordering as of October 16, 2013.* (DISC) *No Longer Factory Orderable, See Dealer for Current Availability*
55A	180-DEG REAR SYMMETRICAL CARGO DOORS W/FIXED GLASS, -inc: Day & Night Inside Rear View Mirror, Rear Washer & Wiper
942	DAYTIME RUNNING LIGHTS
582	RADIO: AM/FM STEREO RECEIVER W/SINGLE CD, -inc: 4.2- LCD multi-function display w/steering wheel controls, In-Cluster Message Center
525	CRUISE CONTROL, -inc: In-Cluster Message Center, 4-Spoke Steering Wheel, satin chrome shells
16V	FRONT ROW ALL-WEATHER FLOOR MATS

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

# Standard Equipment

## MECHANICAL

Engine: 2.5L Duratec I4  
Transmission: 6-Speed SelectShift Automatic  
3.21 Axle Ratio  
GVWR: 5,270 lbs  
50-State Emissions System -inc: Required code for California Emissions States registration on vehicles w/a 2.5L engine, Optional code for Cross Border States dealers on vehicles w/a 2.5L engine  
Transmission w/SelectShift Sequential Shift Control  
Front-Wheel Drive  
60-Amp/Hr 590CCA Maintenance-Free Battery w/Run Down Protection  
150 Amp Alternator  
Gas-Pressurized Shock Absorbers  
Front And Rear Anti-Roll Bars  
Electric Power-Assist Steering  
15.8 Gal. Fuel Tank  
Single Stainless Steel Exhaust  
Strut Front Suspension w/Coil Springs  
Torsion Beam Rear Suspension w/Coil Springs  
4-Wheel Disc Brakes w/4-Wheel ABS, Front Vented Discs, Panic Brake Assist and Hill Hold Control

## EXTERIOR

Wheels: 16" x 6.5" Steel w/XL Full Wheel Covers  
Tires: P215/55R16 97H XL AS -inc: full-size spare  
Steel Spare Wheel  
Full-Size Spare Tire Stored Underbody w/Crankdown  
Clearcoat Paint  
Gray Front Bumper  
Gray Rear Bumper  
Gray Bodyside Moldings  
Black Side Windows Trim and Black Front Windshield Trim  
Black Door Handles  
Black Manual Side Mirrors w/Convex Spotter and Manual Folding  
Variable Intermittent Wipers  
Fully Galvanized Steel Panels  
Gray Grille  
Sliding Rear Doors  
Split Swing-Out Rear Cargo Access  
Tailgate/Rear Door Lock Included w/Power Door Locks  
Aero-Composite Halogen Headlamps  
Rear Fog Lamps  
Perimeter/Approach Lights

## ENTERTAINMENT

Radio: AM/FM Stereo Receiver w/2-Speakers -inc: audio input jack  
Radio w/Seek-Scan, Clock and Aux Audio Input Jack  
2 Speakers  
Integrated Roof Antenna

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

## INTERIOR

Vinyl Bucket Front Seats w/Vinyl Back Material  
4-Way Driver Seat  
4-Way Passenger Seat -inc: Fold Flat  
Manual Tilt/Telescoping Steering Column  
Gauges -inc: Speedometer, Odometer, Engine Coolant Temp, Tachometer, Trip Odometer and Trip Computer  
Front Cupholder  
Remote Keyless Entry w/Integrated Key Transmitter  
Manual Air Conditioning  
Glove Box  
Driver Foot Rest  
Full Cloth Headliner  
Cloth Door Trim Insert  
Urethane Gear Shift Knob  
Full Floor Console w/Storage, Full Overhead Console w/Storage and 1 12V DC Power Outlet  
Delay Off Interior Lighting  
Vinyl/Rubber Floor Covering  
Vinyl/Rubber Floor Trim  
Cargo Space Lights  
Instrument Panel Bin, Dashboard Storage and Driver And Passenger Door Bins  
Power 1st Row Windows w/Driver 1-Touch Down  
Power Door Locks w/Autolock Feature  
Trip Computer  
Analog Display  
Manual Adjustable Front Head Restraints  
Front Center Armrest w/Storage  
1 Seatback Storage Pocket  
Engine Immobilizer  
1 12V DC Power Outlet

## SAFETY

Advancetrac w/Roll Stability Control Electronic Stability Control (ESC) And Roll Stability Control (RSC)  
ABS And Driveline Traction Control  
Side Impact Beams  
Dual Stage Driver And Passenger Seat-Mounted Side Airbags  
Low Tire Pressure Warning  
Dual Stage Driver And Passenger Front Airbags  
Curtain 1st Row Airbags  
Airbag Occupancy Sensor  
Outboard Front Lap And Shoulder Safety Belts -inc: Height Adjusters and Pretensioners

All specifications are subject to change without notice.

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

# Warranty Information

Basic:

3 Years/36,000 Miles

Drivetrain:

5 Years/60,000 Miles

Corrosion:

5 Years/Unlimited Miles

Roadside Assistance:

5 Years/60,000 Miles

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

*Chrome Carbook Fleet Edition™.* Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

# Technical Specifications

## CHASSIS

### Weight Information

Trim Curb Weight	3618.00 lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	2167.00 lbs
Base Trim Weight - Rear	1451.00 lbs
Gross Axle Wt Rating - Front	N/A lbs
Gross Axle Wt Rating - Rear	N/A lbs
Curb Weight - Front	2167 lbs
Curb Weight - Rear	1451 lbs
Option Weight - Front	0.00 lbs
Option Weight - Rear	0.00 lbs
Reserve Axle Capacity - Front	N/A lbs
Reserve Axle Capacity - Rear	N/A lbs
As Spec'd Curb Weight	3618.00 lbs
As Spec'd Payload	-3618.00 lbs
Maximum Payload Capacity	-3618.00 lbs
Gross Combined Wt Rating	N/A lbs
Gross Axle Weight Rating	N/A lbs
Curb Weight	3618.00 lbs
Reserve Axle Capacity	N/A lbs
Total Option Weight	0.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	0.00 lbs

### Trailer

Dead Weight Hitch - Max Trailer Wt.	2000 lbs
Dead Weight Hitch - Max Tongue Wt.	200 lbs
Wt Distributing Hitch - Max Trailer Wt.	2000 lbs
Wt Distributing Hitch - Max Tongue Wt.	300 lbs
Maximum Trailering Capacity	N/A lbs

### Frame

Frame Type	N/A
Sect Modulus Rails Only	N/A in <sup>3</sup>
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

## Suspension

Suspension Type - Front	N/A
Suspension Type - Rear	N/A
Spring Capacity - Front	N/A lbs
Spring Capacity - Rear	N/A lbs
Axle Type - Front	N/A
Axle Type - Rear	N/A
Axle Capacity - Front	N/A lbs
Axle Capacity - Rear	N/A lbs
Axle Ratio (:1) - Front	N/A
Axle Ratio (:1) - Rear	N/A
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

## Tires

Front Tire Order Code	
Rear Tire Order Code	
Spare Tire Order Code	
Front Tire Size	P215/55HR16
Rear Tire Size	P215/55HR16
Spare Tire Size	Full-Size
Front Tire Capacity	N/A lbs
Rear Tire Capacity	N/A lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

## Wheels

Front Wheel Size	16 X 6.5 in
Rear Wheel Size	16 X 6.5 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

## Steering

Steering Type	Rack-Pinion
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	40 ft
Turning Diameter - Wall to Wall	N/A ft

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

## Brakes

Brake Type	N/A
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A
Disc - Front (Yes or )	Yes
Disc - Rear (Yes or )	Yes
Front Brake Rotor Diam x Thickness	N/A in
Rear Brake Rotor Diam x Thickness	N/A in
Drum - Rear (Yes or )	
Rear Drum Diam x Width	N/A in

## Fuel Tank

Fuel Tank Capacity, Approx	15.8 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	N/A
Aux Fuel Tank Location	N/A

## VEHICLE

### Emissions

Tons/yr of CO2 Emissions @ 15K mi/year	7.6 (Est)
EPA Greenhouse Gas Score	N/A

### Vehicle

Rear Door Type	Split Swing-Out
----------------	-----------------

## POWERTRAIN

### Transmission

Drivetrain	Front Wheel Drive
Trans Order Code	446
Trans Type	6
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	4.58
Second Gear Ratio (:1)	2.96
Third Gear Ratio (:1)	1.91
Fourth Gear Ratio (:1)	1.45
Fifth Gear Ratio (:1)	1.00
Sixth Gear Ratio (:1)	0.75
Reverse Ratio (:1)	2.94
Clutch Size	N/A in
Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

## Mileage

EPA Fuel Economy Est - Hwy	29 (Est) MPG
Cruising Range - City	331.80 mi
EPA Fuel Economy Est - City	21 (Est) MPG
Fuel Economy Est-Combined	24 (Est) MPG
Cruising Range - Hwy	458.20 mi

## Engine

Engine Order Code	997
Engine Type	Regular Unleaded I-4
Displacement	2.5 L/152
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	169 @ 6000
SAE Net Torque @ RPM	171 @ 4500
Engine Oil Cooler	N/A

## Electrical

Cold Cranking Amps @ 0° F (Primary)	590
Cold Cranking Amps @ 0° F (2nd)	N/A
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	150

## Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

## DIMENSIONS

### Interior Dimensions

Passenger Capacity	2
Front Head Room	46.8 in
Front Leg Room	41.5 in
Front Shoulder Room	57.6 in
Front Hip Room	54.1 in
Second Head Room	N/A in
Second Leg Room	N/A in
Second Shoulder Room	N/A in
Second Hip Room	N/A in

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

## Exterior Dimensions

Wheelbase	120.6 in
Length, Overall w/o rear bumper	N/A in
Length, Overall w/rear bumper	N/A in
Width, Max w/o mirrors	72.2 in
Height, Overall	72.8 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	N/A in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	23.7 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	N/A in
Ground Clearance, Rear	N/A in
Body Length	0.00 ft
Rear Door Opening Height	N/A in
Rear Door Opening Width	N/A in
Side Door Opening Height	N/A in
Side Door Opening Width	N/A in
Step Up Height - Front	N/A in
Step Up Height - Side	N/A in
Cab to Body	N/A in

## Cargo Area Dimensions

Cargo Box Length @ Floor	N/A in
Cargo Area Length @ Floor to Console	N/A in
Cargo Area Length @ Floor to Seat 1	87.2 in
Cargo Box Width @ Top, Rear	N/A in
Cargo Area Width @ Beltline	N/A in
Cargo Box Width @ Floor	N/A in
Cargo Box Width @ Wheelhousings	48.2 in
Cargo Box (Area) Height	49.7 in
Tailgate Width	N/A in
Cargo Volume	130.6 ft <sup>3</sup>
Ext'd Cab Cargo Volume	N/A ft <sup>3</sup>

## EXTERIOR

Side Door Type

Sliding

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



**Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s).** Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.