

Prepared By:
Anne Stehno
Utah Fleet Operations
801-619-7242
annestehno@utah.gov

Prepared For:
CLASS 4910

2014 Ford Econoline Cargo Van E-250



2014 Ford Econoline Cargo Van E-250 Commercial (E2E)

CLASS 4910

VAN CARGO FULLSIZE

OPTIONAL EQUIPMENT SUPERSEDES STANDARD EQUIPMENT

Vehicle Report: Table of Contents

VEHICLE INFORMATION

Selected Model	1
Selected Vehicle Colors	1
Selected Options	1
Aftermarket Options	1

STANDARD EQUIPMENT

Mechanical	2
Exterior	9
Entertainment	2
Interior	2
Safety	3

WARRANTY INFORMATION

Warranty Information	4
----------------------	---

TECHNICAL SPECIFICATIONS

Chassis	5
Vehicle	7
Powertrain	7
Dimensions	8
Exterior	9

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Vehicle Information

SELECTED MODEL

Code	Description
E2E	2014 Ford Econoline Cargo Van E-250 Commercial

SELECTED VEHICLE COLORS

SELECTED OPTIONS

Code	Description
99W	ENGINE: 4.6L EFI V8 FFV CAPABLE, (STD)
44Q	TRANSMISSION: 4-SPEED AUTOMATIC W/OD, (STD)
750A	ORDER CODE 750A, -inc: Vinyl Buckets
X24	3.73 AXLE RATIO
—	STANDARD PAINT
CE	MEDIUM FLINT, CLOTH BUCKETS
211	DUAL BUCKET SEATS, (STD)
90F	POWER GROUP, -inc: Power Windows, 1-touch down power driver window, Power Door Locks, back door switch, Remote Keyless Entry/Panic Alarm, panic button that activates anti-theft warning system and 2 transmitters, *REQUIRES valid FIN.* (LPO) *w/173 or (178 or (179 or (17S or 17W))) -inc: Left/Right Hand Power Aerotype Exterior Mirrors Includes integrated spotter and right hand convex.*
536	HD TRAILER TOWING PACKAGE (CLASS II/III/IV), -inc: electric brake controller tap-in capability, trailer wiring harness (blade-style female connector) w/bumper bracket and relay system for backup/B+/running lights, Trailer Towing Package (Class I), trailer wiring harness, NOTE: See Salesperson's Source Book or Ford RV Trailer Towing Guide for specific trailer towing limits and corresponding required equipment, Frame-Mounted Hitch Receiver
68B	INTEGRATED TRAILER BRAKE CONTROLLER
173	FIXED REAR CARGO DOOR GLASS, -inc: Inside Rearview Mirror
153	LICENSE PLATE BRACKET, -inc: Required and generated in states issuing 2 license plates
942	DAYTIME RUNNING LAMPS, *REQUIRES fleet with valid FIN.* (LPO)
585	RADIO: ETR AM/FM STEREO W/SINGLE DISC CD, -inc: digital clock, 4-speakers and audio input jack
525	CRUISE CONTROL
60J	INSTRUMENT PANEL ELECTRONIC MESSAGE CENTER, -inc: engine hour meter

AFTERMARKET OPTIONS

Ford-Alarm

Backup Alarm for fullsize passenger and cargo van. Option code: AMO.

All prices and specifications are subject to change without notice. Prices do not include sales tax, vehicle registration fees, finance charges, documentation charges, or other fees required by law. Dealer invoice prices do not include dealer charges, such as advertising charges, that can vary by manufacturer or region.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Standard Equipment

MECHANICAL

Engine: 4.6L EFI V8 FFV Capable
Transmission: 4-Speed Automatic w/OD
GVWR: 8,900 lb Payload Package
50-State Emissions System
Transmission w/Oil Cooler
Rear-Wheel Drive
Engine Oil Cooler
72-Amp/Hr 650CCA Maintenance-Free Battery
120 Amp Alternator
HD Shock Absorbers
Front Anti-Roll Bar
Hydraulic Power-Assist Steering
33 Gal. Fuel Tank
Single Stainless Steel Exhaust
Front Suspension w/Coil Springs
Leaf Rear Suspension w/Leaf Springs
4-Wheel Disc Brakes w/4-Wheel ABS and Front Vented Discs

EXTERIOR

Wheels: 16" x 7" Steel
Tires: LT245/75R16E BSW AS -inc: Spare tire is same as road tire
16" Sport Wheel Covers -inc: Over steel wheels
Steel Spare Wheel
Full-Size Spare Tire Stored Underbody w/Crankdown
Clearcoat Paint
Black Painted Front & Rear Contour Bumpers
Black Side Windows Trim and Black Front Windshield Trim
Black Door Handles
Black Manual Side Mirrors w/Convex Spotter and Manual Folding
Manual Extendable Trailer Style Mirrors
Light Tinted Glass
Variable Intermittent Wipers
Front Windshield -inc: Sun Visor Strip
Fully Galvanized Steel Panels
Black Grille
Split Swing-Out Rear Passenger Side Door
Split Swing-Out Rear Cargo Access
Manual Tailgate/Rear Door Lock
Sealed Beam Halogen Headlamps

ENTERTAINMENT

Radio: ETR AM/FM Stereo w/Digital Clock -inc: audio input jack and 2-speakers
Fixed Antenna

INTERIOR

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Dual Bucket Seats
Vinyl Front Seats w/Vinyl Back Material
4-Way Driver Seat
4-Way Passenger Seat
Manual Tilt Steering Column
Gauges -inc: Speedometer, Odometer, Voltmeter, Oil Pressure, Engine Coolant Temp, Tachometer and Trip Odometer
Front Cupholder
Manual Air Conditioning
Glove Box
Front Vinyl Headliner
Urethane Gear Shift Knob
Engine Cover Console w/Storage and 3 12V DC Power Outlets
Regular Dome Lighting
Front Vinyl Floor Covering
Cargo Space Lights
Dashboard Storage and Driver And Passenger Door Bins
Manual 1st Row Windows
Analog Display
Fixed Front Head Restraints
Driver And Front Passenger Armrests
3 12V DC Power Outlets

SAFETY

Electronic Stability Control (ESC) And Roll Stability Control (RSC)
ABS And Driveline Traction Control
Side Impact Beams
Low Tire Pressure Warning
Dual Stage Driver And Passenger Front Airbags
Outboard Front Lap And Shoulder Safety Belts -inc: Height Adjusters and Pretensioners

All specifications are subject to change without notice.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Warranty Information

Basic:

3 Years/36,000 Miles

Drivetrain:

5 Years/60,000 Miles

Corrosion:

5 Years/Unlimited Miles

Roadside Assistance:

5 Years/60,000 Miles

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Technical Specifications

CHASSIS

Weight Information

Trim Curb Weight	5230.00 lbs
Standard Weight - Front	0 lbs
Standard Weight - Rear	0 lbs
Base Trim Weight - Front	2896.00 lbs
Base Trim Weight - Rear	2334.00 lbs
Gross Axle Wt Rating - Front	N/A lbs
Gross Axle Wt Rating - Rear	N/A lbs
Curb Weight - Front	2896 lbs
Curb Weight - Rear	2334 lbs
Option Weight - Front	-5.00 lbs
Option Weight - Rear	74.00 lbs
Reserve Axle Capacity - Front	N/A lbs
Reserve Axle Capacity - Rear	N/A lbs
As Spec'd Curb Weight	5299.00 lbs
As Spec'd Payload	-5299.00 lbs
Maximum Payload Capacity	-5230.00 lbs
Gross Combined Wt Rating	N/A lbs
Gross Axle Weight Rating	N/A lbs
Curb Weight	5230.00 lbs
Reserve Axle Capacity	N/A lbs
Total Option Weight	69.00 lbs
Payload Weight Front	0 lbs
Payload Weight Rear	0 lbs
Gross Vehicle Weight Rating	0.00 lbs

Trailer

Dead Weight Hitch - Max Trailer Wt.	6000 lbs
Dead Weight Hitch - Max Tongue Wt.	600 lbs
Wt Distributing Hitch - Max Trailer Wt.	6000 lbs
Wt Distributing Hitch - Max Tongue Wt.	900 lbs
Maximum Trailering Capacity	N/A lbs

Frame

Frame Type	N/A
Sect Modulus Rails Only	N/A in ³
Frame RBM	N/A N/A
Frame Strength	N/A lbs
Frame Thickness	N/A in

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Suspension

Suspension Type - Front	N/A
Suspension Type - Rear	N/A
Spring Capacity - Front	N/A lbs
Spring Capacity - Rear	N/A lbs
Axle Type - Front	N/A
Axle Type - Rear	N/A
Axle Capacity - Front	N/A lbs
Axle Capacity - Rear	N/A lbs
Axle Ratio (:1) - Front	N/A
Axle Ratio (:1) - Rear	N/A
Shock Absorber Diameter - Front	N/A mm
Shock Absorber Diameter - Rear	N/A mm
Stabilizer Bar Diameter - Front	N/A in
Stabilizer Bar Diameter - Rear	N/A in

Tires

Front Tire Order Code	T38
Rear Tire Order Code	T38
Spare Tire Order Code	
Front Tire Size	LT245/75SR16
Rear Tire Size	LT245/75SR16
Spare Tire Size	Full-Size
Front Tire Capacity	N/A lbs
Rear Tire Capacity	N/A lbs
Spare Tire Capacity	N/A lbs
Revolutions/Mile @ 45 mph - Front	N/A
Revolutions/Mile @ 45 mph - Rear	N/A
Revolutions/Mile @ 45 mph - Spare	N/A

Wheels

Front Wheel Size	16 X 7 in
Rear Wheel Size	16 X 7 in
Spare Wheel Size	Full-Size in
Front Wheel Material	Steel
Rear Wheel Material	Steel
Spare Wheel Material	Steel

Steering

Steering Type	Re-Circulating Ball
Steering Ratio (:1), Overall	N/A
Steering Ratio (:1), On Center	N/A
Steering Ratio (:1), At Lock	N/A
Turning Diameter - Curb to Curb	48.6 ft
Turning Diameter - Wall to Wall	N/A ft

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Brakes

Brake Type	N/A
Brake ABS System	4-Wheel
Brake ABS System (Second Line)	N/A
Disc - Front (Yes or)	Yes
Disc - Rear (Yes or)	Yes
Front Brake Rotor Diam x Thickness	13.6 in
Rear Brake Rotor Diam x Thickness	13.6 in
Drum - Rear (Yes or)	
Rear Drum Diam x Width	

Fuel Tank

Fuel Tank Capacity, Approx	33 gal
Aux Fuel Tank Capacity, Approx	N/A gal
Fuel Tank Location	N/A
Aux Fuel Tank Location	N/A

VEHICLE**Emissions**

Tons/yr of CO2 Emissions @ 15K mi/year	12.2 (Est)
EPA Greenhouse Gas Score	N/A

Vehicle

Rear Door Type	Split Swing-Out
----------------	-----------------

POWERTRAIN**Transmission**

Drivetrain	Rear Wheel Drive
Trans Order Code	44Q
Trans Type	4
Trans Description Cont.	Automatic w/OD
Trans Description Cont. Again	
First Gear Ratio (:1)	2.84
Second Gear Ratio (:1)	1.55
Third Gear Ratio (:1)	1.00
Fourth Gear Ratio (:1)	0.70
Reverse Ratio (:1)	2.32
Clutch Size	N/A in
Trans Power Take Off	N/A
Final Drive Axle Ratio (:1)	N/A
Transfer Case Model	N/A
Transfer Case Gear Ratio (:1), High	N/A
Transfer Case Gear Ratio (:1), Low	N/A
Transfer Case Power Take Off	N/A

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Mileage

EPA Fuel Economy Est - Hwy	17 (Est) MPG
Cruising Range - City	429.00 mi
EPA Fuel Economy Est - City	13 (Est) MPG
Fuel Economy Est-Combined	15 (Est) MPG
Cruising Range - Hwy	561.00 mi

Engine

Engine Order Code	99W
Engine Type	Regular Unleaded V-8
Displacement	4.6 L/281
Fuel System	Sequential MPI
SAE Net Horsepower @ RPM	225 @ 4800
SAE Net Torque @ RPM	286 @ 3500
Engine Oil Cooler	N/A

Electrical

Cold Cranking Amps @ 0° F (Primary)	650
Cold Cranking Amps @ 0° F (2nd)	N/A
Cold Cranking Amps @ 0° F (3rd)	N/A
Maximum Alternator Capacity (amps)	120

Cooling System

Total Cooling System Capacity	N/A qts
-------------------------------	---------

DIMENSIONS

Interior Dimensions

Passenger Capacity	2
Front Head Room	42 in
Front Leg Room	40 in
Front Shoulder Room	68.1 in
Front Hip Room	65.6 in
Second Head Room	
Second Leg Room	
Second Shoulder Room	
Second Hip Room	

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.

Exterior Dimensions

Wheelbase	138 in
Length, Overall w/o rear bumper	N/A in
Length, Overall w/rear bumper	N/A in
Width, Max w/o mirrors	79.4 in
Height, Overall	84.8 in
Overhang, Front	N/A in
Overhang, Rear w/o bumper	N/A in
Front Bumper to Back of Cab	N/A in
Cab to Axle	N/A in
Cab to End of Frame	N/A in
Ground to Top of Load Floor	31.1 in
Ground to Top of Frame	N/A in
Frame Width, Rear	N/A in
Ground Clearance, Front	N/A in
Ground Clearance, Rear	N/A in
Body Length	0.00 ft
Rear Door Opening Height	N/A in
Rear Door Opening Width	N/A in
Side Door Opening Height	N/A in
Side Door Opening Width	N/A in
Step Up Height - Front	N/A in
Step Up Height - Side	N/A in
Cab to Body	N/A in

Cargo Area Dimensions

Cargo Box Length @ Floor	N/A in
Cargo Area Length @ Floor to Console	N/A in
Cargo Area Length @ Floor to Seat 1	122.4 in
Cargo Box Width @ Top, Rear	N/A in
Cargo Area Width @ Beltline	73.6 in
Cargo Box Width @ Floor	N/A in
Cargo Box Width @ Wheelhousings	52.5 in
Cargo Box (Area) Height	51.9 in
Tailgate Width	N/A in
Cargo Volume	237.8 ft ³
Ext'd Cab Cargo Volume	N/A ft ³

EXTERIOR

Side Door Type

Split Swing-Out

Report content is based on current data. Any performance-related calculations are offered solely as guidelines. Actual unit performance will depend on your operating conditions.

carbookfleetedition



Warning! Configuration incomplete or configuration logic disabled for subject vehicle(s). Prices, specifications, and availability are subject to change without notice, and do not include certain fees, taxes, and charges that may be required by law or vary by manufacturer or region. Performance figures are guidelines only, and actual performance may vary. Photos do not represent actual vehicles or exact configurations.

Chrome Carbook Fleet Edition™. Report content is based on data version 413, current as of 12/08/2013 at 19:00 PM. All contents Copyright © 1986-2007 Chrome Systems Incorporated. All rights reserved.